

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Supplement

Number 9

20 12 2007

ISSN 1015-8243

List of the Irano-Anatolian *Noctuidae* with some faunal and zoogeographical remarks based upon the Info-System of the Cesa (*Lepidoptera*)¹

Muhabbet Kemal Selma Seven Ahmet Ömer Koçak

Abstract: List of the Irano-Anatolian Noctuidae with some faunal and zoogeographical remarks based upon the Info-System of the Cesa (*Lepidoptera*). *Cent. ent. Stud., Priamus Suppl.* 9: 1-88, 1 Map 1 Table.

This study contents partial results of the Cesa Projects, *Lepidoptera* of Iran (LIR), and *Lepidoptera* of Turkey (LTR). A synonymous checklist of totally 2134 species and subspecies are given. Species and subspecies are listed alphabetically with remarks on the occurrence in Turkey or Iran. Zoogeographical representations are also added. In Turkey 1223 species (1648 together with subspecies), and in Iran 999 species (1328 together with subspecies) are recorded respectively. Comparative faunal results and zoogeographical properties are discussed briefly. Selected bibliography on the Irano-Anatolian Noctuidae are also mentioned.

Keywords: *Noctuidae*, *Lepidoptera*, species, subspecies, checklist, fauna, zoogeography, Turkey, Iran.

¹ This survey reflects partial results of the Cesa Projects, *Lepidoptera* of Iran (LIR), and *Lepidoptera* of Turkey (LTR). <http://www.cesa-tr.org/Cesaprojects.htm>

Turkey, in comparing with the geographical position of Iran, is situated more northerly in West Asia (Map 1). Northern territories of West Iran (Azerbaijan) are nearly at the same latitude of northern Van Lake Basin in East Turkey. Iran extends in the south almost at the same level of Central



Map 1- Turkey and Iran (Irano-Anatolian) in West Asia

Saudi Arabia. Due to their geographical positions, fauna of Turkey is more influenced by the European elements than Iran. At the same time, many West and Central Asiatic species penetrate mainly through the *Astragalo-Brometea* plant cover of East Turkey and Taurus Mountains Range in the South. Iran territories are remarkably influenced by the Palaeotropical elements. But yet, our present knowledge is rather poor about them. Endemism seems remarkable in both countries. As we have no precise knowledge about the distributional boundaries of most the species, we cannot submit detailed comments about the endemics at

present.

The present study is a comparative faunal one on the Noctuidae fauna of Turkey and Iran. Their common territories may approximately be considered as Irano-Anatolian. Although this zoogeographical term has been previously used by Wiltshire (1957), covering the territories of South-West Asia, we interpreted "Irano-Anatolian" here strictly for the state territories of Turkey and Iran.

This survey is based upon the Info-System of the Cesa². Totally 2134 species and subspecies in the 456 genus group taxa, are listed alphabetically within the family. In Turkey 1223 species (1648 together with subspecies), and in Iran 999 species (1328 together with subspecies) are hitherto recorded respectively. According to our present knowledge, totally 337 species (486 together with subspecies) among the Iranian Noctuidae are absent in Turkey. On the other hand, 561 species (806 together with subspecies) are not found in Iran among the Turkish Noctuids. Common species, i.e., occurring in both countries are 662 (842 together with subspecies). As result of these information, Dice similarity index between these two faunal regions may be calculated as %59.58 at species level, and %56.58 together with subspecies.

Table 1- Zoogeographical distribution of Irano-Anatolian Noctuidae species in Turkey and Iran.

states	Holarctic	Palearctic	Nearctic	Palaeotropical	Afrotropical	Oriental	Neotropical	Australic	Pacific
Turkey	1223	1223	19	64	55	32	4	17	12
Iran	999	999	13	77	60	39	2	18	13

Zoogeographically, the Noctuid species of Irano-Anatolian are evaluated at realm and region levels (Table 1). Turkey and Iran are situated in the Holarctic and Palearctic realm and region respectively. Therefore, all the presently recorded species are attributed to these zoogeographical units. However, some of the species among them are found also in other regions and realms in the world. For example 19 species of Turkey are represented in North America (Nearctic) at the same time, while this number is 13 in Iran. Totally 64 species of Turkey are represented in Palaeotropical realm (tropical belt of the World), while this number is more higher, 77 in Iran. Finally 17 species of Turkey are

² <http://www.cesa-tr.org/Cesaprojects.htm> <http://www.members.tripod.com/entcesa/Howmany.htm>

represented in Australic, while this number is 18 in Iran. In the table above, regional evaluations, within the Palaearctic and Australic realms, are also given.

Selected publications on the Irano-Anatolian *Noctuidae* are listed separately and in chronological order at the end of this study.

Checklist of the Irano- Anatolian Noctuidae Species and Subspecies

Symbols: (*) found in Turkey, (**) found in Iran, (x) found in Turkey but not recorded in Iran, (xx) found in Iran but not recorded in Turkey. Hx - Holarctic, Hp - Palaearctic, Hn - Nearctic. Px - Palaetropical, Pa - Afrotropical, Po - Oriental, Pn - Neotropical, Ax - Australic, Aa - Australic, Ap - Pacific.

- | | |
|--|---|
| <p>1. Abrostola agnorista Dufay,1956 (Noctuidae) Synonym(s): <i>agnorista</i> Dufay,1956 (*) (**) Realm: Hx Hp</p> <p>2. Abrostola asclepiadis (Lang,1789) (Noctuidae) Synonym(s): <i>#asclepiadis</i> [Denis & Schiffermüller],1775; <i>asclepiadis</i> Lang,1789. (*) (**) Realm: Hx Hp</p> <p>3. Abrostola clarissa (Staudinger,1900) (Noctuidae) Synonym(s): <i>clarissa</i> Staudinger,1900 (*) (**) Realm: Hx Hp</p> <p>4. Abrostola hyrcanica Hacker,2002 (Noctuidae) Synonym(s): <i>hyrcanica</i> Hacker,2002 (**) (xx) Realm: Hx Hp</p> <p>5. Abrostola tripartita (Hufnagel,1766) (Noctuidae) Synonym(s): <i>tripartita</i> Hufnagel,1766; <i>conspicillum</i> Retzius,1783; <i>urticae</i> Hübner,[1817] (*) (x) Realm: Hx Hp</p> <p>6. Abrostola triplasia (Linnaeus,1758) (Noctuidae) Synonym(s): <i>triplasia</i> Linnaeus,1758; <i>trigemina</i> Werneburg,1864. (*) (**) Realm: Hx Hp</p> <p>7. Acantholipes circumdata (Walker,1858) (Noctuidae) Synonym(s): <i>circumdata</i> Walker,1858; <i>vetustalis</i> Walker,[1866]; <i>flavisigna</i> Moore,1881 (**) (xx) Realm: Hx Hp Px Pa</p> <p>8. Acantholipes circumdata affinis (Butler,1880) (Noctuidae) Synonym(s): <i>affinis</i> Butler,1880 (**) (xx)</p> <p>9. Acantholipes regularis (Hübner,[1813]) (Noctuidae) Synonym(s): <i>regularis</i> Hübner,[1813] (*) (**) Realm: Hx Hp</p> <p>10. Acantholipes regularis regularis (Hübner,[1813]) (Noctuidae) Synonym(s): <i>regularis</i> Hübner,[1813] (*) (**) Realm: Hx Hp</p> <p>11. Acantholipes regulatrix Wiltshire,1961 (Noctuidae) Synonym(s): <i>regulatrix</i> Wiltshire,1961 (**) (xx) Realm: Hx Hp</p> <p>12. Acontia biskrensis (Oberthür,1887) (Noctuidae) Synonym(s): <i>biskrensis</i> Oberthür,1887; <i>grisescens</i> Rebel,1948 (**) (xx) Realm: Hx Hp</p> | <p>13. Acontia biskrensis orientalis (Brandt,1939) (Noctuidae) Synonym(s): <i>orientalis</i> Brandt,1939 (**) (xx)</p> <p>14. Acontia hortensis Swinhoe,1884 (Noctuidae) Synonym(s): <i>hortensis</i> Swinhoe,1884; <i>audeoudi</i> Brandt,1939; <i>#audeoudi</i> Ebert & Hacker,2002 (**) (xx) Realm: Hx Hp</p> <p>15. Acontia lucida (Hufnagel,1766) (Noctuidae) Synonym(s): <i>lucida</i> Hufnagel,1766; <i>solaris</i> [Denis & Schiffermüller],1775; <i>albicollis</i> Fabricius,1781; <i>rupicola</i> Borkhausen,1792; <i>insolatrix</i> Hübner,[1822]; <i>lugens</i> Alpheraky,1889. (*) (**) Realm: Hx Hp</p> <p>16. Acontia opalinoides Guenée,1852 (Noctuidae) Synonym(s): <i>opalinoides</i> Guenée,1852 (**) (xx) Realm: Hx Hp Px Po</p> <p>17. Acontia titania (Esper,[1798]) (Noctuidae) Synonym(s): <i>titania</i> Esper,[1798]; <i>urania</i> Frivaldsky,1835; <i>eversmanni</i> Kolenati,1846. (*) (**) Realm: Hx Hp</p> <p>18. Acontia umbriger (R.Felder & Rogenhofer,[1875]) (Noctuidae) Synonym(s): <i>umbriger</i> R.Felder & Rogenhofer,[1875]; <i>trimaculata</i> Aurivillius,1879 (**) (xx) Realm: Hx Hp Px Pa</p> <p>19. Acrapex taurica (Staudinger,1900) (Noctuidae) Synonym(s): <i>taurica</i> Staudinger,1900 (*) (x) Realm: Hx Hp</p> <p>20. Acrobyla draudti (Brandt,1939) (Noctuidae) Synonym(s): <i>draudti</i> Brandt,1939 (**) (xx) Realm: Hx Hp</p> <p>21. Acrobyla kneuckeri (Rebel,1903) (Noctuidae) Synonym(s): <i>kneuckeri</i> Rebel,1903; <i>turcorum</i> C.G.Krüger,1939 nec Zny. (**) (xx) Realm: Hx Hp Px Pa</p> <p>22. Acrobyla kneuckeri ariefera (Hampson,1926) (Noctuidae) Synonym(s): <i>ariefera</i> Hampson,1926 (**) (xx)</p> <p>23. Acronicta (Subacronicta) megacephala (Fabricius,1787) (Noctuidae) Synonym(s): <i>megacephala</i> Fabricius,1787; <i>ankarensis</i> Hering,1933. (*) (**) Realm: Hx Hp</p> |
|--|---|

24. **Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758 (*) (**) Realm: Hx Hp
25. **Acronicta (Triaena) aceris aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758 (*) (x)
26. **Acronicta (Triaena) aceris judaea (Staudinger,1901)** (Noctuidae) Synonym(s): *judaea* Staudinger,1901; *taurica* Staudinger,1901; *johanna* Schawerda,1940. (*) (**) (x)
27. **Acronicta (Triaena) alni (Linnaeus,1767)** (Noctuidae) Synonym(s): *alni* Linnaeus,1767 (*) (x) Realm: Hx Hp
28. **Acronicta (Triaena) leporina (Linnaeus,1758)** (Noctuidae) Synonym(s): *leporina* Linnaeus,1758 (*) (x) Realm: Hx Hp
29. **Acronicta (Triaena) leporina leporina (Linnaeus,1758)** (Noctuidae) Synonym(s): *leporina* Linnaeus,1758 (*) (x)
30. **Acronicta (Triaena) pasiphae Draudt,1936** (Noctuidae) Synonym(s): *pasiphae* Draudt,1936 (*) (**) Realm: Hx Hp
31. **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758 (*) (**) Realm: Hx Hp
32. **Acronicta (Triaena) psi psi (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758 (*) (**) (x)
33. **Acronicta (Triaena) psi tehrena Wiltshire,1946** (Noctuidae) Synonym(s): *tehrena* Wiltshire,1946 (**) (xx)
34. **Acronicta (Triaena) solimana Draudt,1938** (Noctuidae) Synonym(s): *solimana* Draudt,1938 (**) (xx) Realm: Hx Hp
35. **Acronicta (Triaena) tridens ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878. (*) (x) Realm: Hx Hp
36. **Acronicta (Viminia) auricoma (Fabricius,1787)** (Noctuidae) Synonym(s): *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858 (*) (x) Realm: Hx Hp
37. **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) Synonym(s): *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowski* Wojtusik & Niesiolowski,1946. (*) (**) Realm: Hx Hp
38. **Acronicta (Viminia) orientalis Mann,1862** (Noctuidae) Synonym(s): *orientalis* Mann,1862 (*) (**) Realm: Hx Hp
39. **Acronicta (Viminia) rumicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 (*) (**) Realm: Hx Hp
40. **Acronicta (Viminia) rumicis pallida Rothschild,1920** (Noctuidae) Synonym(s): *pallida* Rothschild,1920 (*) (**) (x)
41. **Acronicta (Viminia) saadi Brandt,1938** (Noctuidae) Synonym(s): *saadi* Brandt,1938 (**) (xx) Realm: Hx Hp
42. **Actebia praecox (Linnaeus,1758)** (Noctuidae) Synonym(s): *praecox* Linnaeus,1758; *praeceps* Denis & Schiffermüller,[1775]; *pomacea* Fourcroy,1785 (*) (x) Realm: Hx Hp
43. **Actebia praecox praecox (Linnaeus,1758)** (Noctuidae) Synonym(s): *praecox* Linnaeus,1758; *praeceps* Denis & Schiffermüller,[1775]; *pomacea* Fourcroy,1785 (*) (x)
44. **Actinotia polyodon (Clerck,1759)** (Noctuidae) Synonym(s): *#polyodon* Clerck,1759; *perspicillaris* Linnaeus,1761. (*) (x) Realm: Hx Hp
45. **Actinotia radiosa (Esper,[1804])** (Noctuidae) Synonym(s): *radiosa* Esper,[1804]; *lyncea* Hübner,[1809] (*praeocc.*) (*) (x) Realm: Hx Hp
46. **Aedia cana (Brandt,1939)** (Noctuidae) Synonym(s): *cana* Brandt,1939 (**) (xx) Realm: Hx Hp
47. **Aedia funesta (Esper,[1786])** (Noctuidae) Synonym(s): *funesta* Esper,[1786]; *quadrinaculata* Scopoli,1786 (*) (**) Realm: Hx Hp
48. **Aedia leucomelas (Linnaeus,1758)** (Noctuidae) Synonym(s): *leucomelas* Linnaeus,1758; *ramburi* Boisduval,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* Prout,1927; *albodiscalis* Roepke,1932; *ermanniae* Berio,1989 (*) (**) Realm: Hx Hp Px Pa Po Ax Aa Ap
49. **Aedophron phlebophora Lederer,1858** (Noctuidae) Synonym(s): *phlebophora* Lederer,1858 (*) (**) Realm: Hx Hp
50. **Aedophron rhodites (Eversmann,1851)** (Noctuidae) Synonym(s): *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852]. (*) (**) Realm: Hx Hp
51. **Aegle diatemna Boursin,1962** (Noctuidae) Synonym(s): *diatemna* Boursin,1962 (*) (x) Realm: Hx Hp
52. **Aegle exquisita Boursin,1969** (Noctuidae) Synonym(s): *exquisita* Boursin,1969 (*) (**) Realm: Hx Hp
53. **Aegle gratiosa (Staudinger,1892)** (Noctuidae) Synonym(s): *gratiosa*

- Staudinger, 1892; iranica* Bytinski-Salz & Brandt, 1937. (*) (**) Realm: Hx Hp
54. **Aegle kaekeritziana (Hübner, [1799])** (Noctuidae) Synonym(s): *kaekeritziana* Hübner, [1799]; *flava* Hübner, [1809]; *flavida* Ochseneimer, 1816. (*) (**) Realm: Hx Hp
55. **Aegle nubila (Staudinger, 1892)** (Noctuidae) Synonym(s): *nubila* Staudinger, 1892 (*) (x) Realm: Hx Hp
56. **Aegle otto (Schawerda, 1923)** (Noctuidae) Synonym(s): *otto* Schawerda, 1923 (**) (xx) Realm: Hx Hp
57. **Aegle rebeli Schawerda, 1923** (Noctuidae) Synonym(s): *rebeli* Schawerda, 1923 (*) (x) Realm: Hx Hp
58. **Aegle semicana (Esper, [1798])** (Noctuidae) Synonym(s): *semicana* Esper, [1798]; *vespertalis* Hübner, [1813]; *mimetes* Brandt, 1938; *#vespertalis* Hacker, 1986. (*) (**) Realm: Hx Hp
59. **Aegle semicana semicana (Esper, [1798])** (Noctuidae) Synonym(s): *semicana* Esper, [1798]; *vespertalis* Hübner, [1813]; *mimetes* Brandt, 1938; *#vespertalis* Hacker, 1986. (*) (**) Realm: Hx Hp
60. **Aegle subflava (Erschoff, 1874)** (Noctuidae) Synonym(s): *subflava* Erschoff, 1874 (**) (xx) Realm: Hx Hp
61. **Africalpe falkneri Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *falkneri* Hacker & Ebert, 2002 (**) (xx) Realm: Hx Hp
62. **Africalpe intrusa C.G. Krüger, 1939** (Noctuidae) Synonym(s): *intrusa* C.G. Krüger, 1939; *annubia* Rebel, 1948 (**) (xx) Realm: Hx Hp Px Pa
63. **Africalpe vagabunda (Swinhoe, 1884)** (Noctuidae) Synonym(s): *vagabunda* Swinhoe, 1884; ? *nubifera* Hampson, 1907 (**) (xx) Realm: Hx Hp Px Po
64. **Agrapha accentifera (Lefebvre, 1827)** (Noctuidae) Synonym(s): *accentifera* Lefebvre, 1827; *l-aureum* Freyer, 1831; *accifera* Gaede, 1937. (*) (x) Realm: Hx Hp Px Pa
65. **Agrochola (Alpichola) egorovi (O. Bang-Haas, 1934)** (Noctuidae) Synonym(s): *egorovi* O. Bang-Haas, 1934 (*) (x) Realm: Hx Hp
66. **Agrochola (Alpichola) egorovi egorovi (O. Bang-Haas, 1934)** (Noctuidae) Synonym(s): *egorovi* O. Bang-Haas, 1934 (*) (x)
67. **Agrochola (Alpichola) egorovi laciniatae Wiltshire, 1958** (Noctuidae) Synonym(s): *laciniatae* Wiltshire, 1958 (*) (x)
68. **Agrochola (Alpichola) fibigeri Hacker & Moberg, 1989** (Noctuidae) Synonym(s): *fibigeri* Hacker & Moberg, 1989 (*) (x) Realm: Hx Hp
69. **Agrochola (Alpichola) janhillmanni Hacker & Moberg, 1989** (Noctuidae) Synonym(s): *janhillmanni* Hacker & Moberg, 1989 (*) (x) Realm: Hx Hp
70. **Agrochola (Alpichola) lactiflora (Draudt, 1934)** (Noctuidae) Synonym(s): *lactiflora* Draudt, 1934 (*) (x) Realm: Hx Hp
71. **Agrochola (Alpichola) lactiflora lactiflora (Draudt, 1934)** (Noctuidae) Synonym(s): *lactiflora* Draudt, 1934 (*) (x)
72. **Agrochola (Alpichola?) gratiosa (Staudinger, 1882)** (Noctuidae) Synonym(s): *gratiosa* Staudinger, 1881. (*) (x) Realm: Hx Hp
73. **Agrochola (Anchoscelis) consueta (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s): *consueta* Herrich-Schäffer, [1852] (*) (x) Realm: Hx Hp
74. **Agrochola (Anchoscelis) deleta (Staudinger, 1881)** (Noctuidae) Synonym(s): *deleta* Staudinger, 1881 (*) (x) Realm: Hx Hp
75. **Agrochola (Anchoscelis) helvola (Linnaeus, 1758)** (Noctuidae) Synonym(s): *helvola* Linnaeus, 1758; *rufina* Linnaeus, 1758; *#fulvago* Clerck, 1759. (*) (x) Realm: Hx Hp
76. **Agrochola (Anchoscelis) helvola pallescens (Osthelder, 1933)** (Noctuidae) Synonym(s): *#pallescens* W. Warren, 1911; *pallescens* Osthelder, 1933; *vulpina* De Lattin, 1950. (*) (x)
77. **Agrochola (Anchoscelis) humilis (Fabricius, 1787)** (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller], 1775; *humilis* Fabricius, 1787 (*) (x) Realm: Hx Hp
78. **Agrochola (Anchoscelis) humilis anatolica Pinker, 1980** (Noctuidae) Synonym(s): *anatolica* Pinker, 1980 (*) (x)
79. **Agrochola (Anchoscelis) imitata Ronkay, 1984** (Noctuidae) Synonym(s): *imitata* Ronkay, 1984 (*) (x) Realm: Hx Hp
80. **Agrochola (Anchoscelis) kindermannii (Fischer v. Röslerstamm, [1841])** (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm, [1841]; *ballotae* Duponchel, [1842]; *cindermannii* Hampson, 1906; *rufa* Osthelder, 1933; *wolfschlaegeri* Boursin, 1953. (*) (**) Realm: Hx Hp
81. **Agrochola (Anchoscelis) litura (Linnaeus, 1761)** (Noctuidae) Synonym(s): *litura* Linnaeus, 1761 (*) (x) Realm: Hx Hp
82. **Agrochola (Anchoscelis) litura litura (Linnaeus, 1761)** (Noctuidae) Synonym(s): *litura* Linnaeus, 1761 (*) (x)
83. **Agrochola (Anchoscelis) lota (Clerck, 1759)** (Noctuidae) Synonym(s): *#lota* Clerck, 1759 (*) (x) Realm: Hx Hp

84. **Agrochola (Anchoscelis) luteogrisea** (W.Warren,1911) (Noctuidae) Synonym(s): *luteogrisea* W.Warren,1911 (*) (**) Realm: Hx Hp
85. **Agrochola (Anchoscelis) macilenta** (Hübner,[1809]) (Noctuidae) Synonym(s): *macilenta* Hübner,[1809] (*) (x) Realm: Hx Hp
86. **Agrochola (Anchoscelis) macilenta macilenta** (Hübner,[1809]) (Noctuidae) Synonym(s): *macilenta* Hübner,[1809] (*) (x)
87. **Agrochola (Anchoscelis) nitida** (Fabricius,1787) (Noctuidae) Synonym(s): *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787 (*) (x) Realm: Hx Hp
88. **Agrochola (Anchoscelis) occulta** Hacker,1996 (Noctuidae) Synonym(s): *occulta* Hacker,1996 (*) (x) Realm: Hx Hp
89. **Agrochola (Anchoscelis) oropotamica** (Wiltshire,1941) (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941. (*) (**) Realm: Hx Hp
90. **Agrochola (Anchoscelis) oropotamica oropotamica** (Wiltshire,1941) (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941. (*) (**) (xx)
91. **Agrochola (Anchoscelis) oropotamica thermopotamica** (Wiltshire,1941) (Noctuidae) Synonym(s): *thermopotamica* Wiltshire,1941. (**) (xx)
92. **Agrochola (Anchoscelis) osthelderi** Boursin,1951 (Noctuidae) Synonym(s): *osthelderi* Boursin,1951 (*) (x) Realm: Hx Hp
93. **Agrochola (Anchoscelis) pauli** (Staudinger,1892) (Noctuidae) Synonym(s): *pauli* Staudinger,1892 (*) (x) Realm: Hx Hp
94. **Agrochola (Anchoscelis) plumbea** (Wiltshire,1941) (Noctuidae) Synonym(s): *plumbea* Wiltshire,1941 (**) (xx) Realm: Hx Hp
95. **Agrochola (Anchoscelis) plumbea convergens** (Wiltshire,1946) (Noctuidae) Synonym(s): *convergens* Wiltshire,1946 (**) (xx)
96. **Agrochola (Anchoscelis) rupicapra** (Staudinger,1879) (Noctuidae) Synonym(s): *rupicapra* Staudinger,1879 (*) (x) Realm: Hx Hp
97. **Agrochola (Anchoscelis) sairtana** Derra,1990 (Noctuidae) Synonym(s): *sairtana* Derra,1990 (*) (x) Realm: Hx Hp
98. **Agrochola (Anchoscelis) schreieri** Hacker & Weigert,1986 (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert,1986 (*) (**) Realm: Hx Hp
99. **Agrochola (Frivaldskyola) mansueta** (Herrich-Schäffer,[1850]) (Noctuidae) Synonym(s): *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901. (*) (x) Realm: Hx Hp
100. **Agrochola (Frivaldskyola) staudingeri** Ronkay,1984 (Noctuidae) Synonym(s): *staudingeri* Ronkay,1984 (*) (x) Realm: Hx Hp
101. **Agrochola (Propenistra) laevis** (Hübner,[1803]) (Noctuidae) Synonym(s): *laevis* Hübner,[1803] (*) (x) Realm: Hx Hp
102. **Agrochola (Sunira) circellaris** (Hufnagel,1766) (Noctuidae) Synonym(s): *circellaris* Hufnagel,1766 (*) (**) Realm: Hx Hp
103. **Agrochola (s.str.) pistacina** (Goeze,1781) (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781. (*) (**) Realm: Hx Hp
104. **Agrochola (s.str.) pistacina aequalis** Hacker & Stengel,1996 (Noctuidae) Synonym(s): *aequalis* Hacker & Stengel,1996 (*) (x)
105. **Agrochola (s.str.) pistacina pistacina** (Goeze,1781) (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781. (*) (**) (xx)
106. **Agrotis (Crassagrotis) bigramma** (Esper,[1790]) (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. (*) (**) Realm: Hx Hp
107. **Agrotis (Crassagrotis) obesa** (Boisduval,1829) (Noctuidae) Synonym(s): *obesa* Boisduval,1840 (*) (**) Realm: Hx Hp
108. **Agrotis (Crassagrotis) obesa scytha** Alpheraky,1889 (Noctuidae) Synonym(s): *scytha* Alpheraky,1889; *nivea* Caradja,1932. (*) (**) (xx)
109. **Agrotis (Crassagrotis) obesa tauricola** Koçak,1981 (Noctuidae) Synonym(s): *fusca* Corti,1932 *nec* Bsd.,1837; *tauricola* Koçak,1981 (*) (x)
110. **Agrotis (Putagrotis) herzogi** (Rebel,1911) (Noctuidae) Synonym(s): *herzogi* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940 (*) (**) Realm: Hx Hp
111. **Agrotis (Putagrotis) herzogi herzogi** Rebel,1911 (Noctuidae) Synonym(s): *herzogi* Rebel,1911; *hoggari* Rothschild,1920; *minima* Turati,1924; *securifera* Turati,1924; *saracenica* Tams,1925; *leroyi* Lucas,1940 (*) (**) (xx)
112. **Agrotis (Putagrotis) puta** (Hübner,[1803]) (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826;

- radiola* Stephens, 1829; *catalaunensis* Milliere, 1873; *meridionalis* Spuler, 1905; *andreasii*, *minima*, *silvestrii* Turati, 1924; *insula* Richardson, 1958. (*) (**) Realm: Hx Hp
113. **Agrotis (Putagrotis) syricola** Berio, 1936 (Noctuidae) Synonym(s): *#syricola* Corti & Draudt, 1933; *syricola* Berio, 1936 (*) (x) Realm: Hx Hp
114. **Agrotis (s.str.) biconicus** Kollar, [1844] (Noctuidae) Synonym(s): *spinifera* Hübner, [1808] *nec* Vill., 1789; *biconica* Kollar, [1844]. (*) (**) Realm: Hx Hp Px Pa Po
115. **Agrotis (s.str.) bifurca** Staudinger, 1881 (Noctuidae) Synonym(s): *bifurca* Staudinger, 1881; *stabilita* Corti, 1928. (*) (**) Realm: Hx Hp
116. **Agrotis (s.str.) bifurca grossi** Hacker & Kuhna, 1986 (Noctuidae) Synonym(s): *grossi* Hacker & Kuhna, 1986 (*) (**) (Noctuidae)
117. **Agrotis (s.str.) cinerea** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *cinerea* [Denis & Schiffermüller], 1775; *obscura* Hübner, [1803]; *dentimaculatus* Haworth, 1803; *fusca* Boisduval, [1837]; *murina* Eversmann, 1848; *livonica* Teich, 1886; *alpigena* Calberla, 1888; *tephrina* Staudinger, 1901; *eximia* Culot, 1910. (*) (**) Realm: Hx Hp
118. **Agrotis (s.str.) clavis** (Hufnagel, 1766) (Noctuidae) Synonym(s): *clavis* Hufnagel, 1766; *corticea* [Denis & Schiffermüller], 1775; *clavigerus* Haworth, 1803; *subfuscus* Haworth, 1803; *sincerii* Freyer, 1849; *transversa* Walker, [1857]; *neocomensis* Rougemont, 1902. (*) (x) Realm: Hx Hp
119. **Agrotis (s.str.) clavis clavis** (Hufnagel, 1766) (Noctuidae) Synonym(s): *clavis* Hufnagel, 1766; *corticea* [Denis & Schiffermüller], 1775; *clavigerus* Haworth, 1803; *subfuscus* Haworth, 1803; *sincerii* Freyer, 1849; *transversa* Walker, [1857]; *neocomensis* Rougemont, 1902. (*) (x)
120. **Agrotis (s.str.) desertorum** Boisduval, 1840 (Noctuidae) Synonym(s): *desertorum* Boisduval, 1840; *deserticola* Eversmann, 1842 (*) (x) Realm: Hx Hp
121. **Agrotis (s.str.) desertorum wagneri** Schwingenschuss, 1938 (Noctuidae) Synonym(s): *#wagneri* Corti & Draudt, 1933; *wagneri* Schwingenschuss, 1938 (*) (x)
122. **Agrotis (s.str.) exclamationis** (Linnaeus, 1758) (Noctuidae) Synonym(s): *exclamationis* Linnaeus, 1758; *clavus* Hufnagel, 1766; *murina* Goeze, 1781 *nec* Hufnagel, 1766; *bimaculata* Geoffroy, 1785; *picea* Haworth, 1809; *plaga* Stephens, 1835; *haruspex* Le Cerf, 1924; *nigriorbis* Zerny, 1934. (*) (**) Realm: Hx Hp
123. **Agrotis (s.str.) haifae** Staudinger, 1897 (Noctuidae) Synonym(s): *haifae* Staudinger, 1897 (*) (x) Realm: Hx Hp
124. **Agrotis (s.str.) ipsilon** (Hufnagel, 1766) (Noctuidae) Synonym(s): *ipsilon* Hufnagel, 1766; *suffusa* [Denis & Schiffermüller], 1775; *idonea* Cramer, [1780]; *spinula* Esper, [1786]; *spinifera* Villers, 1789. (*) (**) Realm: Hx Hp Px Pa Ax Aa Ap
125. **Agrotis (s.str.) psammocharis** Boursin, 1950 (Noctuidae) Synonym(s): *psammocharis* Boursin, 1950 (**) (xx) Realm: Hx Hp
126. **Agrotis (s.str.) sardzeana** Brandt, 1941 (Noctuidae) Synonym(s): *sardzeana* Brandt, 1941 (*) (**) Realm: Hx Hp Px Pa
127. **Agrotis (s.str.) sardzeana sardzeana** Brandt, 1941 (Noctuidae) Synonym(s): *sardzeana* Brandt, 1941 (*) (**) (Noctuidae)
128. **Agrotis (s.str.) scruposa** (Draudt, 1936) (Noctuidae) Synonym(s): *scruposa* Draudt, 1936 (*) (x) Realm: Hx Hp
129. **Agrotis (s.str.) segetum** ([Denis & Schiffermüller], 1775) (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller], 1775; *sordida* [Denis & Schiffermüller], 1775; *undulatus* Goeze, 1781 (*praeocc.*); *nigricornis* Villers, 1789; *segetis* Fabricius, 1794; *catenatus* Haworth, 1803; *monileus* Haworth, 1803; *pectinatus* Haworth, 1803; *connexus* Haworth, 1803; *subtratus* Haworth, 1803; *nigricornutus* Haworth, 1803; *praecox* Hübner, [1808]; *fervida* Hübner, [1824]; *affinis* Stephens, 1829; *sicula* Boisduval, 1840; *dimidia* Zeller, 1847; *sicania* Guenée, 1852; *marginalis* Walker, 1857; *aversus* Walker, 1857; *correctus* Walker, 1857; *obliviosus* Walker, 1857; *denticulosus* Wallengren, 1860; *certificatus* Walker, 1865; *conspurcatus* Walker, 1865; *repulsus* Walker, 1865; *ingratus* Butler, 1878; *pallidus* Staudinger, 1881; *lassa* Swinhoe, 1886. (*) (**) Realm: Hx Hp Px Pa
130. **Agrotis (s.str.) trux** (Hübner, [1824]) (Noctuidae) Synonym(s): *trux* Hübner, [1824]; *lenticulosa* Duponchel, 1826; *lunigera* Stephens, 1829; *terranea* Freyer, 1831; *amasina* Staudinger, 1901; *subalba* Corti & Draudt, 1933; *adolphi* Corti & Draudt, 1933. (*) (**) Realm: Hx Hp Px Pa
131. **Agrotis (s.str.) trux nili** Bethune-Baker, 1894 (Noctuidae) Synonym(s): *nili* Bethune-Baker, 1894 (**) (xx)
132. **Agrotis (s.str.) trux trux** (Hübner, [1824]) (Noctuidae) Synonym(s): *trux* Hübner, [1824]; *lenticulosa* Duponchel, 1826; *lunigera* Stephens, 1829; *terranea* Freyer, 1831; *amasina* Staudinger, 1901; *subalba* Corti & Draudt, 1933; *adolphi* Corti & Draudt, 1933. (*) (x)

133. **Albocosta musiva (Hübner,[1803])**
(Noctuidae) Synonym(s): *musiva* Hübner,[1803]
(*) (x) Realm: Hx Hp
134. **Albocosta musiva musiva (Hübner,[1803])**
(Noctuidae) Synonym(s): *musiva* Hübner,[1803]
(*) (x)
135. **Allophyes asiatica (Staudinger,1892)**
(Noctuidae) Synonym(s): *asiatica* Staudinger,1892 (*) (x) Realm: Hx Hp
136. **Allophyes asiatica asiatica (Staudinger,1892)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1892 (*) (x)
137. **Allophyes benedictina (Staudinger,1892)**
(Noctuidae) Synonym(s): *benedictina* Staudinger,1892 (*) (x) Realm: Hx Hp
138. **Allophyes benedictina benedictina (Staudinger,1892)** (Noctuidae) Synonym(s): *benedictina* Staudinger,1892 (*) (x)
139. **Allophyes metaxys Boursin,1953**
(Noctuidae) Synonym(s): *metaxys* Boursin,1953
(*) (x) Realm: Hx Hp
140. **Allophyes oxyacanthae (Linnaeus,1758)**
(Noctuidae) Synonym(s): *oxyacanthae* Linnaeus,1758; *capucina* Millièrè,1870; *corsica* Spuler,1905; *alfaroi* Agenjo,1951; *powelli* Rungs,[1953]; *protai* Boursin,1966; *dujardini* Boursin,1968; *parenzani* De Laever,1977. (*) (x) Realm: Hx Hp
141. **Allophyes renalis (Wiltshire,1941)**
(Noctuidae) Synonym(s): *renalis* Wiltshire,1941; *crassicornis* Brandt,1941. (*) (**) Realm: Hx Hp
142. **Allophyes renalis armeniaca (Boursin,1944)** (Noctuidae) Synonym(s): *armeniaca* Boursin,1944. (*) (**) (xx)
143. **Allophyes renalis renalis (Wiltshire,1941)**
(Noctuidae) Synonym(s): *renalis* Wiltshire,1941; *crassicornis* Brandt,1941. (**) (xx)
144. **Amephana aurita (Fabricius,1787)**
(Noctuidae) Synonym(s): *aurita* Fabricius,1787
(*) (x) Realm: Hx Hp
145. **Amephana dalmatica (Rebel,1919)**
(Noctuidae) Synonym(s): *dalmatica* Rebel,1919
(*) (x) Realm: Hx Hp
146. **Ammoconia anonyma Ronkay & Varga,1984** (Noctuidae) Synonym(s): *anonyma* Ronkay & Varga,1984 (*) (**) Realm: Hx Hp
147. **Ammoconia caecimacula (Fabricius,1787)**
(Noctuidae) Synonym(s): *caecimacula* Fabricius,1787 (*) (x) Realm: Hx Hp
148. **Ammoconia caecimacula caecimacula (Fabricius,1787)** (Noctuidae) Synonym(s): *caecimacula* Fabricius,1787 (*) (x)
149. **Ammoconia caecimacula transcaucasica Ronkay & Varga,1984** (Noctuidae) Synonym(s): *transcaucasica* Ronkay & Varga,1984 (*) (x)
150. **Ammoconia senex (Geyer,[1828])**
(Noctuidae) Synonym(s): *senex* Geyer,[1828]. (*) (**) Realm: Hx Hp
151. **Ammoconia senex transhamadanensis Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *transhamadanensis* Gyulai & L.Ronkay,2006 (**) (xx)
152. **Ammoconia senex victoris Ronkay & Varga,1984** (Noctuidae) Synonym(s): *victoris* Ronkay & Varga,1984 (*) (x)
153. **Amphipoea maryamae Zahiri & Fibiger,2006** (Noctuidae) Synonym(s): *maryamae* Zahiri & Fibiger,2006 (**) (xx) Realm: Hx Hp
154. **Amphipoea oculea (Linnaeus,1761)**
(Noctuidae) Synonym(s): *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918. (*) (x) Realm: Hx Hp
155. **Amphipoea oculea oculea (Linnaeus,1761)**
(Noctuidae) Synonym(s): *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffermüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei* Oberthür,1918. (*) (x)
156. **Amphipyra anophthalma Boursin,1963**
(Noctuidae) Synonym(s): *anophthalma* Boursin,1963 (**) (xx) Realm: Hx Hp
157. **Amphipyra berbera Rungs,1949**
(Noctuidae) Synonym(s): *#variegata* W.Warren,1911; *berbera* Rungs,1949 (*) (**) Realm: Hx Hp
158. **Amphipyra berbera svenssoni D.S.Fletcher,1968** (Noctuidae) Synonym(s): *svenssoni* D.S.Fletcher,1968 (*) (x)
159. **Amphipyra boursini Hacker,1998**
(Noctuidae) Synonym(s): *boursini* Hacker,1998
(*) (**) Realm: Hx Hp
160. **Amphipyra livida ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *livida* [Denis & Schiffermüller],1775 (*) (x) Realm: Hx Hp
161. **Amphipyra micans Lederer,1857**
(Noctuidae) Synonym(s): *micans* Lederer,1857
(*) (**) Realm: Hx Hp
162. **Amphipyra molybdea Christoph,1867**
(Noctuidae) Synonym(s): *molybdea* Christoph,1867 (*) (**) Realm: Hx Hp
163. **Amphipyra perflua (Fabricius,1787)**
(Noctuidae) Synonym(s): *perflua* Fabricius,1787; *ulmea* Schrank,1801; *pyramidina* Esper,[1803]. (*) (x) Realm: Hx Hp

164. **Amphipyra pyramidea (Linnaeus,1758)**
(Noctuidae) Synonym(s): *pyramidea*
Linnaeus,1758 (*) (**) Realm: Hx Hp
165. **Amphipyra stix Herrich-Schäffer,[1850]**
(Noctuidae) Synonym(s): *stix* *Herrich-Schäffer,[1850]*; *styx* *Staudinger,1879*. (*) (**) Realm: Hx Hp
166. **Amphipyra submicans Kuznetsov,1958**
(Noctuidae) Synonym(s): *submicans*
Kuznetsov,1958 (*) (x) Realm: Hx Hp
167. **Amphipyra submicans kautti Hacker,1998** (Noctuidae) Synonym(s): *kautti*
Hacker,1998 (*) (x)
168. **Amphipyra tetra (Fabricius,1787)**
(Noctuidae) Synonym(s): *tetra* *Fabricius,1787*
(*) (**) Realm: Hx Hp
169. **Amphipyra tetra pallida Staudinger,1901**
(Noctuidae) Synonym(s): *pallida*
Staudinger,1901 (*) (**) Realm: Hx Hp
170. **Amphipyra tragopoginis (Clerck,1759)**
(Noctuidae) Synonym(s): *#tragopoginis*
Clerck,1759; *luciola* *Hufnagel,1766*. (*) (**) Realm: Hx Hn Hp
171. **Amphipyra turcomana Staudinger,1888**
(Noctuidae) Synonym(s): *turcomana*
Staudinger,1888 (*) (x) Realm: Hx Hp
172. **Anaplectoides prasina (Goeze,1781)**
(Noctuidae) Synonym(s): *#prasina* [*Denis & Schiffermüller,1775*]; *#hebrida* [*Denis & Schiffermüller,1775*]; *prasina* *Goeze,1781*; *egregia* *Esper,[1787]*; *jaspidea* *Borkhausen,1792 nec De Vill.,1789*; *mixta* *Haworth,1809 nec Fabr.,1787*; *herbacea* *Guenée,1852*; *albimacula* *Hormuzaki,1894* (*) (**) Realm: Hx Hn Hp
173. **Antarchaea baischi Hacker,1996**
(Noctuidae) Synonym(s): *baischi* *Hacker,1996*
(*) (x) Realm: Hx Hp
174. **Antarchaea conicephala (Staudinger,1870)** (Noctuidae) Synonym(s): *conicephala* *Staudinger,1870*; *fumicollis* *Rogenhofer,1873*. (*) (**) Realm: Hx Hp Px Pa
175. **Antarchaea erubescens (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens* *A.Bang-Haas,1910* (**) (xx) Realm: Hx Hp Px Pa
176. **Antarchaea numisma (Hübner,[1803])**
(Noctuidae) Synonym(s): *numisma*
Hübner,[1803]; *leda* *Herrich-Schäffer,1851*. (*) (x) Realm: Hx Hp
177. **Antennola impura (Mann,1862)**
(Noctuidae) Synonym(s): *impura* *Mann,1862*
(*) (x) Realm: Hx Hp
178. **Antennola impura impura (Mann,1862)**
(Noctuidae) Synonym(s): *impura* *Mann,1862*
(*) (x)
179. **Antholopha gloriosa (Staudinger,1892)**
(Noctuidae) Synonym(s): *gloriosa*
Staudinger,1892; *#intradeleta* *Osthelder,1933*; *#extradeleta* *Osthelder,1933*; *#grisea* *Osthelder,1933*. (*) (x) Realm: Hx Hp
180. **Antholopha gloriosa gloriosa (Staudinger,1892)** (Noctuidae) Synonym(s): *gloriosa* *Staudinger,1892*; *#intradeleta* *Osthelder,1933*; *#extradeleta* *Osthelder,1933*; *#grisea* *Osthelder,1933*. (*) (x)
181. **Antholopha gloriosa victorina Ronkay,1990** (Noctuidae) Synonym(s): *victorina* *Ronkay,1990* (*) (x)
182. **Anthracia eriopoda (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *eriopoda* *Herrich-Schäffer,[1851]* (*) (x) Realm: Hx Hp
183. **Antitype chionodes Boursin,1968**
(Noctuidae) Synonym(s): *chionodes*
Boursin,1968 (*) (x) Realm: Hx Hp
184. **Antitype jonis (Lederer,1865)** (Noctuidae) Synonym(s): *jonis* *Lederer,1865*; *amasina* *Staudinger,1901*. (*) (**) Realm: Hx Hp
185. **Antitype suda (Geyer,[1832])** (Noctuidae) Synonym(s): *suda* *Geyer,[1832]* (*) (x) Realm: Hx Hp
186. **Anumeta arax Fibiger,1995** (Noctuidae) Synonym(s): *caucasica* *Rjabov (in litt.)*; *arax* *Fibiger,1995* (*) (x) Realm: Hx Hp
187. **Anumeta asiatica Wiltshire,1961**
(Noctuidae) Synonym(s): *spatzi* *auct.*; *asiatica* *Wiltshire,1961* (**) (xx) Realm: Hx Hp
188. **Anumeta atosignata Walker,1858**
(Noctuidae) Synonym(s): *atosignata*
Walker,1858; *arenosa* *Brandt,1939* (**) (xx) Realm: Hx Hp
189. **Anumeta cestis (Ménétriés,1848)**
(Noctuidae) Synonym(s): *cestis* *Ménétriés,1848*; *punctata* *Ménétriés,1848*. (**) (xx) Realm: Hx Hp
190. **Anumeta spilota (Erschoff,1874)**
(Noctuidae) Synonym(s): *spilota* *Erschoff,1874*
(**) (xx) Realm: Hx Hp
191. **Anumeta spilota spilota (Erschoff,1874)**
(Noctuidae) Synonym(s): *spilota* *Erschoff,1874*
(**) (xx)
192. **Anydrophila banghaasi Brandt,1939**
(Noctuidae) Synonym(s): *banghaasi*
Brandt,1939 (**) (xx) Realm: Hx Hp
193. **Anydrophila distincta Brandt,1939**
(Noctuidae) Synonym(s): *distincta* *Brandt,1939*
(**) (xx) Realm: Hx Hp
194. **Anydrophila fouadi Wiltshire,1947**
(Noctuidae) Synonym(s): *fouadi* *Wiltshire,1947*
(**) (xx) Realm: Hx Hp
195. **Anydrophila fouadi grisea Wiltshire,1949**
(Noctuidae) Synonym(s): *grisea* *Wiltshire,1949*
(**) (xx)

196. **Anydrophila hoerhammeri Brandt,1939** (Noctuidae) Synonym(s): *hoerhammeri Brandt,1939* (**) (xx) Realm: Hx Hp
197. **Anydrophila hoerhammeri hoerhammeri Brandt,1939** (Noctuidae) Synonym(s): *hoerhammeri Brandt,1939* (**) (xx)
198. **Anydrophila hoerhammeri kasyi Wiltshire,1976** (Noctuidae) Synonym(s): *kasyi Wiltshire,1976* (**) (xx)
199. **Anydrophila sirdar Brandt,1939** (Noctuidae) Synonym(s): *sirdar Brandt,1939* (**) (xx) Realm: Hx Hp
200. **Apamea anceps ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *anceps [Denis & Schiffermüller],1775* (*) (x) Realm: Hx Hp
201. **Apamea aquila Donzel,1837** (Noctuidae) Synonym(s): *aquila Donzel,1837* (*) (x) Realm: Hx Hp
202. **Apamea crenata (Hufnagel,1766)** (Noctuidae) Synonym(s): *crenata Hufnagel,1766; rurea Fabricius,1775; alopecurus Esper,[1788]; combusta Hübner,[1808]; hirticornus Haworth,1812.* (*) (**) Realm: Hx Hp
203. **Apamea epomidion (Haworth,1809)** (Noctuidae) Synonym(s): *charactera auct. nec [Denis & Schiff.],1775; epomidion Haworth,1809* (*) (x) Realm: Hx Hp
204. **Apamea euxinia Hacker,1985** (Noctuidae) Synonym(s): *euxinia Hacker,1985* (*) (x) Realm: Hx Hp
205. **Apamea ferrago (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago Eversmann,1837* (*) (**) Realm: Hx Hp
206. **Apamea ferrago ferrago (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago Eversmann,1837* (**) (xx)
207. **Apamea ferrago obsoleta (W.Warren,1911)** (Noctuidae) Synonym(s): *obsoleta W.Warren,1911* (*) (x)
208. **Apamea furva ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva [Denis & Schiffermüller],1775* (*) (**) Realm: Hx Hp
209. **Apamea furva furva ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva [Denis & Schiffermüller],1775* (*) (**) (xx)
210. **Apamea illyria Freyer,1846** (Noctuidae) Synonym(s): *illyria Freyer,1846* (*) (x) Realm: Hx Hp
211. **Apamea indiges (Turati,1926)** (Noctuidae) Synonym(s): *indiges Turati,1926* (*) (x) Realm: Hx Hp
212. **Apamea lateritia (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia Hufnagel,1766; molochina Hübner,[1803].* (*) (**) Realm: Hx Hp
213. **Apamea lateritia lateritia (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia Hufnagel,1766; molochina Hübner,[1803].* (*) (**) (xx)
214. **Apamea leucodon (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon Eversmann,1837* (*) (**) Realm: Hx Hp
215. **Apamea leucodon anatolica (Rebel,1933)** (Noctuidae) Synonym(s): *anatolica Rebel,1933* (*) (**) (xx)
216. **Apamea leucodon leucodon (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon Eversmann,1837* (**) (xx)
217. **Apamea lithoxylaea (Fabricius,1787)** (Noctuidae) Synonym(s): *#lithoxylaea [Denis & Schiffermüller],1775; lithoxylaea Fabricius,1787.* (*) (x) Realm: Hx Hp
218. **Apamea lithoxylaea lithoxylaea (Fabricius,1787)** (Noctuidae) Synonym(s): *#lithoxylaea [Denis & Schiffermüller],1775; lithoxylaea Fabricius,1787.* (*) (x)
219. **Apamea maraschi (Draudt,1934)** (Noctuidae) Synonym(s): *maraschi Draudt,1934* (*) (x) Realm: Hx Hp
220. **Apamea maraschi maraschi (Draudt,1934)** (Noctuidae) Synonym(s): *maraschi Draudt,1934* (*) (x)
221. **Apamea monoglypha (Hufnagel,1766)** (Noctuidae) Synonym(s): *polyodon Linnaeus,1761 nec Cl.,1759; monoglypha Hufnagel,1766.* (*) (**) Realm: Hx Hp
222. **Apamea oblonga (Haworth,[1809])** (Noctuidae) Synonym(s): *oblonga Haworth,[1809]; abjecta Hübner,[1813].* (*) (**) Realm: Hx Hp
223. **Apamea platinea (Treitschke,1825)** (Noctuidae) Synonym(s): *platinea Treitschke,1825; grisescens Touleschkov,1951 nec Staudinger,1889; touleschkoffi Koçak,1980.* (*) (**) Realm: Hx Hp
224. **Apamea platinea aurora (Brandt,1938)** (Noctuidae) Synonym(s): *aurora Brandt,1938.* (**) (xx)
225. **Apamea platinea binaloudi (Brandt,1941)** (Noctuidae) Synonym(s): *binaloudi Brandt,1941* (**) (xx)
226. **Apamea platinea montana (Herrich-Schäffer,1852)** (Noctuidae) Synonym(s): *montana Herrich-Schäffer,1852; armena Eversmann,1856; farinulenta Christoph,1893; pantheri Rebel,1905.* (*) (**) (xx)
227. **Apamea polyglypha (Staudinger,1892)** (Noctuidae) Synonym(s): *polyglypha Staudinger,1892* (*) (**) Realm: Hx Hp

228. **Apamea polyglypha polyglypha** (Staudinger,1892) (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892 (*) (**)
229. **Apamea pyxina** (A.Bang-Haas,1910) (Noctuidae) Synonym(s): *pyxina* A.Bang-Haas,1910. (*) (x) Realm: Hx Hp
230. **Apamea pyxina sassanidica** Hacker,1990 (Noctuidae) Synonym(s): *sassanidica* Hacker,1990. (*) (x)
231. **Apamea remissa** (Hübner,[1809]) (Noctuidae) Synonym(s): *remissa* Hübner,[1809] (*) (x) Realm: Hx Hp
232. **Apamea rjaboviana Mikkola, Varga & Lafontaine**, (Noctuidae) Synonym(s): (*) (x) Realm: Hx Hp
233. **Apamea scolopacina** (Esper,1788) (Noctuidae) Synonym(s): *scolopacina* Esper,1788 (*) (x) Realm: Hx Hp
234. **Apamea sricula** (Turati,1909) (Noctuidae) Synonym(s): *sricula* Turati,1909 (*) (x) Realm: Hx Hp
235. **Apamea sordens** (Hufnagel,1766) (Noctuidae) Synonym(s): *sordens* Hufnagel,1766 (*) (**) Realm: Hx Hp
236. **Apamea sublustris** (Esper,[1788]) (Noctuidae) Synonym(s): *sublustris* Esper,[1788] (*) (x) Realm: Hx Hp
237. **Apamea syriaca** (Osthelder,1933) (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *halbida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. (*) (**) Realm: Hx Hp
238. **Apamea unanimitis** (Hübner,[1813]) (Noctuidae) Synonym(s): *unanimitis* Hübner,[1813] (*) (x) Realm: Hx Hp
239. **Apamea zeta** (Treitschke,1825) (Noctuidae) Synonym(s): *zeta* Treitschke,1825 (*) (x) Realm: Hx Hp
240. **Apamea zeta rivalis** (Guenée,1852) (Noctuidae) Synonym(s): *rivalis* Guenée,1852 (*) (x)
241. **Apaustis rupicola** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *rupicola* [Denis & Schiffermüller],1775; *palliat* Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803] (*) (x) Realm: Hx Hp
242. **Apopestes noe** Ronkay,1990 (Noctuidae) Synonym(s): *noe* Ronkay,1990 (*) (**) Realm: Hx Hp
243. **Apopestes phantasma** (Eversmann,1843) (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913. (*) (**) Realm: Hx Hp
244. **Apopestes spectrum** (Esper,[1787]) (Noctuidae) Synonym(s): *spectrum* Esper,[1787] (*) (**) Realm: Hx Hp
245. **Aporophyla australis** (Boisduval,1829) (Noctuidae) Synonym(s): *australis* Boisduval,1829 (*) (x) Realm: Hx Hp
246. **Aporophyla canescens** (Duponchel,1826) (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933. (*) (**) Realm: Hx Hp
247. **Aporophyla lutulenta** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *lutulenta* [Denis & Schiffermüller],1775; *electrica* Fabricius,1794; *fuscus* Haworth,1803; *consimilis* Stephens,1829; *orthostigma* Stephens,1829; *sedi* Duponchel,1836; *tripuncta* Freyer,1848; *brunnea* Schawerda,1929; *aterrima* Warnecke,1936; *insularis* Hansson,1952 (*) (x) Realm: Hx Hp
248. **Aporophyla nigra** (Haworth,[1809]) (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901 (*) (x) Realm: Hx Hp
249. **Aporophyla nigra cinerea** Staudinger,1901 (Noctuidae) Synonym(s): *cinerea* Staudinger,1901 (*) (x)
250. **Araeopteron ecphaea** (Hampson,1914) (Noctuidae) Synonym(s): *ecphaea* Hampson,1914 (*) (x) Realm: Hx Hp Px Pa
251. **Archanara algae** (Esper,[1789]) (Noctuidae) Synonym(s): *algae* Esper,[1789] (*) (x) Realm: Hx Hp
252. **Archanara dissoluta** (Treitschke,1825) (Noctuidae) Synonym(s): *dissoluta* Treitschke,1825 (*) (**) Realm: Hx Hp
253. **Archanara dissoluta taurica** Lehmann,1998 (Noctuidae) Synonym(s): *taurica* Lehmann,1998 (*) (x)
254. **Archanara geminipuncta** (Haworth,1809) (Noctuidae) Synonym(s): *geminipuncta* Haworth,1809; *paludicola* Hübner,[1817]. (*) (x) Realm: Hx Hp
255. **Archanara geminipuncta orientalis** (F.Wagner,1930) (Noctuidae) Synonym(s): *orientalis* F.Wagner,1930 (*) (x)
256. **Archanara sparganii** (Esper,[1790]) (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892. (*) (**) Realm: Hx Hp
257. **Archanara sparganii algaeoides** Wiltshire,1947 (Noctuidae) Synonym(s): *algaeoides* Wiltshire,1947 (**) (xx)
258. **Archanara sparganii sparganii** (Esper,[1790]) (Noctuidae) Synonym(s): *sparganii* Esper,[1790] (*) (x)

259. **Arenostola delattini Wiltshire,1953**
(Noctuidae) Synonym(s): *delattini*
Wiltshire,1953 (**) (xx) Realm: Hx Hp
260. **Arenostola deserticola (Staudinger,1900)**
(Noctuidae) Synonym(s): *deserticola*
Staudinger,1900; *chimaera Rothschild,1920*.
(*) (x) Realm: Hx Hp
261. **Arenostola deserticola modesta (Staudinger,1900)** (Noctuidae) Synonym(s):
modesta Staudinger,1900 (*) (x)
262. **Arenostola phragmitidis (Hübner,[1803])**
(Noctuidae) Synonym(s): *phragmitidis*
Hübner,[1803] (*) (**) Realm: Hx Hp
263. **Arenostola unicolor W.Warren,1914**
(Noctuidae) Synonym(s): *unicolor*
W.Warren,1914 (*) (**) Realm: Hx Hp
264. **Arenostola unicolor wiltshirei Hacker,1996** (Noctuidae) Synonym(s):
wiltshirei Hacker,1996 (*) (x)
265. **Argyrospila succinea (Esper,[1798])**
(Noctuidae) Synonym(s): *succinea Esper,[1798]*
(*) (**) Realm: Hx Hp
266. **Armada clio (Staudinger,1884)** (Noctuidae)
Synonym(s): *clio Staudinger,1884* (*) (**) Realm: Hx Hp
267. **Armada dentata (Staudinger,1884)**
(Noctuidae) Synonym(s): *dentata*
Staudinger,1884; *afghana Hampson,1926*.
(**) (xx) Realm: Hx Hp
268. **Armada fletcheri Wiltshire,1961**
(Noctuidae) Synonym(s): *fletcheri*
Wiltshire,1961 (**) (xx) Realm: Hx Hp
269. **Armada heliothidia (Hampson,1896)**
(Noctuidae) Synonym(s): *heliothidia*
Hampson,1896; *roseifemur Brandt,1939*. (**) (xx) Realm: Hx Hp Px Po
270. **Armada maritima Brandt,1939** (Noctuidae)
Synonym(s): *maritima Brandt,1939* (**) (xx) Realm: Hx Hp
271. **Armada panaceorum (Ménétriés,1849)**
(Noctuidae) Synonym(s): *panaceorum*
Ménétriés,1849; *distincta Rothschild,1915*. (*) (**) Realm: Hx Hp
272. **Armada panaceorum panaceorum (Ménétriés,1849)** (Noctuidae) Synonym(s):
panaceorum Ménétriés,1849; *distincta Rothschild,1915*. (*) (**) (x)
273. **Asteroscopus sphinx (Hufnagel,1766)**
(Noctuidae) Synonym(s): *sphinx Hufnagel,1766*;
cassinia [Denis & Schiffermüller],1775; *alpina Seifers,1916*. (*) (x) Realm: Hx Hp
274. **Asteroscopus syriaca (W.Warren,1910)**
(Noctuidae) Synonym(s): *syriaca*
W.Warren,1910; *decipulae Kovacs,1966*. (*) (x) Realm: Hx Hp
275. **Atethmia ambusta (Fabricius,1787)**
(Noctuidae) Synonym(s): *#ambusta [Denis & Schiffermüller],1775*; *ambusta Fabricius,1787*
(*) (x) Realm: Hx Hp
276. **Atethmia ambusta syriaca Osthelder,1933**
(Noctuidae) Synonym(s): *syriaca*
Osthelder,1933 (*) (x)
277. **Atethmia centrargo (Haworth,[1809])**
(Noctuidae) Synonym(s): *centrargo*
Haworth,[1809]. (*) (**) Realm: Hx Hp
278. **Atethmia centrargo pallida (Staudinger,1892)** (Noctuidae) Synonym(s):
pallida Staudinger,1892; *flava Rebel,1933* (*) (**) (x)
279. **Atethmia obscura Osthelder,1933**
(Noctuidae) Synonym(s): *obscura*
Osthelder,1933 (*) (x) Realm: Hx Hp
280. **Atethmia pinkeri (Boursin,1970)**
(Noctuidae) Synonym(s): *#pinkeri Boursin,1970*
(*) (x) Realm: Hx Hp
281. **Athetis furvula (Hübner,[1808])**
(Noctuidae) Synonym(s): *furvula*
Hübner,[1808]; *dasychira Hübner,[1817]*; *lenta Treitschke,1825*. (*) (x) Realm: Hx Hp
282. **Athetis gluteosa (Treitschke,1835)**
(Noctuidae) Synonym(s): *gluteosa*
Treitschke,1835 (*) (x) Realm: Hx Hp
283. **Athetis pallustris (Hübner,[1808])**
(Noctuidae) Synonym(s): *pallustris*
Hübner,[1808]; *#palustris Lederer,1870* (*) (x) Realm: Hx Hp
284. **Atypha pulmonaris (Esper,[1790])**
(Noctuidae) Synonym(s): *pulmonaris*
Esper,[1790] (*) (x) Realm: Hx Hp
285. **Atypha pulmonaris pulmonaris (Esper,[1790])** (Noctuidae) Synonym(s):
pulmonaris Esper,[1790] (*) (x)
286. **Auchmis (s.str.) detera (Esper,[1791])**
(Noctuidae) Synonym(s): *detera Esper,[1791]*
(*) (**) Realm: Hx Hp
287. **Auchmis (s.str.) detera demavendi Schawerda,1955** (Noctuidae) Synonym(s):
demavendi Schawerda,1955 (**) (xx)
288. **Auchmis (s.str.) detera detera (Esper,[1791])** (Noctuidae) Synonym(s):
detera Esper,[1791] (*) (x)
289. **Auchmis (s.str.) peterseni (Christoph,1887)** (Noctuidae) Synonym(s):
peterseni Christoph,1887 (*) (**) Realm: Hx Hp
290. **Auchmis (s.str.) peterseni nekrasovi Ronkay & Varga,1997** (Noctuidae)
Synonym(s): *nekrasovi Ronkay & Varga,1997*
(*) (x)
291. **Autographa aemula ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *aemula [Denis & Schiffermüller],1775* (*) (x) Realm: Hx Hp

292. **Autographa aemula elongata** (Alberti,1969) (Noctuidae) Synonym(s): *elongata* Alberti,1969 (*) (x)
293. **Autographa bractea** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *bractea* [Denis & Schiffermüller],1775 (*) (x) Realm: Hx Hp
294. **Autographa gamma** (Linnaeus,1758) (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992. (*) (**) Realm: Hx Hp
295. **Autographa jota** (Linnaeus,1758) (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaurina* Haworth,1809; *percontationis* Ochsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaeii* Ménétriés,1859; *anatolica* Schwingenschuss,1938 (*) (**) Realm: Hx Hp
296. **Autophila (Cheirophanes) anaphanes** Boursin,1940 (Noctuidae) Synonym(s): *anaphanes* Boursin,1940 (*) (x) Realm: Hx Hp
297. **Autophila (Cheirophanes) anaphanes** Boursin,1940 (Noctuidae) Synonym(s): *anaphanes* Boursin,1940 (*) (x)
298. **Autophila (Cheirophanes) chamaephanes** Boursin,1940 (Noctuidae) Synonym(s): *chamaephanes* Boursin,1940 (*) (x) Realm: Hx Hp
299. **Autophila (Cheirophanes) chamaephanes** Boursin,1940 (Noctuidae) Synonym(s): *chamaephanes* Boursin,1940 (*) (x)
300. **Autophila (Cheirophanes) gracilis** (Staudinger,1874) (Noctuidae) Synonym(s): *gracilis* Staudinger,1874; *coruscantis* Swinhoe,1885 (**) (xx) Realm: Hx Hp
301. **Autophila (Cheirophanes) ligaminosa** (Eversmann,1851) (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904. (*) (**) Realm: Hx Hp
302. **Autophila (Cheirophanes) ligaminosa ankara** (Swinhoe,1900) (Noctuidae) Synonym(s): *ankara* Swinhoe,1900 (**) (xx)
303. **Autophila (Cheirophanes) ligaminosa ligaminosa** (Eversmann,1851) (Noctuidae) Synonym(s): *ligaminosa* Eversmann,1851; *caucasica* Herz,1904. (*) (x)
304. **Autophila (Cheirophanes) ligaminosa rhodochroa** Boursin,1939 (Noctuidae) Synonym(s): *rhodochroa* Boursin,1939 (*) (x)
305. **Autophila (Cheirophanes) plattneri** Boursin,1955 (Noctuidae) Synonym(s): *plattneri* Boursin,1955 (*) (**) Realm: Hx Hp
306. **Autophila (s.str.) asiatica** (Staudinger,1888) (Noctuidae) Synonym(s): *asiatica* Staudinger,1888 (*) (**) Realm: Hx Hp
307. **Autophila (s.str.) asiatica asiatica** (Staudinger,1888) (Noctuidae) Synonym(s): *asiatica* Staudinger,1888 (*) (**) Realm: Hx Hp
308. **Autophila (s.str.) banghaasi** Boursin,1940 (Noctuidae) Synonym(s): *banghaasi* Boursin,1940 (*) (**) Realm: Hx Hp
309. **Autophila (s.str.) banghaasi banghaasi** Boursin,1940 (Noctuidae) Synonym(s): *banghaasi* Boursin,1940 (*) (**) Realm: Hx Hp
310. **Autophila (s.str.) cerealis** (Staudinger,1871) (Noctuidae) Synonym(s): *cerealis* Staudinger,1871 (*) (**) Realm: Hx Hp
311. **Autophila (s.str.) cerealis amseli** Draudt,1936 (Noctuidae) Synonym(s): *amseli* Draudt,1936 (*) (**) Realm: Hx Hp
312. **Autophila (s.str.) cinnamomea** L.Ronkay,1989 (Noctuidae) Synonym(s): *cinnamomea* L.Ronkay,1989 (**) (xx) Realm: Hx Hp
313. **Autophila (s.str.) depressa** (Püngeler,1914) (Noctuidae) Synonym(s): *depressa* Püngeler,1914 (*) (**) Realm: Hx Hp
314. **Autophila (s.str.) depressa depressa** (Püngeler,1914) (Noctuidae) Synonym(s): *depressa* Püngeler,1914 (**) (xx)
315. **Autophila (s.str.) depressa draudti** Osthelder,1933 (Noctuidae) Synonym(s): *draudti* Osthelder,1933 (*) (**) Realm: Hx Hp
316. **Autophila (s.str.) depressa perornata** Boursin,1947 (Noctuidae) Synonym(s): *perornata* Boursin,1947 (**) (xx)
317. **Autophila (s.str.) dilucida** (Hübner,[1808]) (Noctuidae) Synonym(s): *dilucida* Hübner,[1808]; *praeclara* Schawerda,1918; *argentea* Caradja,1930; *troniceki* Reisser,1958. (*) (x) Realm: Hx Hp
318. **Autophila (s.str.) einsleri** Amsel,1935 (Noctuidae) Synonym(s): *#luxuriosa* Zerny,1933; *einsleri* Amsel,1935; *luxuriosa* Schwingenschuss,1939. (*) (**) Realm: Hx Hp
319. **Autophila (s.str.) einsleri clara** Wiltshire,1952 (Noctuidae) Synonym(s): *clara* Wiltshire,1952 (**) (xx)
320. **Autophila (s.str.) einsleri garmsira** Wiltshire,1952 (Noctuidae) Synonym(s): *garmsira* Wiltshire,1952 (**) (xx)
321. **Autophila (s.str.) einsleri nigromarginata** Schwingenschuss,1938 (Noctuidae)

- Synonym(s): *nigromarginata*
Schwingsenschuss,1938; *elbursica* Boursin,1940.
(**) (xx)
322. **Autophila (s.str.) einsleri taurica**
Boursin,1940 (Noctuidae) Synonym(s):
taurica Boursin,1940 (*) (x)
323. **Autophila (s.str.) eurytaenia Boursin,1963**
(Noctuidae) Synonym(s): *eurytaenia*
Boursin,1963 (**) (xx) Realm: Hx Hp
324. **Autophila (s.str.) hirsuta**
(Staudinger,1870) (Noctuidae) Synonym(s):
hirsuta Staudinger,1870 (*) (**) Realm: Hx
Hp
325. **Autophila (s.str.) iranica L.Ronkay,1989**
(Noctuidae) Synonym(s): *iranica* L.Ronkay,1989
(*) (**) Realm: Hx Hp
326. **Autophila (s.str.) iranica xanthozona**
Fibiger & Ronkay,1991 (Noctuidae)
Synonym(s): *xanthozona* Fibiger &
Ronkay,1991 (*) (x)
327. **Autophila (s.str.) libanotica**
(Staudinger,1901) (Noctuidae) Synonym(s):
libanotica Staudinger,1901; *osthelderi*
Boursin,1940; *libanopsis* Boursin,1962. (*)
(**) Realm: Hx Hp
328. **Autophila (s.str.) libanotica libanotica**
(Staudinger,1901) (Noctuidae) Synonym(s):
libanotica Staudinger,1901; *osthelderi*
Boursin,1940; *libanopsis* Boursin,1962. (*)
(**)
329. **Autophila (s.str.) limbata**
(Staudinger,1871) (Noctuidae) Synonym(s):
limbata Staudinger,1871 (*) (**) Realm: Hx
Hp
330. **Autophila (s.str.) limbata limbata**
(Staudinger,1871) (Noctuidae) Synonym(s):
limbata Staudinger,1871 (*) (**) (xx)
331. **Autophila (s.str.) sinesafida**
Wiltshire,1952 (Noctuidae) Synonym(s):
sinesafida Wiltshire,1952 (*) (**) Realm: Hx
Hp
332. **Autophila (s.str.) subfusca**
(Christoph,1893) (Noctuidae) Synonym(s):
subfusca Christoph,1893 (*) (**) Realm: Hx
Hp
333. **Autophila (s.str.) subfusca brandti**
Ronkay,1989 (Noctuidae) Synonym(s):
brandti Ronkay,1989 (**) (xx)
334. **Autophila (s.str.) subfusca latistria**
Ronkay,1989 (Noctuidae) Synonym(s):
latistria Ronkay,1989 (**) (xx)
335. **Autophila (s.str.) subfusca subfusca**
(Christoph,1893) (Noctuidae) Synonym(s):
subfusca Christoph,1893 (*) (x)
336. **Autophila (s.str.) vespertalis**
(Staudinger,1896) (Noctuidae) Synonym(s):
vespertalis Staudinger,1896 (**) (xx) Realm:
Hx Hp
337. **Autophila (s.str.) vespertalis obscurata**
(Staudinger,1901) (Noctuidae) Synonym(s):
obscurata Staudinger,1901 (**) (xx)
338. **Axylia putris (Linnaeus,1761)** (Noctuidae)
Synonym(s): *putris* Linnaeus,1761; *subcorticalis*
Hufnagel,1766; *pallium* Villers,1789; *lignosa*
Hübner,[1803]; *mundipennis* W.Warren,1912
(*) (**) Realm: Hx Hp Px Po
339. **Basistriga flammata ([Denis &**
Schifferrmüller],1775) (Noctuidae)
Synonym(s): *flammata* [Denis &
Schifferrmüller],1775; *bimaculata* Milliere,1885.
(*) (**) Realm: Hx Hp
340. **Basistriga flammata deleta**
(Kollar,[1849]) (Noctuidae) Synonym(s):
deleta Kollar,[1849] (*) (**) (xx)
341. **Behounekia freyeri (Frivaldsky,1835)**
(Noctuidae) Synonym(s): *freyeri*
Frivaldsky,1835; *lincea* Freyer,1842; *orontii*
Herrich-Schäffer,[1851]; *senescens*
Eversmann,1856; *#linthea* Lederer,1870 (*)
(x) Realm: Hx Hp
342. **Bena bicolorana (Fuessly,1775)** (Noctuidae)
Synonym(s): *prasinana* auct. nec Linn.,1758;
bicolorana Fuessly,1775; *quercana* Denis &
Schifferrmüller,1775; *conspersa* W.Warren,1913.
(*) (**) Realm: Hx Hp
343. **Benshirachia paradoxa Gyulai, Varga &**
L.Ronkay,2002 (Noctuidae) Synonym(s):
paradoxa Gyulai, Varga & L.Ronkay,2002
(**) (xx) Realm: Hx Hp
344. **Boursinia decepatrix (Staudinger,1900)**
(Noctuidae) Synonym(s): *decepatrix*
Staudinger,1900 (*) (**) Realm: Hx Hp
345. **Boursinia discordans (Boursin,1940)**
(Noctuidae) Synonym(s): *discrepans*
Staudinger,1892 nec Wlk.,1865; *discordans*
Boursin,1940 (*) (x) Realm: Hx Hp
346. **Boursinia ferdovsi (Brandt,1941)**
(Noctuidae) Synonym(s): *ferdovsi* Brandt,1941
(**) (xx) Realm: Hx Hp
347. **Boursinia oxygramma Brandt,1938**
(Noctuidae) Synonym(s): *oxygramma*
Brandt,1938 (**) (xx) Realm: Hx Hp
348. **Boursinia symmicta Brandt,1938**
(Noctuidae) Synonym(s): *symmicta* Brandt,1938
(**) (xx) Realm: Hx Hp
349. **Brachygalea albolineata (Blachier,1905)**
(Noctuidae) Synonym(s): *albolineata*
Blachier,1905; *leucorhabda* Hampson,1906;
albolineata Hampson,1906 (**) (xx) Realm:
Hx Hp
350. **Brachygalea miskoi Ronkay,1997**
(Noctuidae) Synonym(s): *miskoi* Ronkay,1997
(**) (xx) Realm: Hx Hp
351. **Brachygalea miskoi miskoi Ronkay,1997**
(Noctuidae) Synonym(s): *miskoi* Ronkay,1997
(**) (xx)

352. **Brachylomia uralensis** (W.Warren,1910) (Noctuidae) Synonym(s): *uralensis* W.Warren,1910 (*) (x) Realm: Hx Hp
353. **Brachylomia uralensis urartua** Hacker & Kuhna,1986 (Noctuidae) Synonym(s): *urartua* Hacker & Kuhna,1986 (*) (x)
354. **Brachylomia viminalis** (Fabricius,1777) (Noctuidae) Synonym(s): *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803]. (*) (x) Realm: Hx Hp
355. **Brandtaxia discalis** (Brandt,1941) (Noctuidae) Synonym(s): *discalis* Brandt,1941 (**) (xx) Realm: Hx Hp
356. **Brandtina albonigra** Bytinski-Salz & Brandt,1937 (Noctuidae) Synonym(s): *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967 (*) (**) Realm: Hx Hp
357. **Bryomima carducha** Staudinger,1900 (Noctuidae) Synonym(s): *carducha* Staudinger,1900 (*) (**) Realm: Hx Hp
358. **Bryomima defreina** Hacker,[1987] (Noctuidae) Synonym(s): *defreina* Hacker,[1987]. (*) (x) Realm: Hx Hp
359. **Bryomima dilutior** Schwingenschuss,1937 (Noctuidae) Synonym(s): *dilutior* Schwingenschuss,1937 (**) (xx) Realm: Hx Hp
360. **Bryomima dilutior rosea** Brandt,1941 (Noctuidae) Synonym(s): *rosea* Brandt,1941 (**) (xx)
361. **Bryomima hakkariensis** De Freina & Hacker,1985 (Noctuidae) Synonym(s): *hakkariensis* De Freina & Hacker,1985 (*) (x) Realm: Hx Hp
362. **Bryomima luteosordida** Osthelder,1933 (Noctuidae) Synonym(s): *luteosordida* Osthelder,1933 (*) (**) Realm: Hx Hp
363. **Bryophilopsis roederi** (Standfuss,1892) (Noctuidae) Synonym(s): *roederi* Standfuss,1892 (*) (**) Realm: Hx Hp
364. **Calamia metamorpha** (Boursin,1960) (Noctuidae) Synonym(s): *metamorpha* Boursin,1960 (**) (xx) Realm: Hx Hp
365. **Calamia staudingeri** Warnecke,1941 (Noctuidae) Synonym(s): *staudingeri* Warnecke,1941 (*) (**) Realm: Hx Hp
366. **Callierges ramosa** (Esper,[1786]) (Noctuidae) Synonym(s): *ramosa* Esper,[1786] (*) (**) Realm: Hx Hp
367. **Callierges ramosa ramosa** (Esper,[1786]) (Noctuidae) Synonym(s): *ramosa* Esper,[1786] (*) (x)
368. **Callierges ramosa vandarbana** Draudt,1938 (Noctuidae) Synonym(s): *vandarbana* Draudt,1938 (**) (xx)
369. **Callistege mi** (Clerck,1759) (Noctuidae) Synonym(s): *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 nec Sc.,1763 (*) (x) Realm: Hx Hp
370. **Callistege mi elzei** De Freina,1976 (Noctuidae) Synonym(s): *elzei* De Freina,1976 (*) (x)
371. **Callopietria juvenina** (Stoll,[1782]) (Noctuidae) Synonym(s): *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878 (*) (**) Realm: Hx Hp
372. **Callopietria latreillei** (Duponchel,1827) (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsafikis,1973. (*) (**) Realm: Hx Hp Px Pa
373. **Calocucullia celsiae** (Herrich-Schäffer,1850) (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850] (*) (**) Realm: Hx Hp
374. **Calocucullia celsiae levantina** Hacker,2001 (Noctuidae) Synonym(s): *levantina* Hacker,2001 (*) (**) Realm: Hx Hp
375. **Calophasia angularis** Chrétien,1911 (Noctuidae) Synonym(s): *angularis* Chrétien,1911; *stigmatica* Rothschild,1913; *liberatii* Turati,1924; *danieli* Le Cerf,1924; *pintori* Turati,1924; *volmeri* Hering,1930 (**) (xx) Realm: Hx Hp
376. **Calophasia barthae** F.Wagner,1929 (Noctuidae) Synonym(s): *barthae* F.Wagner,1929 (*) (x) Realm: Hx Hp
377. **Calophasia lunula** (Hufnagel,1766) (Noctuidae) Synonym(s): *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. (*) (**) Realm: Hx Hn Hp
378. **Calophasia lunula ocellata** G.Ronkay & L.Ronkay,1985 (Noctuidae) Synonym(s): *ocellata* G.Ronkay & L.Ronkay,1985; *anatolica* Draudt,1936 (*) (**) Realm: Hx Hp
379. **Calophasia opalina** (Esper,[1796]) (Noctuidae) Synonym(s): *casta* Borkhausen,1793 nec Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923. (*) (**) Realm: Hx Hp
380. **Calophasia platyptera** (Esper,[1788]) (Noctuidae) Synonym(s): *platyptera* Esper,[1788]; *canterius* De Villers,1789; *tenera* Hübner,[1803]; *olbiena* Duponchel,1842; *subalbida* Staudinger,1901. (*) (**) Realm: Hx Hp
381. **Calymma communimacula** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775 (*) (**) Realm: Hx Hp

382. **Calymma communimacula** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775 (*) (x)
383. **Calymma communimacula gracilis** Osthelder,1933 (Noctuidae) Synonym(s): *gracilis* Osthelder,1933 (*) (**) (xx)
384. **Calyptra thalictri** (Borkhausen,1790) (Noctuidae) Synonym(s): *capucina* Esper,1789 nec Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938 (*) (**) Realm: Hx Hp
385. **Caradrina (Boursinidrina) brandti** (Boursin,1939) (Noctuidae) Synonym(s): *brandti* Boursin,1939 (**) (xx) Realm: Hx Hp
386. **Caradrina (Boursinidrina) hemipentha** (Boursin,1939) (Noctuidae) Synonym(s): *hemipentha* Boursin,1939 (**) (xx) Realm: Hx Hp
387. **Caradrina (Boursinidrina) oberthueri** (Rothschild,1913) (Noctuidae) Synonym(s): *oberthueri* Rothschild,1913; *apicimaculata* Rebel,[1948] (**) (xx) Realm: Hx Hp
388. **Caradrina (Boursinidrina) oberthueri persica** (Boursin,1942) (Noctuidae) Synonym(s): *persica* Boursin,1942 (**) (xx)
389. **Caradrina (Boursinidrina) panurgia** (Boursin,1939) (Noctuidae) Synonym(s): *panurgia* Boursin,1939 (*) (**) Realm: Hx Hp
390. **Caradrina (Boursinidrina) parvaspersa** (Boursin,1936) (Noctuidae) Synonym(s): *parvaspersa* Boursin,1936 (*) (**) Realm: Hx Hp
391. **Caradrina (Boursinidrina) pseudadelpha** (Boursin,1939) (Noctuidae) Synonym(s): *pseudadelpha* Boursin,1939 (*) (**) Realm: Hx Hp
392. **Caradrina (Boursinidrina) pulvis** (Boursin,1939) (Noctuidae) Synonym(s): *pulvis* Boursin,1939 (**) (xx) Realm: Hx Hp
393. **Caradrina (Boursinidrina) rjabovi** (Boursin,1936) (Noctuidae) Synonym(s): *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939 (*) (**) Realm: Hx Hp
394. **Caradrina (Boursinidrina) rjabovi rjabovi** (Boursin,1936) (Noctuidae) Synonym(s): *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939 (*) (**) (xx)
395. **Caradrina (Boursinidrina) soudanensis** (Hampson,1918) (Noctuidae) Synonym(s): *soudanensis* Hampson,1918 (**) (xx) Realm: Hx Hp Px Pa
396. **Caradrina (Boursinidrina) stenoptera** (Boursin,1939) (Noctuidae) Synonym(s): *stenoptera* Boursin,1939; *agrapha* Boursin,1939 (**) (xx) Realm: Hx Hp
397. **Caradrina (Boursinidrina) stenoptera stenoptera** (Boursin,1939) (Noctuidae) Synonym(s): *stenoptera* Boursin,1939; *agrapha* Boursin,1939 (**) (xx)
398. **Caradrina (Boursinidrina) surchica** (Boursin,1937) (Noctuidae) Synonym(s): *surchica* Boursin,1937 (*) (**) Realm: Hx Hp
399. **Caradrina (Boursinidrina) syriaca** (Staudinger,1892) (Noctuidae) Synonym(s): *syriaca* Staudinger,1892 (*) (x) Realm: Hx Hp
400. **Caradrina (Boursinidrina) wiltshirei** (Boursin,1936) (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936 (*) (**) Realm: Hx Hp
401. **Caradrina (Eremodrina) adriennea** Hacker & Gyulai,2004 (Noctuidae) Synonym(s): *adriennea* Hacker & Gyulai,2004 (**) (xx) Realm: Hx Hp
402. **Caradrina (Eremodrina) alfieri** (Boursin,1937) (Noctuidae) Synonym(s): *alfieri* Boursin,1937 (**) (xx) Realm: Hx Hp
403. **Caradrina (Eremodrina) altissima** Hacker,2004 (Noctuidae) Synonym(s): *altissima* Hacker,2004 (**) (xx) Realm: Hx Hp
404. **Caradrina (Eremodrina) armeniaca** (Boursin,1936) (Noctuidae) Synonym(s): *armeniaca* Boursin,1936 (*) (**) Realm: Hx Hp
405. **Caradrina (Eremodrina) armeniaca armeniaca** (Boursin,1936) (Noctuidae) Synonym(s): *armeniaca* Boursin,1936 (*) (**) (xx)
406. **Caradrina (Eremodrina) asymmetrica** (Boursin,1936) (Noctuidae) Synonym(s): *perspicua* Filipjev,1928 nec Warr.,1911; *asymmetrica* Boursin,1936. (**) (xx) Realm: Hx Hp
407. **Caradrina (Eremodrina) avis** (Pinker,1980) (Noctuidae) Synonym(s): *avis* Pinker,1980 (*) (x) Realm: Hx Hp
408. **Caradrina (Eremodrina) belucha** (Swinhoe,1885) (Noctuidae) Synonym(s): *belucha* Swinhoe,1885; *conditorana* Pinker,1980 (*) (**) Realm: Hx Hp
409. **Caradrina (Eremodrina) didyma** (Boursin,1939) (Noctuidae) Synonym(s): *didyma* Boursin,1939; *hemipenthoides* Boursin,1942 (**) (xx) Realm: Hx Hp
410. **Caradrina (Eremodrina) didyma didyma** (Boursin,1939) (Noctuidae) Synonym(s):

- didyma* Boursin, 1939; *hemipenthoides* Boursin, 1942 (**) (xx)
411. **Caradrina (Eremodrina) doleropsis (Boursin, 1939)** (Noctuidae) Synonym(s): *doleropsis* Boursin, 1939; *doleropsis* Boursin, 1940. (*) (x) Realm: Hx Hp
412. **Caradrina (Eremodrina) draudti (Boursin, 1936)** (Noctuidae) Synonym(s): *draudti* Boursin, 1936; *pseudopertinax* Boursin, 1939; *pseudopertinax* Boursin, 1940 (**) (**) Realm: Hx Hp
413. **Caradrina (Eremodrina) draudti draudti (Boursin, 1936)** (Noctuidae) Synonym(s): *draudti* Boursin, 1936; *pseudopertinax* Boursin, 1939; *pseudopertinax* Boursin, 1940 (**) (**) Realm: Hx Hp
414. **Caradrina (Eremodrina) eremocosma (Boursin, 1937)** (Noctuidae) Synonym(s): *eremocosma* Boursin, 1937 (**) (xx) Realm: Hx Hp
415. **Caradrina (Eremodrina) eucrinospila (Boursin, 1936)** (Noctuidae) Synonym(s): *eucrinospila* Boursin, 1936; *prospera* Kuznetsov, 1958 (**) (xx) Realm: Hx Hp
416. **Caradrina (Eremodrina) fergana (Staudinger, 1892)** (Noctuidae) Synonym(s): *ferghana* Staudinger, 1892 (**) (xx) Realm: Hx Hp
417. **Caradrina (Eremodrina) filipjevi (Boursin, 1936)** (Noctuidae) Synonym(s): *filipjevi* Boursin, 1936 (**) (xx) Realm: Hx Hp
418. **Caradrina (Eremodrina) flava (Oberthür, 1876)** (Noctuidae) Synonym(s): *flava* Oberthür, 1876; *approximans* Rothschild, 1914 (**) (xx) Realm: Hx Hp
419. **Caradrina (Eremodrina) gilva (Donzel, 1837)** (Noctuidae) Synonym(s): *gilva* Donzel, 1837; *molisana* Dannehl, 1929 (*) (**) Realm: Hx Hp
420. **Caradrina (Eremodrina) gilva orientalis (Boursin, 1936)** (Noctuidae) Synonym(s): *orientalis* Boursin, 1936 (*) (**) Realm: Hx Hp
421. **Caradrina (Eremodrina) hypocnephias (Boursin, 1968)** (Noctuidae) Synonym(s): *hypocnephias* Boursin, 1968 (**) (xx) Realm: Hx Hp
422. **Caradrina (Eremodrina) inopinata Hacker, 2004** (Noctuidae) Synonym(s): *inopinata* Hacker, 2004 (**) (xx) Realm: Hx Hp
423. **Caradrina (Eremodrina) inumbrata (Staudinger, 1900)** (Noctuidae) Synonym(s): *inumbrata* Staudinger, 1900; *inumbratella* Pinker, 1980 (*) (**) Realm: Hx Hp
424. **Caradrina (Eremodrina) inumbrata exterioris Hacker, 2004** (Noctuidae) Synonym(s): *exterioris* Hacker, 2004 (**) (xx) Realm: Hx Hp
425. **Caradrina (Eremodrina) inumbrata inumbrata (Staudinger, 1900)** (Noctuidae) Synonym(s): *inumbrata* Staudinger, 1900; *inumbratella* Pinker, 1980 (*) (x) Realm: Hx Hp
426. **Caradrina (Eremodrina) inumbrata obfuscata Hacker, 2004** (Noctuidae) Synonym(s): *obfuscata* Hacker, 2004 (*) (**) Realm: Hx Hp
427. **Caradrina (Eremodrina) isfahana Hacker, 2004** (Noctuidae) Synonym(s): *isfahana* Hacker, 2004 (**) (xx) Realm: Hx Hp
428. **Caradrina (Eremodrina) melanura (Alpheraky, 1897)** (Noctuidae) Synonym(s): *melanura* Alpheraky, 1897; *samurana* Boursin, 1939; *samurana* Boursin, 1940 (*) (**) Realm: Hx Hp
429. **Caradrina (Eremodrina) melanurina (Staudinger, 1901)** (Noctuidae) Synonym(s): *melanurina* Staudinger, 1901 (**) (xx) Realm: Hx Hp
430. **Caradrina (Eremodrina) nadir (Boursin, 1957)** (Noctuidae) Synonym(s): *nadir* Boursin, 1957 (**) (xx) Realm: Hx Hp
431. **Caradrina (Eremodrina) oberthueri (Rothschild, 1913)** (Noctuidae) Synonym(s): *vermeja* Ribbe, 1912; *oberthuri* Rothschild, 1913; *ibeasi* Fernandez, [1918]; *iberica* Hampson, 1918. (**) (xx) Realm: Hx Hp
432. **Caradrina (Eremodrina) parthica Hacker, 2004** (Noctuidae) Synonym(s): *parthica* Hacker, 2004 (**) (xx) Realm: Hx Hp
433. **Caradrina (Eremodrina) pertinax (Staudinger, 1879)** (Noctuidae) Synonym(s): *pertinax* Staudinger, 1879; *argentea* Caradja, 1930. (*) (**) Realm: Hx Hp
434. **Caradrina (Eremodrina) phanosciera (Boursin, 1939)** (Noctuidae) Synonym(s): *phanosciera* Boursin, 1939 (**) (xx) Realm: Hx Hp
435. **Caradrina (Eremodrina) pseudalbina (Boursin, 1942)** (Noctuidae) Synonym(s): *pseudalbina* Boursin, 1942 (**) (xx) Realm: Hx Hp
436. **Caradrina (Eremodrina) salzi (Boursin, 1936)** (Noctuidae) Synonym(s): *salzi* Boursin, 1936 (*) (**) Realm: Hx Hp
437. **Caradrina (Eremodrina) sarhadica (Boursin, 1942)** (Noctuidae) Synonym(s): *sarhadica* Boursin, 1942 (**) (xx) Realm: Hx Hp
438. **Caradrina (Eremodrina) vicina (Staudinger, 1870)** (Noctuidae) Synonym(s): *vicina* Staudinger, 1870; *perspicua* W. Warren, 1911 (*) (**) Realm: Hx Hp

439. **Caradrina (Eremodrina) vicina vicina** (Staudinger,1870) (Noctuidae) Synonym(s): *vicina* Staudinger,1870; *perspicua* W.Warren,1911 (*) (**) Realm: Hx Hp
440. **Caradrina (Eremodrina) xanthorhoda Boursin,1937** (Noctuidae) Synonym(s): *xanthorhoda* Boursin,1937; *tenebrosa* Boursin,1942 (**) (xx) Realm: Hx Hp
441. **Caradrina (Eremodrina) zagrobia Hacker,2004** (Noctuidae) Synonym(s): *zagrobia* Hacker,2004 (**) (xx) Realm: Hx Hp
442. **Caradrina (Eremodrina) zernyi (Boursin,1936)** (Noctuidae) Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936 (*) (**) Realm: Hx Hp
443. **Caradrina (Eremodrina) zernyi debilis (Boursin,1936)** (Noctuidae) Synonym(s): *debilis* Boursin,1936 (*) (**) Realm: Hx Hp
444. **Caradrina (Eremodrina) zernyi zernyi (Boursin,1936)** (Noctuidae) Synonym(s): *zernyi* Boursin,1936; *signata* Boursin,1936 (*) (x)
445. **Caradrina (Kalchbergiana) ingrata (Staudinger,1897)** (Noctuidae) Synonym(s): *ingrata* Staudinger,1897 (*) (x) Realm: Hx Hp
446. **Caradrina (Levantrina) bodenheimeri (Draudt,1934)** (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937 (*) (**) Realm: Hx Hp
447. **Caradrina (Levantrina) bodenheimeri bodenheimeri (Draudt,1934)** (Noctuidae) Synonym(s): *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937 (*) (**) Realm: Hx Hp
448. **Caradrina (Paradrina) abruzzensis (Draudt,1933)** (Noctuidae) Synonym(s): *abruzzensis* Draudt,1933 (*) (**) Realm: Hx Hp
449. **Caradrina (Paradrina) abruzzensis abruzzensis (Draudt,1933)** (Noctuidae) Synonym(s): *abruzzensis* Draudt,1933 (*) (x)
450. **Caradrina (Paradrina) abruzzensis rufirena (Boursin,1939)** (Noctuidae) Synonym(s): *rufirena* Boursin,1939; *rufirena* Boursin,1940; *personata* Kuznetsov,1958 (**) (xx)
451. **Caradrina (Paradrina) atriluna Guenée,1852** (Noctuidae) Synonym(s): *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935 (*) (**) Realm: Hx Hp Px Pa
452. **Caradrina (Paradrina) boursini (F.Wagner,1936)** (Noctuidae) Synonym(s): *boursini* F.Wagner,1936 (*) (**) Realm: Hx Hp
453. **Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovskiy,1909; *teidovolans* Pinker,1974; *pinkeri* Kobes,1975 (*) (**) Realm: Hx Hp Px Pa
454. **Caradrina (Paradrina) flava (Oberthür,1876)** (Noctuidae) Synonym(s): *flava* Oberthür,1876; *approximans* Rothschild,1914. (*) (**) Realm: Hx Hp
455. **Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) Synonym(s): *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980 (*) (**) Realm: Hx Hp
456. **Caradrina (Paradrina) flavirena zobeidah (Boursin,1937)** (Noctuidae) Synonym(s): *zobeidah* Boursin,1937 (**) (xx)
457. **Caradrina (Paradrina) fulvafusca Hacker,2004** (Noctuidae) Synonym(s): *fulvafusca* Hacker,2004 (*) (x) Realm: Hx Hp
458. **Caradrina (Paradrina) poecila (Boursin,1939)** (Noctuidae) Synonym(s): *poecila* Boursin,1939 (*) (**) Realm: Hx Hp
459. **Caradrina (Paradrina) scotoptera (Püngeler,1914)** (Noctuidae) Synonym(s): *scotoptera* Püngeler,1914 (*) (**) Realm: Hx Hp
460. **Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Riggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935] (*) (**) Realm: Hx Hp
461. **Caradrina (Paradrina) selini forsteri (Boursin,1939)** (Noctuidae) Synonym(s): *forsteri* Boursin,1939; *forsteri* Boursin,1940 (**) (xx)
462. **Caradrina (Paradrina) selini selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Riggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935] (*) (x)
463. **Caradrina (Paradrina) suscijania Mentzer,1981** (Noctuidae) Synonym(s): *suscijania* Mentzer,1981 (*) (x) Realm: Hx Hp

464. **Caradrina (Paradrina) suscijania cilicia** **Hacker,1992** (Noctuidae) Synonym(s): *cilicia* *Hacker,1992* (*) (x)
465. **Caradrina (Paradrina) wulschlegeli** (**Püngeler,1903**) (Noctuidae) Synonym(s): *wulschlegeli* *Püngeler,1903* (*) (x) Realm: Hx Hp
466. **Caradrina (Paradrina) wulschlegeli schwingenschussi** (**Boursin,1936**) (Noctuidae) Synonym(s): *schwingenschussi* *Boursin,1936* (*) (x)
467. **Caradrina (Paradrina) zandi** (**Wiltshire,1952**) (Noctuidae) Synonym(s): *zandi* *Wiltshire,1952* (*) (**) Realm: Hx Hp
468. **Caradrina (Paradrina) zandi minimus** **Fibiger, Svendsen & Nilsson,1999** (Noctuidae) Synonym(s): *minimus* *Fibiger, Svendsen & Nilsson,1999* (*) (x)
469. **Caradrina (Platyperigea) albina** (**Eversmann,1848**) (Noctuidae) Synonym(s): *albina* *Eversmann,1848*; *congesta* *Lederer,1853*; *tenera* *A.Bang-Haas,1912* (*) (**) Realm: Hx Hp
470. **Caradrina (Platyperigea) albina albina** (**Eversmann,1848**) (Noctuidae) Synonym(s): *albina* *Eversmann,1848*; *congesta* *Lederer,1853*; *tenera* *A.Bang-Haas,1912* (*) (**) Realm: Hx Hp
471. **Caradrina (Platyperigea) aspersa** (**Rambur,1834**) (Noctuidae) Synonym(s): *aspersa* *Rambur,1834*; *anceps* *Herrich-Schäffer,1849*; *culoti* *Turati,1913*. (*) (**) Realm: Hx Hp
472. **Caradrina (Platyperigea) kadenii** (**Freyer,1836**) (Noctuidae) Synonym(s): *kadenii* *Freyer,1836* (*) (**) Realm: Hx Hp
473. **Caradrina (Platyperigea) khorassana** (**Boursin,1942**) (Noctuidae) Synonym(s): *khorassana* *Boursin,1942* (**) (xx) Realm: Hx Hp
474. **Caradrina (Platyperigea) montana** (**Bremer,1861**) (Noctuidae) Synonym(s): *montana* *Bremer,1861*; *apatetica* *Püngeler,1914*; *sachalinensis* *Matsumura,1925*; *melancholica* *Draudt,1934*; *kaolina* *Bryk,1949* (*) (x) Realm: Hx Hn Hp
475. **Caradrina (Platyperigea) montana rougemonti** **Spuler,1908** (Noctuidae) Synonym(s): *rougemonti* *Spuler,1908* (*) (**) Realm: Hx Hp
476. **Caradrina (Platyperigea) terrea** (**Freyer,[1840]**) (Noctuidae) Synonym(s): *terrea* *Freyer,[1840]*; *ustirena* *Boisduval,1840* (*) (**) Realm: Hx Hp
477. **Caradrina (Platyperigea) terrea froitzheimi** (**Boursin,1957**) (Noctuidae) Synonym(s): *froitzheimi* *Boursin,1957* (**) (xx)
478. **Caradrina (Platyperigea) terrea matrona** (**Ronkay & Varga,1985**) (Noctuidae) Synonym(s): *matrona* *Ronkay & Varga,1985* (*) (x)
479. **Caradrina (Platyperigea) warneckei** (**Boursin,1936**) (Noctuidae) Synonym(s): *warneckei* *Boursin,1936* (**) (xx) Realm: Hx Hp
480. **Caradrina (Weigertrina) diabolica** (**Boursin,1942**) (Noctuidae) Synonym(s): *diabolica* *Boursin,1942* (**) (xx) Realm: Hx Hp
481. **Caradrina (s.str.) agrotina** (**Staudinger,1892**) (Noctuidae) Synonym(s): *agrotina* *Staudinger,1892*; *jordana* *Staudinger,[1895]*; *syriaca* *Osthelder,1933*. (*) (x) Realm: Hx Hp
482. **Caradrina (s.str.) morpheus** (**Hufnagel,1766**) (Noctuidae) Synonym(s): *morpheus* *Hufnagel,1766*; *pulla* *Beckwith,1794* *nec Esp.,[1785]*; *sepii* *Hübner,[1803]*; *dresnaya* *D.Lucas,1933*; *alpina* *Hartig,[1938]* (*) (x) Realm: Hx Hn Hp
483. **Cardepia affinis** **Rothschild,1913** (Noctuidae) Synonym(s): *affinis* *Rothschild,1913*; *ghigli* *Turati,1921*; *strobilacei* *Dumont,1925*. (**) (xx) Realm: Hx Hp
484. **Cardepia arenaria** (**Hampson,1905**) (Noctuidae) Synonym(s): *arenaria* *Hampson,1905* (**) (xx) Realm: Hx Hp
485. **Cardepia arenbergeri** **Pinker,1974** (Noctuidae) Synonym(s): *arenbergeri* *Pinker,1974* (*) (x) Realm: Hx Hp
486. **Cardepia deserticola** **Hampson,1905** (Noctuidae) Synonym(s): *deserticola* *Hampson,1905* (*) (**) Realm: Hx Hp
487. **Cardepia halophila** **Hacker,1998** (Noctuidae) Synonym(s): *halophila* *Hacker,1998* (**) (xx) Realm: Hx Hp
488. **Cardepia hartigi** **Parenzan,1981** (Noctuidae) Synonym(s): *hartigi* *Parenzan,1981* (*) (x) Realm: Hx Hp
489. **Cardepia irrisoria** (**Erschoff,1874**) (Noctuidae) Synonym(s): *#irrisor* *Erschoff,1874*; *irrisoria* *Erschoff,1874*; *albipicta* *Christoph,1884* (**) (xx) Realm: Hx Hp
490. **Cardepia oleagina** **Hacker,1998** (Noctuidae) Synonym(s): *oleagina* *Hacker,1998* (**) (xx) Realm: Hx Hp
491. **Cardepia sociabilis** (**Graslin,1850**) (Noctuidae) Synonym(s): *sociabilis* *Graslin,1850*; *ghigii* *Turati,1926*; *pedrosai* *Monteiro,1972*; *grisea* *Berio,1986*. (*) (**) Realm: Hx Hp
492. **Cardepia sociabilis canescens** **Hacker,1998** (Noctuidae) Synonym(s): *canescens* *Hacker,1998* (*) (x)

493. **Cardepi** **sociabilis** **deserticola**
Hampson,1905 (Noctuidae) Synonym(s):
deserticola Hampson,1905 (**) (xx)
494. **Cardepi** **sociabilis** **mauretanica**
Rothschild,1920 (Noctuidae) Synonym(s):
mauretanica Rothschild,1920 (**) (xx)
495. **Cardepi** **sociabilis** **socialis** **Hacker,1998**
(Noctuidae) Synonym(s): *socialis* Hacker,1998
(*) (**)
496. **Catamecia** **jordana** **Staudinger,1898**
(Noctuidae) Synonym(s): *jordana*
Staudinger,1898; *bacheri* *Staudinger,1901*
(**) (xx) Realm: Hx Hp
497. **Catamecia** **minima** **minima**
(Swinhoe,1889) (Noctuidae) Synonym(s):
minima Swinhoe,1889; *delicata* *Turati,1934*;
kordofana *Wiltshire,1977* (**) (xx)
498. **Catephia** **alchymista** **([Denis &**
Schifferrmüller],1775) (Noctuidae)
Synonym(s): *alchymista* *[Denis &*
Schifferrmüller],1775 (*) (**) Realm: Hx Hp
499. **Catephia** **alchymista** **alchymista** **([Denis &**
Schifferrmüller],1775) (Noctuidae)
Synonym(s): *alchymista* *[Denis &*
Schifferrmüller],1775 (*) (**) Realm: Hx Hp
500. **Catocala** **(Ephesia)** **eutychea**
(Treitschke,1835) (Noctuidae) Synonym(s):
eutychea *Treitschke,1835*; *delicata* *Vicent,1913*.
(*) (x) Realm: Hx Hp
501. **Catocala** **(Ephesia)** **nymphaea**
(Esper,[1787]) (Noctuidae) Synonym(s):
nymphaea *Esper,[1787]*; *vestalis* *Geyer,[1835]*.
(*) (**) Realm: Hx Hp
502. **Catocala** **(Ephesia)** **nymphaea** **nymphaea**
(Esper,[1787]) (Noctuidae) Synonym(s):
nymphaea *Esper,[1787]*; *vestalis* *Geyer,[1835]*.
(*) (x)
503. **Catocala** **(Ephesia)** **separata** **Freyer,1848**
(Noctuidae) Synonym(s): *separata* *Freyer,1848*
(*) (x) Realm: Hx Hp
504. **Catocala** **(s.str.)** **abacta** **Staudinger,1900**
(Noctuidae) Synonym(s): *abacta*
Staudinger,1900; *irana* *Brandt,1938*; *#iranica*
Hacker,1986. (*) (**) Realm: Hx Hp
505. **Catocala** **(s.str.)** **brandti** **Hacker &**
Kautt,1999 (Noctuidae) Synonym(s): *brandti*
Hacker & Kautt,1999 (*) (**) Realm: Hx Hp
506. **Catocala** **(s.str.)** **brandti** **brandti** **Hacker**
& Kautt,1999 (Noctuidae) Synonym(s):
brandti *Hacker & Kautt,1999* (*) (**) Realm: Hx Hp
507. **Catocala** **(s.str.)** **catei** **Weisert,1998**
(Noctuidae) Synonym(s): *catei* *Weisert,1998*
(*) (x) Realm: Hx Hp
508. **Catocala** **(s.str.)** **conjuncta** **(Esper,[1787])**
(Noctuidae) Synonym(s): *conjuncta*
Esper,[1787]; *conjuga* *Hübner,[1803]*; *perrettei*
Seyer,1976 (*) (x) Realm: Hx Hp
509. **Catocala** **(s.str.)** **conversa** **(Esper,1783)**
(Noctuidae) Synonym(s): *conversa*
Esper,[1787]; *pasythea* *Hübner,[1809]*; *agamos*
Hübner,[1813] (*) (x) Realm: Hx Hp
510. **Catocala** **(s.str.)** **deducta** **Eversmann,1843**
(Noctuidae) Synonym(s): *deducta*
Eversmann,1843 (**) (xx) Realm: Hx Hp
511. **Catocala** **(s.str.)** **dilecta** **(Hübner,[1808])**
(Noctuidae) Synonym(s): *dilecta*
Hübner,[1808]; *laetitia* *Schawerda,1931* (*)
(x) Realm: Hx Hp
512. **Catocala** **(s.str.)** **disjuncta** **(Geyer,[1828])**
(Noctuidae) Synonym(s): *disjuncta*
Geyer,[1828]; *separata* *Freyer,1848*; *luctuosa*
Staudinger,1901 *nec* *Hulst,1884*; *fumigata*
Kuznetsov,1903. (*) (x) Realm: Hx Hp
513. **Catocala** **(s.str.)** **diversa** **(Geyer,[1828])**
(Noctuidae) Synonym(s): *diversa* *Geyer,[1828]*;
callinympha *Boisduval,[1828]*; *#divera*
Hacker,1988 (*) (**) Realm: Hx Hp
514. **Catocala** **(s.str.)** **elocata** **(Esper,[1787])**
(Noctuidae) Synonym(s): *elocata* *Esper,[1787]*;
marita *Hübner,[1813]*; *nurus* *Hübner,[1822]*
(*) (**) Realm: Hx Hp
515. **Catocala** **(s.str.)** **elocata** **elocata**
(Esper,[1787]) (Noctuidae) Synonym(s):
elocata *Esper,[1787]*; *marita* *Hübner,[1813]*;
nurus *Hübner,[1822]* (*) (**) Realm: Hx Hp
516. **Catocala** **(s.str.)** **fraxini** **(Linnaeus,1758)**
(Noctuidae) Synonym(s): *fraxini* *Linnaeus,1758*
(*) (x) Realm: Hx Hp
517. **Catocala** **(s.str.)** **fredi** **Bytinski-Salz &**
Brandt,1937 (Noctuidae) Synonym(s): *fredi*
Bytinski-Salz & Brandt,1937 (**) (xx)
Realm: Hx Hp
518. **Catocala** **(s.str.)** **fulminea** **(Scopoli,1763)**
(Noctuidae) Synonym(s): *fulminea*
Scopoli,1763; *manturna* *Hufnagel,1766*;
paranympha *Linnaeus,1767*. (*) (x) Realm:
Hx Hp
519. **Catocala** **(s.str.)** **hymenaea** **([Denis &**
Schifferrmüller],1775) (Noctuidae)
Synonym(s): *#hymenaea* *[Denis &*
Schifferrmüller],1775 (*) (**) Realm: Hx Hp
520. **Catocala** **(s.str.)** **lesbia** **Christoph,1887**
(Noctuidae) Synonym(s): *lesbia* *Christoph,1887*
(*) (**) Realm: Hx Hp
521. **Catocala** **(s.str.)** **lupina** **Herrich-**
Schäffer,[1851] (Noctuidae) Synonym(s):
lupina *Herrich-Schäffer,[1851]* (*) (**) Realm:
Hx Hp
522. **Catocala** **(s.str.)** **lupina** **kastshenkoi**
Sheljuzhko,1943 (Noctuidae) Synonym(s):
kastshenkoi *Sheljuzhko,1943* (*) (**) Realm:
Hx Hp
523. **Catocala** **(s.str.)** **luscini** **Brandt,1938**
(Noctuidae) Synonym(s): *luscini* *Brandt,1938*.
(**) (xx) Realm: Hx Hp

524. **Catocala** (s.str.) **mesopotamica** **Kuznesov,1903** (Noctuidae) Synonym(s): *hetaera* Staudinger,1895 nec Stgr.,1892; *aspasia* Staudinger,1897 nec Streck.,1874; *mesopotamica* Kuznesov,1903 (*) (**) Realm: Hx Hp
525. **Catocala** (s.str.) **neonympha** (**Esper,[1805]**) (Noctuidae) Synonym(s): *neonympha* Esper,[1805] (*) (**) Realm: Hx Hp
526. **Catocala** (s.str.) **neonympha** **osthelderensis** **Hacker,1990** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933 nec Schult.,1909; *osthelderensis* Hacker,1990. (*) (**) Realm: Hx Hp
527. **Catocala** (s.str.) **nupta** (**Linnaeus,1767**) (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concupina* Hübner,[1803] (*) (x) Realm: Hx Hp
528. **Catocala** (s.str.) **nupta** **clara** **Osthelder,1933** (Noctuidae) Synonym(s): *clara* Osthelder,1933 (*) (x) Realm: Hx Hp
529. **Catocala** (s.str.) **nupta** **ssp.** (Noctuidae) Synonym(s): (*) (x) Realm: Hx Hp
530. **Catocala** (s.str.) **nymphagoga** (**Esper,[1787]**) (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865 (*) (**) Realm: Hx Hp
531. **Catocala** (s.str.) **nymphagoga** **kurdistan** **Hacker,1999** (Noctuidae) Synonym(s): *kurdistan* Hacker,1999 (*) (**) Realm: Hx Hp
532. **Catocala** (s.str.) **nymphagoga** **nymphagoga** (**Esper,[1787]**) (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865 (*) (**) Realm: Hx Hp
533. **Catocala** (s.str.) **persimilis** **W.Warren,1888** (Noctuidae) Synonym(s): *persimilis* W.Warren,1888 (**) (xx) Realm: Hx Hp
534. **Catocala** (s.str.) **promissa** (**[Denis & Schiffermüller],1775**) (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mneste* Hübner,[1813] (*) (x) Realm: Hx Hp
535. **Catocala** (s.str.) **puerpera** (**Giorna,1791**) (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] nec Sm.,1797; *pellex* Hübner,[1809]; *romana* Schult.,1909 (*) (**) Realm: Hx Hp
536. **Catocala** (s.str.) **puerpera** **puerpera** (**Giorna,1791**) (Noctuidae) Synonym(s): *puerpera* Giorna,1791 (*) (x) Realm: Hx Hp
537. **Catocala** (s.str.) **puerpera** **syriaca** **Schultz,1909** (Noctuidae) Synonym(s): *syriaca* Schultz,1909 (**) (xx) Realm: Hx Hp
538. **Catocala** (s.str.) **sponsa** (**Linnaeus,1767**) (Noctuidae) Synonym(s): *sponsa* Linnaeus,1767; *rejecta* Fischer v. Waldheim,1820 (*) (x) Realm: Hx Hp
539. **Catocala** (s.str.) **timur** **A.Bang-Haas,1907** (Noctuidae) Synonym(s): *timur* A.Bang-Haas,1907 (**) (xx) Realm: Hx Hp
540. **Catocala** (s.str.) **timur** **richteri** **Wiltshire,1961** (Noctuidae) Synonym(s): *richteri* Wiltshire,1961 (**) (xx) Realm: Hx Hp
541. **Catocala** (s.str.) **viviannae** **Hacker & Kautt,1996** (Noctuidae) Synonym(s): *viviannae* Hacker & Kautt,1996 (*) (x) Realm: Hx Hp
542. **Catocala** (s.str.) **weiserti** **Hacker,1999** (Noctuidae) Synonym(s): *weiserti* Hacker,1999 (*) (x) Realm: Hx Hp
543. **Catocala** (s.str.) **wolfi** **Hacker,1999** (Noctuidae) Synonym(s): *wolfi* Hacker,1999 (*) (x) Realm: Hx Hp
544. **Celaena** **haworthii** (**Curtis,1829**) (Noctuidae) Synonym(s): *haworthii* Curtis,1829; *hibernica* Stephens,1829; *lancea* Stephens,1829 (*) (x) Realm: Hx Hp
545. **Cerapteryx** **graminis** (**Linnaeus,1758**) (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837]. (*) (x) Realm: Hx Hp
546. **Cerapteryx** **graminis** **graminis** (**Linnaeus,1758**) (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837]. (*) (x) Realm: Hx Hp
547. **Cerapteryx** **megala** (**Alpheraky,1882**) (Noctuidae) Synonym(s): *megala* Alpheraky,1882. (*) (x) Realm: Hx Hp
548. **Cerapteryx** **megala** **tugani** **Ronkay,1990** (Noctuidae) Synonym(s): *tugani* Ronkay,1990 (*) (x) Realm: Hx Hp
549. **Cerastis** **rubricosa** (**Fabricius,1787**) (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813]. (*) (x) Realm: Hx Hp
550. **Cerocala** **sana** **Staudinger,1901** (Noctuidae) Synonym(s): *insana* Staudinger,1871 nec H-S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910. (*) (**) Realm: Hx Hp
551. **Characoma** **nilotica** (**Rogenhofer,1882**) (Noctuidae) Synonym(s): *nilotica* Rogenhofer,1882 (**) (xx) Realm: Hx Hp
552. **Charanyca** **trigrammica** (**Hufnagel,1766**) (Noctuidae) Synonym(s): *trigrammica* Hufnagel,1766; *asiaminorica* Pinker,1980. (*) (x) Realm: Hx Hp
553. **Chazaria** **incarnata** (**Freyer,1838**) (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. (*) (**) Realm: Hx Hp

554. **Chersotis alpestris** (Boisduval,[1837])
(Noctuidae) Synonym(s): *alpestris*
Boisduval,[1837] (*) (**) Realm: Hx Hp
555. **Chersotis alpestris ponticola**
(Draudt,1936) (Noctuidae) Synonym(s):
ponticola Draudt,1936 (*) (**) (**) Realm: Hx Hp
556. **Chersotis anatolica** (Draudt,1936)
(Noctuidae) Synonym(s): *anatolica*
Draudt,1936; elegantula Boursin,1945. (*) (**) Realm: Hx Hp
557. **Chersotis andereggii** (Boisduval,[1837])
(Noctuidae) Synonym(s): *andereggii*
Boisduval,[1837] (*) (**) Realm: Hx Hp
558. **Chersotis andereggii exclamans**
(Eversmann,1841) (Noctuidae) Synonym(s):
exclamans Eversmann,1841 (*) (**) (**) Realm: Hx Hp
559. **Chersotis binaloudi** Brandt,1941
(Noctuidae) Synonym(s): *binaloudi* Brandt,1941
(**) (xx) Realm: Hx Hp
560. **Chersotis capnistis** (Lederer,1872)
(Noctuidae) Synonym(s): *capnistis*
Lederer,1872; neara Püngeler,1902. (*) (**) (**) Realm: Hx Hp
561. **Chersotis capnistis capnistis**
(Lederer,1872) (Noctuidae) Synonym(s):
capnistis Lederer,1872; *neara Püngeler,1902.*
(*) (**) (**) Realm: Hx Hp
562. **Chersotis cryptographa** Varga &
Gyulai,2002 (Noctuidae) Synonym(s):
cryptographa Varga & Gyulai,2002 (**) (xx)
Realm: Hx Hp
563. **Chersotis cuprea** ([Denis &
Schifferrmüller],1775) (Noctuidae)
Synonym(s): *cuprea* [Denis &
Schifferrmüller],1775; haematitidea
Esper,[1794]; palustris Osthelder,1927;
jordanovi Touleschkov,1951. (*) (x) Realm:
Hx Hp
564. **Chersotis cuprea livescens** (Draudt,1933)
(Noctuidae) Synonym(s): *livescens*
Draudt,1933; pertexta Draudt,1936. (*) (x)
565. **Chersotis eberti** Dufay & Varga,1995
(Noctuidae) Synonym(s): *eberti* Dufay &
Varga,1995 (**) (xx) Realm: Hx Hp
566. **Chersotis ebertorum** Koçak,1980
(Noctuidae) Synonym(s): *maraschi* Corti &
Draudt,1933 (p.61) nec Corti & Draudt,1933
(p.58); ebertorum Koçak,1980. (*) (**) (**) Realm: Hx Hp
567. **Chersotis elegans** (Eversmann,1837)
(Noctuidae) Synonym(s): *elegans*
Eversmann,1837; grammiptera Rambur,[1839].
(**) (xx) Realm: Hx Hp
568. **Chersotis fimbriola** (Esper,[1798])
(Noctuidae) Synonym(s): *fimbriola*
Esper,[1798] (*) (**) (**) Realm: Hx Hp
569. **Chersotis fimbriola bohatschi**
(Rebel,1904) (Noctuidae) Synonym(s):
bohatschi Rebel,1904; *ayaschi Koçak,1989* (*)
(x)
570. **Chersotis fimbriola raddei**
(Christoph,1877) (Noctuidae) Synonym(s):
raddei Christoph,1877 (*) (**) (**) Realm: Hx Hp
571. **Chersotis fimbriola zernyi** (Corti,1931)
(Noctuidae) Synonym(s): *zernyi* Corti,1931
(*) (**) (**) Realm: Hx Hp
572. **Chersotis firdussi** Schwingenschuss,1937
(Noctuidae) Synonym(s): *firdussi*
Schwingenschuss,1937 (*) (**) (**) Realm: Hx Hp
573. **Chersotis friedeli** Pinker,1974 (Noctuidae)
Synonym(s): *friedeli* Pinker,1974 (*) (x)
Realm: Hx Hp
574. **Chersotis glebosa** (Staudinger,1900)
(Noctuidae) Synonym(s): *glebosa*
Staudinger,1900 (*) (**) (**) Realm: Hx Hp
575. **Chersotis gratissima** (Corti,1932)
(Noctuidae) Synonym(s): *gratissima* Corti,1932
(*) (**) (**) Realm: Hx Hp
576. **Chersotis gratissima zaghros** Gyulai &
Varga,2006 (Noctuidae) Synonym(s): *zaghros*
Gyulai & Varga,2006 (**) (xx) (**) Realm: Hx Hp
577. **Chersotis hahni** (Christoph,1885)
(Noctuidae) Synonym(s): *hahni* Christoph,1885
(**) (xx) (xx) Realm: Hx Hp
578. **Chersotis illauta** (Draudt,1936) (Noctuidae)
Synonym(s): *illauta* Draudt,1936 (*) (**) (**) Realm: Hx Hp
579. **Chersotis juvenis** (Staudinger,1901)
(Noctuidae) Synonym(s): *caelebs*
Staudinger,1900 nec Stgr.,1896; juvenis
Staudinger,1901; clarivenosa Draudt,1936. (*)
(**) (**) Realm: Hx Hp
580. **Chersotis laeta** (Rebel,1904) (Noctuidae)
Synonym(s): *laeta* Rebel,1904 (*) (**) (**) Realm: Hx Hp
581. **Chersotis laeta euxinia** Hacker &
Varga,1990 (Noctuidae) Synonym(s): *euxinia*
Hacker & Varga,1990 (*) (x) (x) Realm: Hx Hp
582. **Chersotis laeta laeta** (Rebel,1904)
(Noctuidae) Synonym(s): *laeta* Rebel,1904 (*)
(**) (**) (**) Realm: Hx Hp
583. **Chersotis larixia** (Guenée,1852) (Noctuidae)
Synonym(s): *larixia* Guenée,1852. (*) (**) (**) Realm: Hx Hp
584. **Chersotis larixia asiatica**
Schwingenschuss,1938 (Noctuidae)
Synonym(s): *asiatica* Schwingenschuss,1938
(*) (**) (**) Realm: Hx Hp
585. **Chersotis larixia erebina** (Boursin,1940)
(Noctuidae) Synonym(s): *erebina* Boursin,1940
(**) (xx) (xx) Realm: Hx Hp
586. **Chersotis margaritacea** (Villers,1789)
(Noctuidae) Synonym(s): *margaritacea*
Villers,1789; i-intactum Hübner,[1803];

- #abruzzensis Corti & Draudt,1933; *espinensis* Calle,1982 (*) (**) Realm: Hx Hp
587. **Chersotis margaritacea cesa Kemal & Koçak,2007** (Noctuidae) Synonym(s): *signata* Wagner,1932 *nec* Stgr.,1900; *cesa* Kemal & Koçak,2007 (*) (**) Realm: Hx Hp
588. **Chersotis multangula (Hübner,[1803])** (Noctuidae) Synonym(s): *multangula* Hübner,[1803]; *dissoluta* Staudinger,1900; *travunia* Schawerda,1912; *stojanovi* Touleschkov,1951. (*) (**) Realm: Hx Hp
589. **Chersotis multangula subdissoluta (F.Wagner,1931)** (Noctuidae) Synonym(s): *subdissoluta* F.Wagner,1931 (*) (**) Realm: Hx Hp
590. **Chersotis nitens Brandt,1941** (Noctuidae) Synonym(s): *nitens* Brandt,1941 (**) (xx) Realm: Hx Hp
591. **Chersotis rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787. (*) (**) Realm: Hx Hp
592. **Chersotis rectangula subrectangula (Staudinger,1871)** (Noctuidae) Synonym(s): *subrectangula* Staudinger,1871 (*) (**) Realm: Hx Hp
593. **Chersotis ronkayorum Fibiger Hacker & Varga,1992** (Noctuidae) Synonym(s): *ronkayorum* Fibiger Hacker & Varga,1993 (*) (x) Realm: Hx Hp
594. **Chersotis sarhada Brandt,1941** (Noctuidae) Synonym(s): *sarhada* Brandt,1941 (*) (**) Realm: Hx Hp
595. **Chersotis semna (Püngeler,1906)** (Noctuidae) Synonym(s): *semna* Püngeler,1906 (*) (**) Realm: Hx Hp
596. **Chersotis stenographa Varga,1979** (Noctuidae) Synonym(s): *stenographa* Varga,1979 (*) (x) Realm: Hx Hp
597. **Chersotis sterilis (Brandt,1938)** (Noctuidae) Synonym(s): *sterilis* Brandt,1938 (**) (xx) Realm: Hx Hp
598. **Chersotis zukowskyi (Draudt,1936)** (Noctuidae) Synonym(s): *zukowskyi* Draudt,1936 (*) (x) Realm: Hx Hp
599. **Chersotis zukowskyi zukowskyi (Draudt,1936)** (Noctuidae) Synonym(s): *zukowskyi* Draudt,1936 (*) (x) Realm: Hx Hp
600. **Chilodes maritima (Tauscher,1806)** (Noctuidae) Synonym(s): *maritima* Tauscher,1806; *bipunctana* Haworth,1812. (*) (x) Realm: Hx Hp
601. **Chionoxantha margarita Brandt,1938** (Noctuidae) Synonym(s): *margarita* Brandt,1938 (**) (xx) Realm: Hx Hp
602. **Chionoxantha minutissima Hacker & Ebert,2002** (Noctuidae) Synonym(s): *minutissima* Hacker & Ebert,2002 (**) (xx) Realm: Hx Hp
603. **Chionoxantha nobilis Hacker & Ebert,2002** (Noctuidae) Synonym(s): *nobilis* Hacker & Ebert,2002 (**) (xx) Realm: Hx Hp
604. **Chionoxantha staudingeri (Standfuss,1892)** (Noctuidae) Synonym(s): *staudingeri* Standfuss,1892 (*) (x) Realm: Hx Hp
605. **Chloantha elbursica (Boursin,1968)** (Noctuidae) Synonym(s): *elbursica* Boursin,1968 (**) (xx) Realm: Hx Hp
606. **Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 (*) (**) Realm: Hx Hp
607. **Chloantha hypericii hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hypericii* [Denis & Schiffermüller],1775; *hypericii* Fabricius,1787 (*) (**) Realm: Hx Hp
608. **Chortodes morrisii (Dale,1837)** (Noctuidae) Synonym(s): *morrisii* Dale,1837; *bondii* Knaggs,1861 (*) (**) Realm: Hx Hp
609. **Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) Synonym(s): *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865 (*) (**) Realm: Hx Hp Px Pa Po Ax Aa Ap
610. **Cleoceris scoriacea (Esper,[1789])** (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *capreae* Hübner,[1803]. (*) (x) Realm: Hx Hp
611. **Cleoceris scoriacea scoriacea (Esper,[1789])** (Noctuidae) Synonym(s): *scoriacea* Esper,[1789]; *capreae* Hübner,[1803]. (*) (x) Realm: Hx Hp
612. **Cleoceris scoriacea subcanentis Hacker,1990** (Noctuidae) Synonym(s): *subcanentis* Hacker,1990 (*) (x) Realm: Hx Hp
613. **Cleonymia (Serryvania) opposita (Lederer,1870)** (Noctuidae) Synonym(s): *opposita* Lederer,1870; *#obscurior* Osthelder,1933. (*) (**) Realm: Hx Hp
614. **Cleonymia (s.str.) baetica (Rambur,1837)** (Noctuidae) Synonym(s): *baetica* Rambur,1837 (*) (**) Realm: Hx Hp
615. **Cleonymia (s.str.) baetica orientalis G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *orientalis* G.Ronkay & L.Ronkay,1995; *klapperichi* Hacker,2001 (*) (**) Realm: Hx Hp
616. **Cleonymia (s.str.) chabordis (Oberthür,1876)** (Noctuidae) Synonym(s): *chabordis* Oberthür,1876; *#charbordis* Brandt,1939. (**) (xx) Realm: Hx Hp
617. **Cleonymia jubata (Oberthür,1890)** (Noctuidae) Synonym(s): *jubata* Oberthür,1890 (**) (xx) Realm: Hx Hp

618. **Clytie (Hypoglaucitis) distincta (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *distincta* A.Bang-Haas,1907 (*) (**) Realm: Hx Hp
619. **Clytie (Hypoglaucitis) distincta distincta (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *distincta* A.Bang-Haas,1907 (**) (xx)
620. **Clytie (Hypoglaucitis) distincta iranica Brandt,1939** (Noctuidae) Synonym(s): *iranica* Brandt,1939 (*) (**) (xx)
621. **Clytie (Hypoglaucitis) infrequens (Swinhoe,1884)** (Noctuidae) Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888. (**) (xx) Realm: Hx Hp
622. **Clytie (Hypoglaucitis) infrequens infrequens (Swinhoe,1884)** (Noctuidae) Synonym(s): *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888. (**) (xx)
623. **Clytie (s.str.) delunaris (Staudinger,1889)** (Noctuidae) Synonym(s): *delunaris* Staudinger,1889; *luteonigra* Warren,1913. (**) (xx) Realm: Hx Hp
624. **Clytie (s.str.) devia (Swinhoe,1884)** (Noctuidae) Synonym(s): *devia* Swinhoe,1884 (**) (xx) Realm: Hx Hp
625. **Clytie (s.str.) gracilis (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913. (*) (**) Realm: Hx Hp
626. **Clytie (s.str.) gracilis gracilis (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis* A.Bang-Haas,1907; *syrdaja* Hampson,1913. (*) (**) (xx)
627. **Clytie (s.str.) sancta (Staudinger,1898)** (Noctuidae) Synonym(s): *sancta* Staudinger,1898 (*) (**) Realm: Hx Hp Px Pa
628. **Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) Synonym(s): *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. (*) (**) Realm: Hx Hp
629. **Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893 (*) (**) Realm: Hx Hp
630. **Clytie (s.str.) terrulenta terrulenta (Christoph,1893)** (Noctuidae) Synonym(s): *terrulenta* Christoph,1893 (*) (**) (xx)
631. **Coenophila miniago (Freyer,[1839])** (Noctuidae) Synonym(s): *miniago* Freyer,[1839] (*) (x) Realm: Hx Hp
632. **Colobochyla (Caspicastra) platyzona (Lederer,1870)** (Noctuidae) Synonym(s): *platyzona* Lederer,1870; *#platyzona* Hacker,1990. (*) (**) Realm: Hx Hp
633. **Colobochyla (Caspicastra) platyzona capnoessa Zerny,1915** (Noctuidae) Synonym(s): *capnoessa* Zerny,1915; *schah* Bytinski-Salz & Brandt,1937; *#shah* Hacker,1990. (*) (**) (xx)
634. **Colobochyla (s.str.) salicalis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller],1775; *salicatus* Haworth,1809; *cinerea* Butler,1879. (*) (**) Realm: Hx Hp
635. **Colocasia coryli (Linnaeus,1758)** (Noctuidae) Synonym(s): *coryli* Linnaeus,1758; *gibbosa* Miller,1764 (*) (x) Realm: Hx Hp
636. **Condica conducta (Walker,1857)** (Noctuidae) Synonym(s): *conducta* Walker,1857; *inexacta* Walker,1865. (**) (xx) Realm: Hx Hp Px Pa Ax Ap
637. **Condica palaestinensis (Staudinger,1895)** (Noctuidae) Synonym(s): *palaestinensis* Staudinger,1895; *persicola* Draudt,1934; *persicola* Wiltshire,1952 (**) (xx) Realm: Hx Hp
638. **Condica viscosa (Freyer,1831)** (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980. (*) (**) Realm: Hx Hp
639. **Conistra (Dasycampa) erythrocephala (Fabricius,1787)** (Noctuidae) Synonym(s): *#erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787. (*) (x) Realm: Hx Hp
640. **Conistra (Dasycampa) rubiginea (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubiginea* [Denis & Schiffermüller],1775; *rubiginea* Fabricius,1787; *tigerina* Esper,[1791]; *pulverea* Hübner,[1803] (*) (x) Realm: Hx Hp
641. **Conistra (s.str.) acutula (Staudinger,1892)** (Noctuidae) Synonym(s): *acutula* Staudinger,1892 (*) (x) Realm: Hx Hp
642. **Conistra (s.str.) asiatica Pinker,1980** (Noctuidae) Synonym(s): *asiatica* Pinker,1980 (*) (x) Realm: Hx Hp
643. **Conistra (s.str.) chajjami Hacker & Weigert,1986** (Noctuidae) Synonym(s): *chajjami* Hacker & Weigert,1986 (*) (**) Realm: Hx Hp
644. **Conistra (s.str.) kasyi Boursin,1963** (Noctuidae) Synonym(s): *kasyi* Boursin,1963 (*) (x) Realm: Hx Hp
645. **Conistra (s.str.) ligula (Esper,1791)** (Noctuidae) Synonym(s): *ligula* Esper,[1791] (*) (**) Realm: Hx Hp
646. **Conistra (s.str.) metria Boursin,1940** (Noctuidae) Synonym(s): *metria* Boursin,1940; *pseudopolitina* Hacker,1990. (*) (x) Realm: Hx Hp
647. **Conistra (s.str.) ragusae (Failla-Tedaldi,1890)** (Noctuidae) Synonym(s): *ragusae* Failla-Tedaldi,1890 (*) (x) Realm: Hx Hp

648. **Conistra (s.str.) ragusae archaia**
Pinker,1980 (Noctuidae) Synonym(s): *archaia*
Pinker,1980 (*) (x)
649. **Conistra (s.str.) rubiginosa (Scopoli,1763)**
(Noctuidae) Synonym(s): *rubiginosa*
Scopoli,1763; *silene* [Denis &
Schifferrmüller],1775; *vaupunctatum*
Esper,[1786]. (*) (x) Realm: Hx Hp
650. **Conistra (s.str.) rubricans Fibiger,1997**
(Noctuidae) Synonym(s): *rubricans*
Fibiger,1997 (*) (x) Realm: Hx Hp
651. **Conistra (s.str.) torrida (Lederer,1857)**
(Noctuidae) Synonym(s): *torrida Lederer,1857*
(*) (x) Realm: Hx Hp
652. **Conistra (s.str.) torrida pinkeri**
Hacker,1988 (Noctuidae) Synonym(s): *pinker*
Hacker,1988 (*) (x)
653. **Conistra (s.str.) vaccinii (Linnaeus,1761)**
(Noctuidae) Synonym(s): *vaccinii*
Linnaeus,1761; *polita* [Denis &
Schifferrmüller],1775; *spadicea* [Denis &
Schifferrmüller],1775 (*) (**) Realm: Hx Hp
654. **Conistra (s.str.) veronicae**
(Hübner,[1813]) (Noctuidae) Synonym(s):
veronicae Hübner,[1813] (*) (x) Realm: Hx
Hp
655. **Cornutiplusia circumflexa**
(Linnaeus,1767) (Noctuidae) Synonym(s):
circumflexa Linnaeus,1767; *lunata*
Fabricius,1787; *flexuosa Donovan,1807*; *daubii*
Freyer,1838; *graphica Herrich-Schäffer,1851*;
patefacta Walker,[1858]; *reticulata Moore,1882*;
clarescens Pinker & Bacallado,1975; *lunata*
Kononenko & Pinratana,2005 (*) (**) Realm: Hx Hp Px Pa Po
656. **Cosmia (Calymnia) trapezina**
(Linnaeus,1758) (Noctuidae) Synonym(s):
trapezina Linnaeus,1758 (*) (**) Realm: Hx
Hp
657. **Cosmia (s.str.) affinis (Linnaeus,1767)**
(Noctuidae) Synonym(s): *affinis Linnaeus,1767*
(*) (x) Realm: Hx Hp
658. **Cosmia (s.str.) confinis Herrich-Schäffer,[1849]**
(Noctuidae) Synonym(s): *confinis Herrich-Schäffer,[1849]*;
rhodopsis Boursin,1962; *phaiopsis Boursin,1962*. (*)
(x) Realm: Hx Hp
659. **Cosmia (s.str.) diffinis (Linnaeus,1767)**
(Noctuidae) Synonym(s): *diffinis Linnaeus,1767*
(*) (x) Realm: Hx Hp
660. **Craniophora fasciata (Moore,[1884])**
(Noctuidae) Synonym(s): *fasciata*
Moore,[1884]; *nigrostriata Pagenstecher,1888*;
divisa Moore,1888 (**) (xx) Realm: Hx Hp
Ax Aa Ap Px Po
661. **Craniophora ligustri (Fabricius,1787)**
(Noctuidae) Synonym(s): *#ligustri [Denis &*
Schifferrmüller],1775; *ligustri Fabricius,1787*.
(*) (**) Realm: Hx Hp
662. **Craniophora ligustri hyrcanica Hacker &**
Ebert,2002 (Noctuidae) Synonym(s):
hyrcanica Hacker & Ebert,2002 (*) (**) Realm: Hx Hp
663. **Craniophora ligustri ligustri**
(Fabricius,1787) (Noctuidae) Synonym(s):
#ligustri [Denis & Schifferrmüller],1775; *ligustri*
Fabricius,1787. (*) (x)
664. **Craniophora pontica (Staudinger,1879)**
(Noctuidae) Synonym(s): *pontica*
Staudinger,1879 (*) (**) Realm: Hx Hp
665. **Craniophora pontica pontica**
(Staudinger,1879) (Noctuidae) Synonym(s):
pontica Staudinger,1879 (*) (**) Realm: Hx Hp
666. **Cryphia (Bryoleuca) argentacea**
(Bytinsky-Salz & Brandt,1937) (Noctuidae)
Synonym(s): *argentacea Bytinsky-Salz &*
Brandt,1937 (**) (xx) Realm: Hx Hp
667. **Cryphia (Bryoleuca) dolopsis**
(Hampson,1908) (Noctuidae) Synonym(s):
dolopsis Hampson,1908; *#dolopsis*
Osthelder,1933. (*) (x) Realm: Hx Hp
668. **Cryphia (Bryoleuca) ereptricula**
(Treitschke,1825) (Noctuidae) Synonym(s):
ereptricula Treitschke,1825 (*) (x) Realm:
Hx Hp
669. **Cryphia (Bryoleuca) ereptricula**
ereptricula (Treitschke,1825) (Noctuidae)
Synonym(s): *ereptricula Treitschke,1825* (*)
(x)
670. **Cryphia (Bryoleuca) eucta**
(Hampson,1908) (Noctuidae) Synonym(s):
eucta Hampson,1908 (*) (**) Realm: Hx Hp
671. **Cryphia (Bryoleuca) labecula**
(Lederer,1855) (Noctuidae) Synonym(s):
labecula Lederer,1855 (*) (x) Realm: Hx Hp
672. **Cryphia (Bryoleuca) microphysa**
Boursin,1952 (Noctuidae) Synonym(s):
microphysa Boursin,1952 (*) (x) Realm: Hx
Hp
673. **Cryphia (Bryoleuca) orthogramma**
Boursin,1954 (Noctuidae) Synonym(s):
orthogramma Boursin,1954; *aksuensis*
Boursin,1954; *ammochroa Boursin,1954*;
taishanensis Boursin,1954; *#radiata*
Boursin,1954 (*) (x) Realm: Hx Hp
674. **Cryphia (Bryoleuca) petrea (Guenée,1852)**
(Noctuidae) Synonym(s): *petrea Guenée,1852*
(*) (**) Realm: Hx Hp
675. **Cryphia (Bryoleuca) petrea contristans**
(Lederer,1857) (Noctuidae) Synonym(s):
contristans Lederer,1857; *troughti*
Wiltshire,1956. (*) (**) Realm: Hx Hp
676. **Cryphia (Bryoleuca) petricolor**
(Lederer,1870) (Noctuidae) Synonym(s):
petricolor Lederer,1870; *iranica*

- Schwingenschuss*,1937; *#solimana Draudt*,1937.
(*) (**) Realm: Hx Hp
677. **Cryphia (Bryoleuca) petricolor petricolor (Lederer,1870)** (Noctuidae) Synonym(s): *petricolor Lederer*,1870; *iranica Schwingenschuss*,1937; *#solimana Draudt*,1937.
(*) (**) Realm: Hx Hp
678. **Cryphia (Bryoleuca) raddei Boursin,1953** (Noctuidae) Synonym(s): *raddei Boursin*,1953
(*) (x) Realm: Hx Hp
679. **Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula [Denis & Schiffermüller]*,1775; *divisa Esper*,[1791]; *palliola Borkhausen*,1792; *pomula Borkhausen*,1792; *deceptricula Hübner*,[1803]; *carbonis Freyer*,1849; *felina Eversmann*,1852; *#striata Staudinger*,1879; *#persica Strand*,1915; *cretica Reisser*,1962 (*) (**) Realm: Hx Hp
680. **Cryphia (Bryoleuca) raptricula raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula [Denis & Schiffermüller]*,1775; *divisa Esper*,[1791]; *palliola Borkhausen*,1792; *pomula Borkhausen*,1792; *deceptricula Hübner*,[1803]; *carbonis Freyer*,1849; *felina Eversmann*,1852; *#striata Staudinger*,1879; *#persica Strand*,1915; *cretica Reisser*,1962 (*) (**) Realm: Hx Hp
681. **Cryphia (Bryoleuca) ravula (Hübner,[1813])** (Noctuidae) Synonym(s): *ravula Hübner*,[1813]; *lupula Hübner*,[1813]; *trogodyta Freyer*,1832. (*) (x) Realm: Hx Hp
682. **Cryphia (Bryoleuca) rectilinea (W.Warren,1909)** (Noctuidae) Synonym(s): *rectilinea W.Warren*,1909; *mediochracea Bytinski-Salz*,1936; *insulicola Reisser*,1962.
(*) (**) Realm: Hx Hp
683. **Cryphia (Bryoleuca) remanei Heydemann & Schulte,1963** (Noctuidae) Synonym(s): *remanei Heydemann & Schulte*,1963 (*) (x) Realm: Hx Hp
684. **Cryphia (Bryoleuca) seladona (Christoph,1885)** (Noctuidae) Synonym(s): *seladona Christoph*,1885; *umovii auct.* (*) (x) Realm: Hx Hp
685. **Cryphia (Bryoleuca) seladona seladona (Christoph,1885)** (Noctuidae) Synonym(s): *seladona Christoph*,1885; *umovii auct.* (*) (x) Realm: Hx Hp
686. **Cryphia (Bryoleuca) tephrocharis Boursin,1954** (Noctuidae) Synonym(s): *tephrocharis Boursin*,1954 (*) (**) Realm: Hx Hp
687. **Cryphia (Bryoleuca) thamanaea (Hampson,1908)** (Noctuidae) Synonym(s): *thamanaea Hampson*,1908 (*) (**) Realm: Hx Hp
688. **Cryphia (Bryophila) centralis (Draudt,1931)** (Noctuidae) Synonym(s): *centralis Draudt*,1931 (*) (xx) Realm: Hx Hp
689. **Cryphia (Bryophila) eucharista Boursin,1960** (Noctuidae) Synonym(s): *iranica Brandt*,1941 *nec Schwing.*,1937; *eucharista Boursin*,1960. (*) (**) Realm: Hx Hp
690. **Cryphia (Bryophila) idonea (Christoph,1893)** (Noctuidae) Synonym(s): *idonea Christoph*,1893; *taftana Brandt*,1939.
(**) (xx) Realm: Hx Hp
691. **Cryphia (Bryophila) klapperichi Boursin,1960** (Noctuidae) Synonym(s): *klapperichi Boursin*,1960 (*) (xx) Realm: Hx Hp
692. **Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae) Synonym(s): *maeonis Lederer*,1865; *rubellina Staudinger*,1900; *sabulicolor De Lattin*,1950.
(*) (**) Realm: Hx Hp
693. **Cryphia (Bryophila) maeonis maeonis (Lederer,1865)** (Noctuidae) Synonym(s): *maeonis Lederer*,1865; *praecana Christoph*,1893; *rubellina Staudinger*,1900; *sordida Staudinger*,1900; *sabulosa Warren*,1909.
(*) (**) Realm: Hx Hp
694. **Cryphia (Bryophila) occidentalis (Osthelder,1933)** (Noctuidae) Synonym(s): *occidentalis Osthelder*,1933. (*) (**) Realm: Hx Hp
695. **Cryphia (Bryophila) salomonis Boursin,1954** (Noctuidae) Synonym(s): *salomonis Boursin*,1954 (*) (xx) Realm: Hx Hp
696. **Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae) Synonym(s): *amasina Draudt*,1931 (*) (**) Realm: Hx Hp
697. **Cryphia (Bryopsis) muralis (Forster,1771)** (Noctuidae) Synonym(s): *muralis Forster*,1771; *lichenis Fabricius*,1775; *glandifera [Denis & Schiffermüller]*,1775; *par Hübner*,[1813]; *viridior Schawerda*,1932 (*) (x) Realm: Hx Hp
698. **Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) Synonym(s): *algae Fabricius*,1775; *degener [Denis & Schiffermüller]*,1775; *alni Fabricius*,1787; *calligrapha Borkhausen*,1792; *mendacula Hübner*,[1813]. (*) (x) Realm: Hx Hp
699. **Cryphia (Euthales) ochsi (Boursin,1941)** (Noctuidae) Synonym(s): *ochsi Boursin*,1941; *#badiofasciata Boursin*,1952 (*) (**) Realm: Hx Hp
700. **Cryphia (s.str.) receptricula (Hübner,[1803])** (Noctuidae) Synonym(s): *strigula Borkhausen*,1792 *nec Thunb.*,1788;

- receptricula* Hübner,[1803]; *stictica* Ménétériés,1859. (*) (**) Realm: Hx Hp
701. **Crypsotidia maculifera (Staudinger,1898)** (Noctuidae) Synonym(s): *maculifera* Staudinger,1898; *wollastoni* Rothschild,1901; *voolestoni* Hampson,1913; ? *maculata* Tams,1926. (*) (x) Realm: Hx Hp Px Pa
702. **Cucullia (Shargacucullia) armena G.Ronkay & L.Ronkay,1986** (Noctuidae) Synonym(s): *armena* G.Ronkay & L.Ronkay,1986 (*) (x) Realm: Hx Hp
703. **Cucullia (Shargacucullia) barthae Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933 (*) (**) Realm: Hx Hp
704. **Cucullia (Shargacucullia) blattariae (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790] (*) (x) Realm: Hx Hp
705. **Cucullia (Shargacucullia) gozmanyi G.Ronkay & L.Ronkay,1994** (Noctuidae) Synonym(s): *gozmanyi* G.Ronkay & L.Ronkay,1994 (*) (x) Realm: Hx Hp
706. **Cucullia (Shargacucullia) lanceolata (Villers,1789)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826 (*) (**) Realm: Hx Hp
707. **Cucullia (Shargacucullia) lanceolata anceps Staudinger,1881** (Noctuidae) Synonym(s): *anceps* Staudinger,1881 (*) (**) Realm: Hx Hp
708. **Cucullia (Shargacucullia) lychnitis (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833 (*) (x) Realm: Hx Hp
709. **Cucullia (Shargacucullia) lychnitis albicans Wiltshire,1976** (Noctuidae) Synonym(s): *albescens* Wiltshire,1968 *nec* Mr.,1881; *albicans* Wiltshire,1976. (*) (x)
710. **Cucullia (Shargacucullia) osthelderi Boursin,1933** (Noctuidae) Synonym(s): *osthelderi* Boursin,1933 (*) (x) Realm: Hx Hp
711. **Cucullia (Shargacucullia) prenanthis Boisduval,1840** (Noctuidae) Synonym(s): *prenanthis* Boisduval,1840; *ceramanthea* Freyer,1844. (*) (x) Realm: Hx Hp
712. **Cucullia (Shargacucullia) scrophulariae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852 (*) (x) Realm: Hx Hp
713. **Cucullia (Shargacucullia) strigicosta Boursin,1940** (Noctuidae) Synonym(s): *strigicosta* Boursin,1940 (**) (xx) Realm: Hx Hp
714. **Cucullia (Shargacucullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758; *oberthueri* Rothschild,1911. (*) (**) Realm: Hx Hp
715. **Cucullia (s.str.) absinthii (Linnaeus,1761)** (Noctuidae) Synonym(s): *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857 (*) (**) Realm: Hx Hp
716. **Cucullia (s.str.) anifurca (Goeze,1781)** (Noctuidae) Synonym(s): *#lactucaae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781. (*) (x) Realm: Hx Hp
717. **Cucullia (s.str.) anifurca anifurca (Goeze,1781)** (Noctuidae) Synonym(s): *#lactucaae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781. (*) (x)
718. **Cucullia (s.str.) argentina (Fabricius,1787)** (Noctuidae) Synonym(s): *argentina* Fabricius,1787; *achalina* Püngeler,1900; *grisea* F.Wagner,1931 *nec* Lch.,1900; *anatoliensis* Koçak,1980. (*) (**) Realm: Hx Hp
719. **Cucullia (s.str.) asteris ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#asteris* [Denis & Schiffermüller],1775 (*) (x) Realm: Hx Hp
720. **Cucullia (s.str.) behouneki Hacker & Ronkay,1988** (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988 (*) (**) Realm: Hx Hp
721. **Cucullia (s.str.) behouneki behouneki Hacker & Ronkay,1988** (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay,1988 (*) (x)
722. **Cucullia (s.str.) boryphora Fischer v. Waldheim,1840** (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim,1840 (*) (**) Realm: Hx Hp
723. **Cucullia (s.str.) calendulae Treitschke,1835** (Noctuidae) Synonym(s): *calendulae* Treitschke,1835; *wredowi* Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980. (*) (**) Realm: Hx Hp
724. **Cucullia (s.str.) chamomillae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822]. (*) (x) Realm: Hx Hp
725. **Cucullia (s.str.) chamomillae chamomillae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822]. (*) (x)
726. **Cucullia (s.str.) chamomillae hackeri G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *hackeri* G.Ronkay & L.Ronkay,1987 (*) (x)
727. **Cucullia (s.str.) cineracea Freyer,1841** (Noctuidae) Synonym(s): *cineracea* Freyer,1841 (*) (x) Realm: Hx Hp
728. **Cucullia (s.str.) citella G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s):

- citella* G.Ronkay & L.Ronkay,1987 (*) (x) Realm: Hx Hp
729. **Cucullia (s.str.) dracunculi (Hübner,[1813])** (Noctuidae) Synonym(s): *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903. (*) (**) Realm: Hx Hp
730. **Cucullia (s.str.) faucicola Wiltshire,1943** (Noctuidae) Synonym(s): *faucicola* Wiltshire,1943 (**) (xx) Realm: Hx Hp
731. **Cucullia (s.str.) gnaphalii (Hübner,[1813])** (Noctuidae) Synonym(s): *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945. (*) (x) Realm: Hx Hp
732. **Cucullia (s.str.) hemidiaphana Graeser,1892** (Noctuidae) Synonym(s): *hemidiaphana* Graeser,1892 (**) (xx) Realm: Hx Hp
733. **Cucullia (s.str.) improba Christoph,1885** (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958 (*) (**) Realm: Hx Hp
734. **Cucullia (s.str.) improba improba Christoph,1885** (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958 (*) (**) Realm: Hx Hp
735. **Cucullia (s.str.) kasyi Wiltshire,1976** (Noctuidae) Synonym(s): *kasyi* Wiltshire,1976 (**) (xx) Realm: Hx Hp
736. **Cucullia (s.str.) khorassana Brandt,1941** (Noctuidae) Synonym(s): *khorassana* Brandt,1941 (**) (xx) Realm: Hx Hp
737. **Cucullia (s.str.) leptographa Reisser,1958** (Noctuidae) Synonym(s): *leptographa* Reisser,1958 (**) (xx) Realm: Hx Hp
738. **Cucullia (s.str.) lucifuga (Hübner,[1803])** (Noctuidae) Synonym(s): *lucifuga* Hübner,[1803]. (*) (x) Realm: Hx Hp
739. **Cucullia (s.str.) magnifica Freyer,1839** (Noctuidae) Synonym(s): *magnifica* Freyer,1839 (*) (x) Realm: Hx Hp
740. **Cucullia (s.str.) maracandica Staudinger,1888** (Noctuidae) Synonym(s): *maracandica* Staudinger,1888; *herzi* Alpheraky,1894. (**) (xx) Realm: Hx Hp
741. **Cucullia (s.str.) mixta Freyer,1841** (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846 (*) (**) Realm: Hx Hp
742. **Cucullia (s.str.) petrophila G.Ronkay & L.Ronkay,1998** (Noctuidae) Synonym(s): *petrophila* G.Ronkay & L.Ronkay,1998 (**) (xx) Realm: Hx Hp
743. **Cucullia (s.str.) ronkayi Hacker & Pinker,1987** (Noctuidae) Synonym(s): *ronkayi* Hacker & Pinker,1987 (*) (x) Realm: Hx Hp
744. **Cucullia (s.str.) santolinae Rambur,1834** (Noctuidae) Synonym(s): *santolinae* Rambur,1834 (*) (**) Realm: Hx Hp
745. **Cucullia (s.str.) santolinae pallidiscrupta G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *pallidiscrupta* G.Ronkay & L.Ronkay,1987 (*) (**) Realm: Hx Hp
746. **Cucullia (s.str.) santonici (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813] (*) (**) Realm: Hx Hp
747. **Cucullia (s.str.) tanacetii (Goeze,1781)** (Noctuidae) Synonym(s): *tanacetii* Goeze,1781 (*) (**) Realm: Hx Hp
748. **Cucullia (s.str.) tecca Püngeler,1906** (Noctuidae) Synonym(s): *tecca* Püngeler,1906 (*) (**) Realm: Hx Hp
749. **Cucullia (s.str.) umbratica (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. (*) (**) Realm: Hx Hp
750. **Cucullia (s.str.) umbratica clarior Fuchs,1904** (Noctuidae) Synonym(s): *clarior* Fuchs,1904 (*) (**) Realm: Hx Hp
751. **Cucullia (s.str.) xeranthemi Boisduval,1840** (Noctuidae) Synonym(s): *xeranthemi* Boisduval,1840 (*) (x) Realm: Hx Hp
752. **Cyrebria adili (Koçak,1987)** (Noctuidae) Synonym(s): *adili* Koçak,1987 (*) (x) Realm: Hx Hp
753. **Cyrebria anachoreta (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987 (*) (**) Realm: Hx Hp
754. **Cyrebria anachoreta anachoreta (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987; *taurica* Hacker,1996 (*) (x) Realm: Hx Hp
755. **Cyrebria anachoreta forsteri Sheljuzhko,1955** (Noctuidae) Synonym(s): *forsteri* Sheljuzhko,1955 (**) (xx) Realm: Hx Hp
756. **Cyrebria luperinoides Guenée,1852** (Noctuidae) Synonym(s): *luperinoides* Guenée,1852 (*) (x) Realm: Hx Hp
757. **Dasypolia (Dasymixis) diva L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *diva* L.Ronkay & Varga,1990 (*) (x) Realm: Hx Hp
758. **Dasypolia (s.str.) altissima Hacker & Moberg,1988** (Noctuidae) Synonym(s): *altissima* Hacker & Moberg,1988 (*) (**) Realm: Hx Hp
759. **Dasypolia (s.str.) dichroa L.Ronkay & Varga,1985** (Noctuidae) Synonym(s): *dichroa* L.Ronkay & Varga,1985 (*) (x) Realm: Hx Hp

760. **Dasypolia (s.str.) dichroa dichroa** L.Ronkay & Varga,1985 (Noctuidae) Synonym(s): *dichroa* L.Ronkay & Varga,1985 (*) (x)
761. **Dasypolia (s.str.) ferdinandi** Rühl,1892 (Noctuidae) Synonym(s): *ferdinandi* Rühl,1892 (*) (**) Realm: Hx Hp
762. **Dasypolia (s.str.) ferdinandi transcaucasica** L.Ronkay & Varga,1985 (Noctuidae) Synonym(s): *transcaucasica* L.Ronkay & Varga,1985 (*) (x)
763. **Dasypolia (s.str.) fibigeri** Hacker & Moberg,1988 (Noctuidae) Synonym(s): *fibigeri* Hacker & Moberg,1988 (*) (x) Realm: Hx Hp
764. **Dasypolia (s.str.) ipaykala** L.Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *ipaykala* L.Ronkay, Varga & Hreblay,1998 (**) (xx) Realm: Hx Hp
765. **Dasypolia (s.str.) templi** (Thunberg,1792) (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909. (*) (**) Realm: Hx Hp
766. **Dasypolia (s.str.) templi anatolica** Hacker,1990 (Noctuidae) Synonym(s): *anatolica* Hacker,1990 (*) (x)
767. **Dasypolia (s.str.) templi armeniaca** L.Ronkay & Varga,1985 (Noctuidae) Synonym(s): *armeniaca* L.Ronkay & Varga,1985 (*) (x)
768. **Dasypolia (s.str.) vera** L.Ronkay & Szaboky,1995 (Noctuidae) Synonym(s): *vera* L.Ronkay & Szaboky,1995 (*) (x) Realm: Hx Hp
769. **Deltote bankiana** (Fabricius,1775) (Noctuidae) Synonym(s): *bankiana* Fabricius,1775; *olivana* [Denis & Schiffermüller],1775; *olivea* Hübner,[1813]; *amurula* Staudinger,1892; *albescens* Draudt,1935; *uniformis* Draudt,1935. (**) (xx) Realm: Hx Hp
770. **Deltote delicatula** (Christoph,1882) (Noctuidae) Synonym(s): *delicatula* Christoph,1882 (*) (x) Realm: Hx Hp
771. **Deltote iranica** (Kotzsch,1940) (Noctuidae) Synonym(s): *iranica* Kotzsch,1940 (**) (xx) Realm: Hx Hp
772. **Desertoplusia bella** (Christoph,1887) (Noctuidae) Synonym(s): *bella* Christoph,1887 (*) (**) Realm: Hx Hp
773. **Desertoplusia colornata** Varga & L.Ronkay,1991 (Noctuidae) Synonym(s): *bella* auct. nec Chr.,1887; *colornata* Varga & L.Ronkay,1991; *#colomata* Hacker,1992 (*) (**) Realm: Hx Hp
774. **Diachrysia chrysitis** (Linnaeus,1758) (Noctuidae) Synonym(s): *chrysitis* Linnaeus,1758 (*) (**) Realm: Hx Hp
775. **Diachrysia chrysitis generosa** (Staudinger,1900) (Noctuidae) Synonym(s): *generosa* Staudinger,1900 (*) (**) Realm: Hx Hp
776. **Diachrysia chryson** (Esper,[1789]) (Noctuidae) Synonym(s): *chryson* Esper,[1789]; *aerifera* Sowerby,1805 (*) (**) Realm: Hx Hp
777. **Diachrysia tutti** (Kostrowicki,1961) (Noctuidae) Synonym(s): *tutti* Kostrowicki,1961 (*) (x) Realm: Hx Hp
778. **Diarsia brunnea** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775 (*) (x) Realm: Hx Hp
779. **Diarsia florida** (Schmidt,1859) (Noctuidae) Synonym(s): *florida* Schmidt,1859 (*) (x) Realm: Hx Hp
780. **Diarsia florida perturbata** Hacker,1987 (Noctuidae) Synonym(s): *perturbata* Hacker,1987 (*) (x)
781. **Diarsia mendica** (Fabricius,1775) (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. (*) (**) Realm: Hx Hn Hp
782. **Diarsia mendica mendica** (Fabricius,1775) (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. (*) (x)
783. **Diarsia mendica monochroma** Boursin,1963 (Noctuidae) Synonym(s): *monochroma* Boursin,1963 (**) (xx)
784. **Diarsia rubi** (Vieweg,1790) (Noctuidae) Synonym(s): *rubi* Vieweg,1790; *radica* Esper,[1790]; *bella* Borkhausen,1792 nec Linn.,1758; *quadratum* Hübner,[1813]; *posticata* Walker,[1858]. (*) (x) Realm: Hx Hp
785. **Dichagyris (Grisyigoga) candelisequa** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. (*) (**) Realm: Hx Hp
786. **Dichagyris (Grisyigoga) candelisequa achaemenidica** Hacker,1990 (Noctuidae) Synonym(s): *achaemenidica* Hacker,1990 (*) (**) Realm: Hx Hp
787. **Dichagyris (Yigoga) acutijuxta** (Boursin,1957) (Noctuidae) Synonym(s):

- acutijuxta* Boursin, 1957 (**) (xx) Realm: Hx Hp
788. **Dichagyris (Yigoga) celsicola (Bellier, 1858)** (Noctuidae) Synonym(s): *celsicola* Bellier, 1858 (*) (**) Realm: Hx Hp
789. **Dichagyris (Yigoga) celsicola iranica (Schwingenschuss, 1939)** (Noctuidae) Synonym(s): *iranica* Schwingenschuss, 1939 (**) (xx)
790. **Dichagyris (Yigoga) disturbans (Püngeler, 1914)** (Noctuidae) Synonym(s): *turbans* Hampson, 1903 *nec* Stgr., 1888; *disturbans* Püngeler, 1914; *mirabica* Brandt, 1941. (**) (xx) Realm: Hx Hp
791. **Dichagyris (Yigoga) eureteocles (Boursin, 1940)** (Noctuidae) Synonym(s): *eureteocles* Boursin, 1940 (*) (**) Realm: Hx Hp
792. **Dichagyris (Yigoga) flavina (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898; *pretiosa* Caradja, 1931. (*) (**) Realm: Hx Hp
793. **Dichagyris (Yigoga) flavina flavina (Herrich-Schäffer, 1852)** (Noctuidae) Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898. (*) (**) (xx)
794. **Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller], 1775; *denticulosa* Esper, [1794]; *bornicensis* Fuchs, 1884; *helladica* Rebel, 1905; *samnitica* Dannehl, 1933; *romanoi* Berio, 1980. (*) (**) Realm: Hx Hp
795. **Dichagyris (Yigoga) forcipula amasicola (Koçak, 1980)** (Noctuidae) Synonym(s): *amasina* Turati, 1919 *nec* Stgr., 1901; *amasicola* Koçak, 1980; *#amsicola* Baisch et al., 1999 (*) (**) (xx)
796. **Dichagyris (Yigoga) gracilis (F. Wagner, 1929)** (Noctuidae) Synonym(s): *gracilis* F. Wagner, 1929 (*) (**) Realm: Hx Hp
797. **Dichagyris (Yigoga) gracilis gracilis (F. Wagner, 1929)** (Noctuidae) Synonym(s): *gracilis* F. Wagner, 1929 (*) (**) (xx)
798. **Dichagyris (Yigoga) hackeri (Fibiger, 1992)** (Noctuidae) Synonym(s): *hackeri* Fibiger, 1992 (*) (x) Realm: Hx Hp
799. **Dichagyris (Yigoga) iranicola (Koçak, 1980)** (Noctuidae) Synonym(s): *hyrcana* Corti & Draudt, 1933 *nec* Stgr., 1900; *iranicola* Koçak, 1980. (**) (xx) Realm: Hx Hp
800. **Dichagyris (Yigoga) latipennis (Püngeler, 1909)** (Noctuidae) Synonym(s): *latipennis* Püngeler, 1909 (*) (**) Realm: Hx Hp
801. **Dichagyris (Yigoga) latipennis occidentalis (Hacker, [1987])** (Noctuidae) Synonym(s): *occidentalis* Hacker, [1987] (*) (**) (xx)
802. **Dichagyris (Yigoga) lupinus (Brandt, 1941)** (Noctuidae) Synonym(s): *lupinus* Brandt, 1941 (**) (xx) Realm: Hx Hp
803. **Dichagyris (Yigoga) lutescens (Eversmann, 1844)** (Noctuidae) Synonym(s): *lutescens* Eversmann, 1844; *dilucida* Eversmann, 1844; *leonina* Staudinger, 1877. (*) (x) Realm: Hx Hp
804. **Dichagyris (Yigoga) nachadira (Brandt, 1941)** (Noctuidae) Synonym(s): *nachadira* Brandt, 1941 (*) (**) Realm: Hx Hp
805. **Dichagyris (Yigoga) nachadira nachadira (Brandt, 1941)** (Noctuidae) Synonym(s): *nachadira* Brandt, 1941 (**) (xx)
806. **Dichagyris (Yigoga) nachadira pseudorientis (Boursin, 1952)** (Noctuidae) Synonym(s): *pseudorientis* Boursin, 1952 (*) (**) (xx)
807. **Dichagyris (Yigoga) nigrescens (Hofner, 1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner, 1888 (*) (**) Realm: Hx Hp
808. **Dichagyris (Yigoga) nigrescens robustior (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): *robustior* Corti & Draudt, 1933; *obscurior* Corti & Draudt, 1933 *nec* Corti & Draudt, 1933; *turcicola* Koçak, 1980. (*) (**) (xx)
809. **Dichagyris (Yigoga) orientis (Alpheraky, 1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky, 1882; *improcera* Staudinger, 1888; *imitata* Corti & Draudt, 1933. (*) (**) Realm: Hx Hp
810. **Dichagyris (Yigoga) orientis orientis (Alpheraky, 1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky, 1882; *improcera* Staudinger, 1888; *imitata* Corti & Draudt, 1933. (*) (**) (xx)
811. **Dichagyris (Yigoga) romanovi (Christoph, 1885)** (Noctuidae) Synonym(s): *romanovi* Christoph, 1885; *#jura* Strand, 1915; *karsholti* Fibiger, 1990. (*) (**) Realm: Hx Hp
812. **Dichagyris (Yigoga) serraticornis (Staudinger, 1898)** (Noctuidae) Synonym(s): *serraticornis* Staudinger, 1898 (*) (**) Realm: Hx Hp
813. **Dichagyris (Yigoga) serraticornis serraticornis (Staudinger, 1898)** (Noctuidae) Synonym(s): *serraticornis* Staudinger, 1898 (*) (**) (xx)
814. **Dichagyris (Yigoga) signifera ([Denis & Schiffermüller], 1775)** (Noctuidae)

- Synonym(s): *#signifera* [Denis & Schiffermüller], 1775 (*) (**) Realm: Hx Hp
815. **Dichagyris (Yigoga) signifera farsistana (Brandt, 1938)** (Noctuidae) Synonym(s): *farsistana* Brandt, 1938 (**) (xx)
816. **Dichagyris (Yigoga) signifera tauricola (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): *tauricola* Corti & Draudt, 1933 (*) (x)
817. **Dichagyris (Yigoga) sincera (De Freina & Hacker, 1985)** (Noctuidae) Synonym(s): *sincera* De Freina & Hacker, 1985. (*) (**) Realm: Hx Hp
818. **Dichagyris (Yigoga) soror Fibiger, 1997** (Noctuidae) Synonym(s): *soror* Fibiger, 1997 (*) (x) Realm: Hx Hp
819. **Dichagyris (Yigoga) strenua (Corti, 1926)** (Noctuidae) Synonym(s): *strenua* Corti, 1926 (**) (xx) Realm: Hx Hp
820. **Dichagyris (Yigoga) truculenta (Lederer, 1853)** (Noctuidae) Synonym(s): *truculenta* Lederer, 1853 (*) (**) Realm: Hx Hp
821. **Dichagyris (Yigoga) truculenta khorassana (Brandt, 1941)** (Noctuidae) Synonym(s): *khorrassana* Brandt, 1941 (**) (xx)
822. **Dichagyris (Yigoga) truculenta taftanica (Brandt, 1941)** (Noctuidae) Synonym(s): *taftanica* Brandt, 1941 (**) (xx)
823. **Dichagyris (Yigoga) truculenta toxistigma (Hampson, 1903)** (Noctuidae) Synonym(s): *toxistigma* Hampson, 1903 (*) (**) (xx)
824. **Dichagyris (Yigoga) unifica (Kozhantshikov, 1937)** (Noctuidae) Synonym(s): *unifica* Kozhantshikov, 1937 (**) (xx) Realm: Hx Hp
825. **Dichagyris (Yigoga) weigerti Hacker & Varga, 1990** (Noctuidae) Synonym(s): *weigerti* Hacker & Varga, 1990 (*) (**) Realm: Hx Hp
826. **Dichagyris (Yigoga) wiltshirei (Boursin, 1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin, 1936; *#wiltshirei* Ebert & Hacker, 2002 (*) (**) Realm: Hx Hp
827. **Dichagyris (Yigoga) zagroica Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *zagroica* Hacker & Ebert, 2002 (**) (xx) Realm: Hx Hp
828. **Dichagyris (Yigoga) zagroica azerica Gyulai & Varga, 2006** (Noctuidae) Synonym(s): *azerica* Gyulai & Varga, 2006 (**) (xx)
829. **Dichagyris (s.str.) ahtalensis (Kozhantshikov, 1929)** (Noctuidae) Synonym(s): *ahtalensis* Kozhantshikov, 1929 (*) (x) Realm: Hx Hp
830. **Dichagyris (s.str.) amoena (Staudinger, 1892)** (Noctuidae) Synonym(s): *amoena* Staudinger, 1892; *flavida* Corti & Draudt, 1933. (*) (**) Realm: Hx Hp
831. **Dichagyris (s.str.) amoena amoena (Staudinger, 1892)** (Noctuidae) Synonym(s): *amoena* Staudinger, 1892; *flavida* Corti & Draudt, 1933. (*) (**) (xx)
832. **Dichagyris (s.str.) anastasia (Draudt, 1936)** (Noctuidae) Synonym(s): *anastasia* Draudt, 1936 (*) (**) Realm: Hx Hp
833. **Dichagyris (s.str.) argentea (Kozhantshikov, 1929)** (Noctuidae) Synonym(s): *argentea* Kozhantshikov, 1929 (*) (**) Realm: Hx Hp
834. **Dichagyris (s.str.) argentea darius (Boursin, 1940)** (Noctuidae) Synonym(s): *darius* Boursin, 1940 (*) (**) (xx)
835. **Dichagyris (s.str.) armeniaca Kozhantshikov, 1929** (Noctuidae) Synonym(s): *armeniaca* Kozhantshikov, 1929; *assimilata* Kozhantshikov, 1929; *striatus* Kozhantshikov, 1929. (*) (**) Realm: Hx Hp
836. **Dichagyris (s.str.) boursini Brandt, 1941** (Noctuidae) Synonym(s): *boursini* Brandt, 1941 (**) (xx) Realm: Hx Hp
837. **Dichagyris (s.str.) cataleipa Varga, 1993** (Noctuidae) Synonym(s): *cataleipa* Varga, 1993 (*) (x) Realm: Hx Hp
838. **Dichagyris (s.str.) celebrata (Alpheraky, 1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky, 1897 (*) (**) Realm: Hx Hp
839. **Dichagyris (s.str.) celebrata celebrata (Alpheraky, 1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky, 1897 (*) (**) (xx)
840. **Dichagyris (s.str.) contermina (Corti, 1929)** (Noctuidae) Synonym(s): *contermina* Corti, 1929; *wolffi* Hacker, 1985. (*) (x) Realm: Hx Hp
841. **Dichagyris (s.str.) devota (Christoph, 1884)** (Noctuidae) Synonym(s): *devota* Christoph, 1884; *turana* Staudinger, 1892 (*) (**) Realm: Hx Hp
842. **Dichagyris (s.str.) elbursica (Draudt, 1937)** (Noctuidae) Synonym(s): *elbursica* Draudt, 1937 (*) (**) Realm: Hx Hp
843. **Dichagyris (s.str.) elbursica elbursica (Draudt, 1937)** (Noctuidae) Synonym(s): *elbursica* Draudt, 1937 (*) (**) (xx)
844. **Dichagyris (s.str.) erubescens (Staudinger, 1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger, 1892 (*) (**) Realm: Hx Hp
845. **Dichagyris (s.str.) erubescens erubescens (Staudinger, 1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger, 1892 (*) (**) (xx)

846. **Dichagyris** (s.str.) **forficula** (Eversmann,1851) (Noctuidae) Synonym(s): *forficula* Eversmann,1851 (*) (**) Realm: Hx Hp
847. **Dichagyris** (s.str.) **fredi** (Brandt,1938) (Noctuidae) Synonym(s): *fredi* Brandt,1938 (*) (**) Realm: Hx Hp
848. **Dichagyris** (s.str.) **griseotincta** (Wagner,1931) (Noctuidae) Synonym(s): *griseotincta* Wagner,1931 (*) (x) Realm: Hx Hp
849. **Dichagyris** (s.str.) **grisescens** Staudinger,1879 (Noctuidae) Synonym(s): *grisescens* Staudinger,1879 (**) (xx) Realm: Hx Hp
850. **Dichagyris** (s.str.) **grisescens grisescens** Staudinger,1879 (Noctuidae) Synonym(s): *grisescens* Staudinger,1879 (**) (xx)
851. **Dichagyris** (s.str.) **gyulaiivani** Gyulai & Varga,2002 (Noctuidae) Synonym(s): *gyulaiivani* Gyulai & Varga,2002 (**) (xx) Realm: Hx Hp
852. **Dichagyris** (s.str.) **humilis** (Boursin,1940) (Noctuidae) Synonym(s): *humilis* Boursin,1940 (**) (xx) Realm: Hx Hp
853. **Dichagyris** (s.str.) **humilis humilis** (Boursin,1940) (Noctuidae) Synonym(s): *humilis* Boursin,1940 (**) (xx)
854. **Dichagyris** (s.str.) **jacobsoni** Kozhantshikov,1929 (Noctuidae) Synonym(s): *jacobsoni* Kozhantshikov,1929; *boursini* Brandt,1941. (**) (xx) Realm: Hx Hp
855. **Dichagyris** (s.str.) **leucomelas** Brandt,1941 (Noctuidae) Synonym(s): *leucomelas* Brandt,1941 (*) (**) Realm: Hx Hp
856. **Dichagyris** (s.str.) **melanura** (Kollar,1846) (Noctuidae) Synonym(s): *melanura* Kollar,1846 (*) (**) Realm: Hx Hp
857. **Dichagyris** (s.str.) **melanura hyrcanica** Boursin,1963 (Noctuidae) Synonym(s): *hyrcanica* Boursin,1963 (*) (**) Realm: Hx Hp
858. **Dichagyris** (s.str.) **melanura melanura** (Kollar,1846) (Noctuidae) Synonym(s): *melanura* Kollar,1846 (*) (x)
859. **Dichagyris** (s.str.) **melanuroides** Kozhantshikov,1930 (Noctuidae) Synonym(s): *melanuroides* Kozhantshikov,1930 (**) (xx) Realm: Hx Hp
860. **Dichagyris** (s.str.) **multicuspis** (Eversmann,1852) (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issycula* Hampson,1903 (*) (**) Realm: Hx Hp
861. **Dichagyris** (s.str.) **paisa** (Brandt,1938) (Noctuidae) Synonym(s): *paisa* Brandt,1938 (**) (xx) Realm: Hx Hp
862. **Dichagyris** (s.str.) **pfeifferi** (Corti & Draudt,1933) (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt,1933 (*) (**) Realm: Hx Hp
863. **Dichagyris** (s.str.) **poecilopetala** (Varga,1979) (Noctuidae) Synonym(s): *poecilopetala* Varga,1979 (**) (xx) Realm: Hx Hp
864. **Dichagyris** (s.str.) **psammochroa** (Boursin,1940) (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *#dichroa* Boursin,1940. (*) (**) Realm: Hx Hp
865. **Dichagyris** (s.str.) **psammochroa psammochroa** (Boursin,1940) (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *#dichroa* Boursin,1940. (*) (**) Realm: Hx Hp
866. **Dichagyris** (s.str.) **renigera** (Hübner,[1808]) (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. (*) (x) Realm: Hx Hp
867. **Dichagyris** (s.str.) **renigera renigera** (Hübner,[1808]) (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. (*) (x)
868. **Dichagyris** (s.str.) **singularis** (Staudinger,1877) (Noctuidae) Synonym(s): *singularis* Staudinger,1877 (*) (**) Realm: Hx Hp
869. **Dichagyris** (s.str.) **singularis mesopotamica** Hacker & Weigert,1986 (Noctuidae) Synonym(s): *mesopotamica* Hacker & Weigert,1986 (*) (**) Realm: Hx Hp
870. **Dichagyris** (s.str.) **squalidior** (Staudinger,1901) (Noctuidae) Synonym(s): *squalidior* Staudinger,1901 (*) (**) Realm: Hx Hp
871. **Dichagyris** (s.str.) **squalidior squalidior** (Staudinger,1901) (Noctuidae) Synonym(s): *squalidior* Staudinger,1901 (*) (**) Realm: Hx Hp
872. **Dichagyris** (s.str.) **squalorum** (Eversmann,1856) (Noctuidae) Synonym(s): *squalorum* Eversmann,1856 (*) (**) Realm: Hx Hp
873. **Dichagyris** (s.str.) **squalorum squalorum** (Eversmann,1856) (Noctuidae) Synonym(s): *squalorum* Eversmann,1856 (*) (**) Realm: Hx Hp
874. **Dichagyris** (s.str.) **taftana** Brandt,1941 (Noctuidae) Synonym(s): *taftana* Brandt,1941 (**) (xx) Realm: Hx Hp
875. **Dichagyris** (s.str.) **terminicincta** (Corti & Draudt,1933) (Noctuidae) Synonym(s):

- 33

- roda Herrich-Schäffer, 1851. (*) (**) Realm: Hx Hp*
909. **Drasteria saisani (Staudinger, 1882)** (Noctuidae) Synonym(s): *saisani Staudinger, 1882; clara Staudinger, 1895; #zaisani John, 1910. (*) (**) Realm: Hx Hp*
910. **Drasteria sequax (Staudinger, 1901)** (Noctuidae) Synonym(s): *sequax Staudinger, 1901 (*) (x) Realm: Hx Hp*
911. **Drasteria sesquilina (Staudinger, 1888)** (Noctuidae) Synonym(s): *sesquilina Staudinger, 1888; sequax Staudinger, 1901. (*) (x) Realm: Hx Hp*
912. **Drasteria sesquistria (Eversmann, 1854)** (Noctuidae) Synonym(s): *sesquistria Eversmann, 1854 (*) (x) Realm: Hx Hp*
913. **Drasteria sinuosa (Staudinger, 1884)** (Noctuidae) Synonym(s): *sinuosa Staudinger, 1884 (**) (xx) Realm: Hx Hp*
914. **Drasteria tenera (Staudinger, 1877)** (Noctuidae) Synonym(s): *tenera Staudinger, 1877; antiqua Staudinger, 1889. (*) (x) Realm: Hx Hp*
915. **Drasteria yerburyi (Butler, 1892)** (Noctuidae) Synonym(s): *yerburyi Butler, 1892; albofasciata John, 1917; pica Brandt, 1939 (**) (xx) Realm: Hx Hp*
916. **Drasteroides leprosa (Brandt, 1938)** (Noctuidae) Synonym(s): *leprosa Brandt, 1938 (**) (xx) Realm: Hx Hp*
917. **Drasteroides limata (Christoph, 1884)** (Noctuidae) Synonym(s): *limata Christoph, 1884 (**) (xx) Realm: Hx Hp*
918. **Drasteroides limata limata (Christoph, 1884)** (Noctuidae) Synonym(s): *limata Christoph, 1884 (**) (xx)*
919. **Drasteroides medialis (Hampson, 1908)** (Noctuidae) Synonym(s): *medialis Hampson, 1908 (**) (xx) Realm: Hx Hp*
920. **Drasteroides medialis leuconephra (Brandt, 1938)** (Noctuidae) Synonym(s): *leuconephra Brandt, 1938; fuscobasalis Brandt, 1938. (**) (xx)*
921. **Dryobota labecula (Esper, [1788])** (Noctuidae) Synonym(s): *labecula Esper, [1788] (*) (x) Realm: Hx Hp*
922. **Dryobotodes (Dichonioxa) tenebrosa (Esper, [1789])** (Noctuidae) Synonym(s): *tenebrosa Esper, [1789]; saportae Duponchel, 1826. (*) (x) Realm: Hx Hp*
923. **Dryobotodes (s.str.) carbonis (F. Wagner, 1931)** (Noctuidae) Synonym(s): *carbonis F. Wagner, 1931; taurica Osthelder, 1933; europaea Pinker, 1976. (*) (x) Realm: Hx Hp*
924. **Dryobotodes (s.str.) eremita (Fabricius, 1775)** (Noctuidae) Synonym(s): *eremita Fabricius, 1775; protea [Denis & Schiffermüller], 1775; seladonia Fabricius, 1794; corsica Spuler, 1905; #dejecta Warren, 1911; #grisea Warren, 1911 (*) (**) Realm: Hx Hp*
925. **Dryobotodes (s.str.) monochroma (Esper, 1790)** (Noctuidae) Synonym(s): *monochroma Esper, [1790]; distans Hübner, [1813]; suberis Duponchel, 1827 (*) (x) Realm: Hx Hp*
926. **Dryobotodes (s.str.) servadeii Parenzan, 1982** (Noctuidae) Synonym(s): *servadeii Parenzan, 1982 (*) (x) Realm: Hx Hp*
927. **Dypterygia scabriuscula (Linnaeus, 1758)** (Noctuidae) Synonym(s): *scabriuscula Linnaeus, 1758; pinastri Linnaeus, 1761. (*) (**) Realm: Hx Hn Hp*
928. **Dysmilichia bicolor (Chrétien, 1913)** (Noctuidae) Synonym(s): *bicolor Chrétien, 1913 (**) (xx) Realm: Hx Hp*
929. **Dysmilichia bicyclica (Staudinger, 1888)** (Noctuidae) Synonym(s): *bicyclica Staudinger, 1888 (**) (xx) Realm: Hx Hp*
930. **Dysmilichia erastrionides Brandt, 1938** (Noctuidae) Synonym(s): *erastrionides Brandt, 1938 (**) (xx) Realm: Hx Hp*
931. **Dysmilichia gigantea Brandt, 1941** (Noctuidae) Synonym(s): *gigantea Brandt, 1941 (**) (xx) Realm: Hx Hp*
932. **Dysmilichia mira (Brandt, 1938)** (Noctuidae) Synonym(s): *mira Brandt, 1938 (**) (xx) Realm: Hx Hp*
933. **Dysmilichia phaulopsis Brandt, 1938** (Noctuidae) Synonym(s): *phaulopsis Brandt, 1938 (**) (xx) Realm: Hx Hp*
934. **Earias chlorophyllana Staudinger, 1892** (Noctuidae) Synonym(s): *chlorophyllana Staudinger, 1892; syrticola Turati, 1926; watersoni Wiltshire, 1947. (*) (**) Realm: Hx Hp Px Pa*
935. **Earias clorana (Linnaeus, 1761)** (Noctuidae) Synonym(s): *clorana Linnaeus, 1761; viride Retzius, 1783 (*) (**) Realm: Hx Hp*
936. **Earias insulana (Boisduval, 1833)** (Noctuidae) Synonym(s): *insulana Boisduval, 1833; smaragdinana Zeller, 1852; frondosana Walker, 1863; xanthophila Walker, 1863; siliquana Stainton, 1865; simillima Walker, 1866; gossypii Frauenfeld, 1867; anthophilana Snellen, 1879; trigostrigosa Butler, 1881. (*) (**) Realm: Hx Hp Px Pa Po Ax Aa*
937. **Earias irakana Wiltshire, 1936** (Noctuidae) Synonym(s): *irakana Wiltshire, 1936 (**) (xx) Realm: Hx Hp*
938. **Earias syriacana Bartel, 1903** (Noctuidae) Synonym(s): *syriacana Bartel, 1903 (*) (x) Realm: Hx Hp*
939. **Earias vernana (Fabricius, 1787)** (Noctuidae) Synonym(s): *vernana*

- Fabricius, 1787; oblitterata Bartel, 1914* (*)
(x) Realm: Hx Hp
940. **Earias vittella (Fabricius, 1794)** (Noctuidae)
Synonym(s): *vittella Fabricius, 1794* (**) (xx)
Realm: Hx Hp Ax Aa Ap
941. **Egira anatolica (Hering, 1933)** (Noctuidae)
Synonym(s): *anatolica Hering, 1933; #metaxys Boursin, 1966; #leucomelas Boursin, 1966* (*)
(**) Realm: Hx Hp
942. **Egira fatima Hreblay, 1994** (Noctuidae)
Synonym(s): *fatima Hreblay, 1994* (*) (x)
Realm: Hx Hp
943. **Egira tibori Hreblay, 1994** (Noctuidae)
Synonym(s): *tibori Hreblay, 1994* (*) (**) Realm: Hx Hp
944. **Eicomorpha antiqua Staudinger, 1888** (Noctuidae) Synonym(s): *antiqua Staudinger, 1888*. (*) (**) Realm: Hx Hp
945. **Eicomorpha kurdestanica De Freina & Hacker, 1985** (Noctuidae) Synonym(s): *kurdestanica De Freina & Hacker, 1985* (*) (**) Realm: Hx Hp
946. **Elaphria venustula (Hübner, 1790)** (Noctuidae) Synonym(s): *venustula Hübner, 1790* (*) (**) Realm: Hx Hp
947. **Emmelia trabealis (Scopoli, 1763)** (Noctuidae) Synonym(s): *trabealis Scopoli, 1763; sulphuralis Linnaeus, 1767; sulphurea [Denis & Schifferrmüller], 1775; lugubris Fabricius, 1777; histrionella Goeze, 1783; arlequinetta Fourcroy, 1785; trabeata Borkhausen, 1790; pardalina Walker, 1865* (*) (**) Realm: Hx Hp
948. **Enargia abluta (Hübner, [1808])** (Noctuidae) Synonym(s): *abluta Hübner, [1808]; imbuta Boisduval, 1840*. (*) (**) Realm: Hx Hp
949. **Enargia abluta abluta (Hübner, [1808])** (Noctuidae) Synonym(s): *abluta Hübner, [1808]; imbuta Boisduval, 1840*. (*) (**) Realm: Hx Hp
950. **Enargia paleacea (Esper, [1788])** (Noctuidae) Synonym(s): *paleacea Esper, [1788]*. (*) (x) Realm: Hx Hp
951. **Enargia pinkeri De Freina & Hacker, 1985** (Noctuidae) Synonym(s): *pinker De Freina & Hacker, 1985* (*) (x) Realm: Hx Hp
952. **Epharmottomena gelida (Brandt, 1939)** (Noctuidae) Synonym(s): *gelida Brandt, 1939* (**) (xx) Realm: Hx Hp
953. **Epharmottomena leucodonta (Hampson, 1926)** (Noctuidae) Synonym(s): *leucodonta Hampson, 1926; funesta Brandt, 1939*. (**) (xx) Realm: Hx Hp
954. **Epharmottomena nana (Staudinger, 1884)** (Noctuidae) Synonym(s): *nana Staudinger, 1884* (**) (xx) Realm: Hx Hp
955. **Epharmottomena nana iranica Wiltshire, 1971** (Noctuidae) Synonym(s): *iranica Wiltshire, 1971* (**) (xx)
956. **Epharmottomena tenera (Brandt, 1939)** (Noctuidae) Synonym(s): *tenera Brandt, 1939* (**) (xx) Realm: Hx Hp
957. **Epharmottomena tenera tenera (Brandt, 1939)** (Noctuidae) Synonym(s): *tenera Brandt, 1939* (**) (xx)
958. **Epilecta linogrisea ([Denis & Schifferrmüller], 1775)** (Noctuidae) Synonym(s): *linogrisea [Denis & Schifferrmüller], 1775; lutos Staudinger, 1901*. (*) (**) Realm: Hx Hp
959. **Epimecia ustula (Freyer, 1835)** (Noctuidae) Synonym(s): *ustula Freyer, 1835* (*) (x) Realm: Hx Hp
960. **Epipsammia accurata (Christoph, 1882)** (Noctuidae) Synonym(s): *accurata Christoph, 1882* 0 (**) (xx) Realm: Hx Hp
961. **Epipsammia cretacea (Staudinger, 1888)** (Noctuidae) Synonym(s): *cretacea Staudinger, 1888*. (*) (**) Realm: Hx Hp
962. **Epipsammia fixseni (Christoph, 1893)** (Noctuidae) Synonym(s): *fixseni Christoph, 1893* (**) (xx) Realm: Hx Hp
963. **Episema amasina (Hampson, 1906)** (Noctuidae) Synonym(s): *amasina Hampson, 1906* (*) (x) Realm: Hx Hp
964. **Episema didymogramma (Boursin, 1955)** (Noctuidae) Synonym(s): *didymogramma Boursin, 1955* (*) (x) Realm: Hx Hp
965. **Episema glaucina (Esper, [1789])** (Noctuidae) Synonym(s): *glaucina Esper, [1789]; dentimacula Hübner, 1790; unicolor Duponchel, 1835; hispana Boisduval, [1837]; meridionalis Calberla, 1888; abruzzorum Dannehl, 1929*. (*) (**) Realm: Hx Hp
966. **Episema korsakovi (Christoph, 1885)** (Noctuidae) Synonym(s): *korsakovi Christoph, 1885; paenulata Christoph, 1885*. (*) (**) Realm: Hx Hp
967. **Episema korsakovi korsakovi (Christoph, 1885)** (Noctuidae) Synonym(s): *korsakovi Christoph, 1885; paenulata Christoph, 1885*. (**) (xx)
968. **Episema korsakovi levantina Hacker, 2001** (Noctuidae) Synonym(s): *levantina Hacker, 2001* (*) (x) Realm: Hx Hp
969. **Episema lederi Christoph, 1885** (Noctuidae) Synonym(s): *lederi Christoph, 1885; sareptana Alpheraky, 1897; #ledereri Wiltshire, 1937*. (*) (**) Realm: Hx Hp
970. **Episema tersa ([Denis & Schifferrmüller], 1775)** (Noctuidae) Synonym(s): *tersa [Denis & Schifferrmüller], 1775; trimacula [Denis &*

- Schiffermüller*], 1775; *swiderskii*
Kostrowicki, 1956. (*) (**) Realm: Hx Hp
971. **Eremobia asiatica Draudt, 1936** (Noctuidae)
Synonym(s): *asiatica* Draudt, 1936 (*) (**) Realm: Hx Hp
972. **Eremobia asiatica asiatica (Draudt, 1936)** (Noctuidae) Synonym(s): *asiatica* Draudt, 1936 (*) (x)
973. **Eremobia asiatica pelurica Schwingenschuss, 1939** (Noctuidae)
Synonym(s): *pelurica* Schwingenschuss, 1939 (**) (xx)
974. **Eremobina pabulatricula (Brahm, 1791)** (Noctuidae) Synonym(s): *pabulatricula* Brahm, 1791 (*) (x) Realm: Hx Hp
975. **Eremohadena arvicola (Christoph, 1887)** (Noctuidae) Synonym(s): *arvicola* Christoph, 1887; *banghaasi* Bytinski-Salz & Brandt, 1937 (**) (xx) Realm: Hx Hp
976. **Eremohadena arvicola arvicola (Christoph, 1887)** (Noctuidae) Synonym(s): *arvicola* Christoph, 1887; *banghaasi* Bytinski-Salz & Brandt, 1937 (**) (xx)
977. **Eriopygodes discalis Brandt, 1938** (Noctuidae) Synonym(s): *discalis* Brandt, 1938 (**) (xx) Realm: Hx Hp
978. **Eriopygodes imbecilla (Fabricius, 1794)** (Noctuidae) Synonym(s): *imbecilla* Fabricius, 1794; *alpina* Hübner, 1793; *aliena* Hübner, [1808]; *disparilis* Ochsenheimer, 1816. (*) (x) Realm: Hx Hp
979. **Estimata cacumena (Brandt, 1938)** (Noctuidae) Synonym(s): *cacumena* Brandt, 1938 (**) (xx) Realm: Hx Hp
980. **Eublemma (Coccidiphaga) scitula (Rambur, 1833)** (Noctuidae) Synonym(s): *scitula* Rambur, 1833; *exasperata* Lederer, 1855; *gibbosa* Snellen, 1872; *futilis* Swinhoe, 1884; *cretacea* Hampson, 1893; *turatii* Berio, 2002. (*) (x) Realm: Hx Hp Px Pa Po
981. **Eublemma (Glossodice) agnella (Brandt, 1938)** (Noctuidae) Synonym(s): *agnella* Brandt, 1938 (**) (xx) Realm: Hx Hp
982. **Eublemma (Glossodice) apicipunctalis (Brandt, 1939)** (Noctuidae) Synonym(s): *apicipunctalis* Brandt, 1939; ? *popovi* Wiltshire, 1953; *guichardi* Wiltshire, 1977. (**) (xx) Realm: Hx Hp
983. **Eublemma (Glossodice) polygramma (Duponchel, [1842])** (Noctuidae) Synonym(s): *polygramma* Duponchel, [1842]; *argillacea* Eversmann, 1844; *nuda* Christoph, 1862; *pudorina* Staudinger, 1889; *violetta* Staudinger, 1889. (*) (**) Realm: Hx Hp
984. **Eublemma (Glossodice) pseudepistrota (Brandt, 1938)** (Noctuidae) Synonym(s): *pseudepistrota* Brandt, 1938 (**) (xx) Realm: Hx Hp
985. **Eublemma (albida-gr.) argentifera Hacker & Fibiger, 2002** (Noctuidae)
Synonym(s): *argentifera* Hacker & Fibiger, 2002 (**) (xx) Realm: Hx Hp
986. **Eublemma (albida-gr.) compuncta (Lederer, 1872)** (Noctuidae) Synonym(s): *compuncta* Lederer, 1872; *aftob* Brandt, 1938. (*) (**) Realm: Hx Hp
987. **Eublemma (albida-gr.) draudti (Bytinski-Salz & Brandt, 1937)** (Noctuidae)
Synonym(s): *draudti* Bytinski-Salz & Brandt, 1937 (**) (xx) Realm: Hx Hp
988. **Eublemma (albida-gr.) gratissima (Staudinger, 1892)** (Noctuidae) Synonym(s): *gratissima* Staudinger, 1892; *infuscata* Staudinger, 1892; *peralba* Schawerda, 1923. (*) (**) Realm: Hx Hp
989. **Eublemma (albida-gr.) hansa (Herrich-Schäffer, [1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer, [1851] (*) (**) Realm: Hx Hp
990. **Eublemma (albida-gr.) hansa straminea (Staudinger, 1892)** (Noctuidae) Synonym(s): *straminea* Staudinger, 1892; *maraschensis* Osthelder, 1933 (*) (**) Realm: Hx Hp
991. **Eublemma (albida-gr.) jocularis (Christoph, 1877)** (Noctuidae) Synonym(s): *jocularis* Christoph, 1877 (**) (xx) Realm: Hx Hp
992. **Eublemma (albida-gr.) munda (Christoph, 1884)** (Noctuidae) Synonym(s): *munda* Christoph, 1884 (**) (xx) Realm: Hx Hp
993. **Eublemma (albida-gr.) straminea (Staudinger, 1892)** (Noctuidae) Synonym(s): *straminea* Staudinger, 1892; *transmittens* Christoph, 1893; *maraschensis* Osthelder, 1933. (*) (**) Realm: Hx Hp
994. **Eublemma (bifasciata-gr.) bifasciata (Moore, 1881)** (Noctuidae) Synonym(s): *bifasciata* Moore, 1881 (**) (xx) Realm: Hx Hp Px Pa Po
995. **Eublemma (bulla-gr.) albivestalis (Hampson, 1910)** (Noctuidae) Synonym(s): *vestalis* Staudinger, 1900 *nec* Btl., 1886; *albivestalis* Hampson, 1910 (*) (x) Realm: Hx Hp
996. **Eublemma (bulla-gr.) bulla (Swinhoe, 1884)** (Noctuidae) Synonym(s): *bulla* Swinhoe, 1884; *tomentalis* Rebel, 1948. (**) (xx) Realm: Hx Hp Px Pa
997. **Eublemma (bulla-gr.) conistrotta Hampson, 1910** (Noctuidae) Synonym(s): *conistrotta* Hampson, 1910 (**) (xx) Realm: Hx Hp
998. **Eublemma (bulla-gr.) lutosa Staudinger, 1892** (Noctuidae) Synonym(s):

- lutosa* Staudinger, 1892; *substrigula* Staudinger, 1892 (*) (**) Realm: Hx Hp
999. **Eublemma (bulla-gr.) pura** (Hübner, [1813]) (Noctuidae) Synonym(s): *pura* Hübner, [1813] (*) (x) Realm: Hx Hp
1000. **Eublemma (bulla-gr.) suppurea** (Staudinger, 1892) (Noctuidae) Synonym(s): *suppurea* Staudinger, 1892 (*) (x) Realm: Hx Hp
1001. **Eublemma (candidana-gr.) aureola** Fibiger & Hacker, 2002 (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker, 2002 (*) (**) Realm: Hx Hp
1002. **Eublemma (candidana-gr.) bifasciata** (Moore, 1881) (Noctuidae) Synonym(s): *bifasciata* Moore, 1881 (**) (xx) Realm: Hx Hp
1003. **Eublemma (candidana-gr.) candidana** (Fabricius, 1794) (Noctuidae) Synonym(s): *candidana* Fabricius, 1794; *minuta* Hübner, [1809]; *perlana* Geyer, [1830]; *skafiota* Herrich-Schäffer, 1851; *impura* Staudinger, 1871. (*) (**) Realm: Hx Hp
1004. **Eublemma (candidana-gr.) minutata** (Fabricius, 1794) (Noctuidae) Synonym(s): *minutata* Fabricius, 1794; *noctualis* Hübner, 1796; *paula* Hübner, [1809]. (*) (x) Realm: Hx Hp
1005. **Eublemma (candidana-gr.) minutata** (Fabricius, 1794) (Noctuidae) Synonym(s): *minutata* Fabricius, 1794; *noctualis* Hübner, 1796; *paula* Hübner, [1809]. (*) (x) Realm: Hx Hp
1006. **Eublemma (candidana-gr.) ochreola** (Staudinger, 1900) (Noctuidae) Synonym(s): *ochreola* Staudinger, 1900; *thurneri* Zerny, 1936. (*) (**) Realm: Hx Hp
1007. **Eublemma (candidana-gr.) taftana** (Brandt, 1941) (Noctuidae) Synonym(s): *taftana* Brandt, 1941 (**) (xx) Realm: Hx Hp
1008. **Eublemma (candidana-gr.) viridula** (Guenée, 1841) (Noctuidae) Synonym(s): *viridula* Guenée, 1841; *minuta* Freyer, 1849; *dalmatina* Herrich-Schäffer, [1851]; *caprearum* Draudt, 1933. (*) (x) Realm: Hx Hp
1009. **Eublemma (candidana-gr.) wagneri** (Herrich-Schäffer, 1851) (Noctuidae) Synonym(s): *wagneri* Herrich-Schäffer, 1851 (*) (**) Realm: Hx Hp
1010. **Eublemma (chlorotica-gr.) chlorotica** (Lederer, 1858) (Noctuidae) Synonym(s): *chlorotica* Lederer, 1858 (*) (**) Realm: Hx Hp
1011. **Eublemma (chlorotica-gr.) pseudoviridis** (Brandt, 1939) (Noctuidae) Synonym(s): *pseudoviridis* Brandt, 1939 (**) (xx) Realm: Hx Hp
1012. **Eublemma (cochylioides-gr.) cochylioides** (Guenée, 1852) (Noctuidae) Synonym(s): *cochylioides* Guenée, 1852; *rosita* Guenée, 1852; *phoenissa* Lederer, 1855; *derogata* Walker, 1858; *calida* Rebel, 1894; *calida* Staudinger, 1895; *confusata* Warren, 1913. (*) (**) Realm: Hx Hp Px Pa Po Ax Aa Ap
1013. **Eublemma (debilis-gr.) deserti** (Rothschild, 1909) (Noctuidae) Synonym(s): *deserti* Rothschild, 1909 (**) (xx) Realm: Hx Hp
1014. **Eublemma (debilis-gr.) microptera** (Brandt, 1939) (Noctuidae) Synonym(s): *microptera* Brandt, 1939 (**) (xx) Realm: Hx Hp
1015. **Eublemma (debilis-gr.) murati** (Brandt, 1939) (Noctuidae) Synonym(s): *murati* Brandt, 1939 (**) (xx) Realm: Hx Hp
1016. **Eublemma (gayneri-gr.) fredii** Fibiger & Hacker, 2002 (Noctuidae) Synonym(s): *fredii* Fibiger & Hacker, 2002 (**) (xx) Realm: Hx Hp
1017. **Eublemma (ostrina-gr.) illota** (Christoph, 1887) (Noctuidae) Synonym(s): *illota* Christoph, 1887 (**) (xx) Realm: Hx Hp
1018. **Eublemma (ostrina-gr.) ostrina** (Hübner, [1808]) (Noctuidae) Synonym(s): *ostrina* Hübner, [1808]; *carthami* Herrich-Schäffer, [1851]; *aestivalis* Guenée, 1852; *numida* Lucas, 1849; *thasia* Koutsafikis, 1973. (*) (**) Realm: Hx Hp
1019. **Eublemma (pallidula-gr.) boursini** (Bytinski-Salz & Brandt, 1937) (Noctuidae) Synonym(s): *boursini* Bytinski-Salz & Brandt, 1937 (**) (xx) Realm: Hx Hp
1020. **Eublemma (pallidula-gr.) pallidula** (Herrich-Schäffer, 1856) (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer, 1856 (*) (**) Realm: Hx Hp Px Pa
1021. **Eublemma (pallidula-gr.) pallidula mardina** (Staudinger, 1901) (Noctuidae) Synonym(s): *mardina* Staudinger, 1901 (*) (x) Realm: Hx Hp
1022. **Eublemma (pallidula-gr.) pallidula pallidula** (Herrich-Schäffer, 1856) (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer, 1856 (*) (**) Realm: Hx Hp
1023. **Eublemma (pallidula-gr.) pallidula squalida** (Staudinger, 1879) (Noctuidae) Synonym(s): *griseola* Erschoff, 1874 *nec* Feld. & Rog., 1874; *squalida* Staudinger, 1879 (**) (xx) Realm: Hx Hp
1024. **Eublemma (pallidula-gr.) uniformis** (Staudinger, 1879) (Noctuidae) Synonym(s): *uniformis* Staudinger, 1879 (**) (xx) Realm: Hx Hp
1025. **Eublemma (parva-gr.) parva** (Hübner, [1808]) (Noctuidae) Synonym(s): *parva* Hübner, [1808]; *rubefacta* Mabilie, 1869; *chalybea* Swinhoe, 1884; *nymphodora*

- Meyrick, 1902.* (*) (**) Realm: Hx Hp Px Pa
Po Ax Aa
- 1026. Eublemma (parva-gr.) parvodes (Brandt, 1939)** (Noctuidae) Synonym(s): *parvodes Brandt, 1939* (**) (xx) Realm: Hx Hp
- 1027. Eublemma (ragusana-gr.) ragusana (Freyer, 1844)** (Noctuidae) Synonym(s): *ragusana Freyer, 1844; virginea Guenée, 1852; cinerina Ghiliani, 1854; psilogramma Lederer, 1855; quinquelinealis Moore, 1877; dividens Lucas, 1892; polygramma Hampson, 1894.* (*) (x) Realm: Hx Hp Px Pa Po Ax Aa Ap
- 1028. Eublemma (rosina-gr.) amoena (Hübner, [1803])** (Noctuidae) Synonym(s): *respersa Hübner, 1790; amoena Hübner, [1803]; bithynica Bethune-Baker, 1888.* (*) (x) Realm: Hx Hp
- 1029. Eublemma (rosina-gr.) caelestis (Brandt, 1938)** (Noctuidae) Synonym(s): *caelestis Brandt, 1938* (*) (**) Realm: Hx Hp
- 1030. Eublemma (rosina-gr.) panonica (Freyer, 1840)** (Noctuidae) Synonym(s): *panonica Freyer, 1840* (*) (**) Realm: Hx Hp
- 1031. Eublemma (rosina-gr.) panonica lenis (Eversmann, 1844)** (Noctuidae) Synonym(s): *lenis Eversmann, 1844* (*) (**) Realm: Hx Hp
- 1032. Eublemma (rosina-gr.) parallela (Freyer, 1842)** (Noctuidae) Synonym(s): *parallela Freyer, 1842; concinnula Herrich-Schäffer, 1851; #densata Warren, 1912.* (*) (**) Realm: Hx Hp
- 1033. Eublemma (rosina-gr.) purpurina ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *purpurina [Denis & Schiffermüller], 1775; secunda Staudinger, 1901.* (*) (**) Realm: Hx Hp
- 1034. Eublemma (rosina-gr.) pusilla (Eversmann, 1834)** (Noctuidae) Synonym(s): *pusilla Eversmann, 1834* (*) (x) Realm: Hx Hp
- 1035. Eublemma (rosina-gr.) rosina (Hübner, [1803])** (Noctuidae) Synonym(s): *rosea Hübner, 1790 nec Fourcroy, 1785; rosina Hübner, [1803]; decolorata Wagner, 1913; sinuata Schwingenschuss, 1938.* (*) (**) Realm: Hx Hp
- 1036. Eublemma (rosina-gr.) rosina rosina (Hübner, [1803])** (Noctuidae) Synonym(s): *rosea Hübner, 1790 nec Fourcroy, 1785; rosina Hübner, [1803]; decolorata Wagner, 1913; sinuata Schwingenschuss, 1938.* (*) (**) Realm: Hx Hp
- 1037. Eublemma (siticulosa-gr.) albina (Staudinger, 1898)** (Noctuidae) Synonym(s): *albina Staudinger, 1898* (**) (xx) Realm: Hx Hp
- 1038. Eublemma (siticulosa-gr.) leucota Hampson, 1910** (Noctuidae) Synonym(s): *leucota Hampson, 1910* (**) (xx) Realm: Hx Hp
- 1039. Eublemma (siticulosa-gr.) nives (Brandt, 1938)** (Noctuidae) Synonym(s): *nives Brandt, 1938* (**) (xx) Realm: Hx Hp
- 1040. Eublemma (siticulosa-gr.) siticulosa (Lederer, 1858)** (Noctuidae) Synonym(s): *siticulosa Lederer, 1858; rushi Wiltshire, 1961.* (*) (x) Realm: Hx Hp
- 1041. Eublemma fugitiva (Christoph, 1877)** (Noctuidae) Synonym(s): *fugitiva Christoph, 1877* (*) (**) Realm: Hx Hp
- 1042. Eublemma pannonica (Freyer, 1840)** (Noctuidae) Synonym(s): *panonica Freyer, 1840; kindermannii Boisduval, 1840.* (*) (**) Realm: Hx Hp
- 1043. Eublemma suppuncta (Staudinger, 1892)** (Noctuidae) Synonym(s): *suppuncta Staudinger, 1892* (*) (**) Realm: Hx Hp
- 1044. Eublemma transmittens (Christoph, 1893)** (Noctuidae) Synonym(s): *transmittens Christoph, 1893* (*) (x) Realm: Hx Hp
- 1045. Eucarta amethystina (Hübner, [1803])** (Noctuidae) Synonym(s): *amethystina Hübner, [1803]; austera Warren, 1911.* (*) (x) Realm: Hx Hp
- 1046. Euchalcia (Pseudochalcia) kitchingi Hacker & Ronkay, 1992** (Noctuidae) Synonym(s): *kitchingi Hacker & Ronkay, 1992* (*) (x) Realm: Hx Hp
- 1047. Euchalcia (s.str.) annemaria De Freina & Hacker, 1985** (Noctuidae) Synonym(s): *annemaria De Freina & Hacker, 1985* (*) (x) Realm: Hx Hp
- 1048. Euchalcia (s.str.) armeniae Dufay, 1966** (Noctuidae) Synonym(s): *armeniae Dufay, 1966; #armeninae Hacker, 1986.* (*) (x) Realm: Hx Hp
- 1049. Euchalcia (s.str.) augusta (Staudinger, 1892)** (Noctuidae) Synonym(s): *augusta Staudinger, 1892* (*) (x) Realm: Hx Hp
- 1050. Euchalcia (s.str.) augusta augusta (Staudinger, 1892)** (Noctuidae) Synonym(s): *augusta Staudinger, 1892* (*) (x)
- 1051. Euchalcia (s.str.) augusta wolffi Hacker & Ronkay, 1992** (Noctuidae) Synonym(s): *wolffi Hacker & Ronkay, 1992* (*) (x)
- 1052. Euchalcia (s.str.) biezankoi (Alberti, 1965)** (Noctuidae) Synonym(s): *biezankoi Alberti, 1965; #bienzankoi Hacker, [1987].* (*) (x) Realm: Hx Hp
- 1053. Euchalcia (s.str.) biezankoi defreinae Hacker, [1987]** (Noctuidae) Synonym(s): *defreinae Hacker, [1987].* (*) (x)

- 1054. Euchalcia (s.str.) chalcophanes Dufay,1963** (Noctuidae) Synonym(s): *chalcophanes Dufay,1963* (*) (**) Realm: Hx Hp
- 1055. Euchalcia (s.str.) cuprescens Dufay,1966** (Noctuidae) Synonym(s): *cuprescens Dufay,1966* (*) (x) Realm: Hx Hp
- 1056. Euchalcia (s.str.) dorsiflava (Standfuss,1892)** (Noctuidae) Synonym(s): *dorsiflava Standfuss,1892* (*) (x) Realm: Hx Hp
- 1057. Euchalcia (s.str.) emichi (Rogenhofer,1873)** (Noctuidae) Synonym(s): *emichi Rogenhofer,1873* (*) (**) Realm: Hx Hp
- 1058. Euchalcia (s.str.) hedeia Dufay,1978** (Noctuidae) Synonym(s): *hedeia Dufay,1978; #hedeia Hacker,1990; aureolineata Ronkay & Gyulai,1997.* (*) (**) Realm: Hx Hp
- 1059. Euchalcia (s.str.) hyrcaniae Dufay,1963** (Noctuidae) Synonym(s): *hyrcaniae Dufay,1963* (*) (**) Realm: Hx Hp
- 1060. Euchalcia (s.str.) incredibilis Hacker & Ebert,2002** (Noctuidae) Synonym(s): *incredibilis Hacker & Ebert,2002* (**) (xx) Realm: Hx Hp
- 1061. Euchalcia (s.str.) kautti Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *kautti Hacker & Ronkay,1992* (*) (x) Realm: Hx Hp
- 1062. Euchalcia (s.str.) maria (Staudinger,1892)** (Noctuidae) Synonym(s): *maria Staudinger,1892* (*) (x) Realm: Hx Hp
- 1063. Euchalcia (s.str.) modestoides Poole,1989** (Noctuidae) Synonym(s): *modesta Hübner,1787 nec Müll.,1764; modestoides Poole,1989* (*) (x) Realm: Hx Hp
- 1064. Euchalcia (s.str.) paulina (Staudinger,1892)** (Noctuidae) Synonym(s): *paulina Staudinger,1892* (*) (x) Realm: Hx Hp
- 1065. Euchalcia (s.str.) paulina albiscripta Hacker & Ronkay, (Noctuidae)** Synonym(s): *albiscripta Hacker & Ronkay,* (*) (x)
- 1066. Euchalcia (s.str.) siderifera (Eversmann,1846)** (Noctuidae) Synonym(s): *siderifera Eversmann,1846* (*) (**) Realm: Hx Hp
- 1067. Euchalcia (s.str.) siderifera siderifera (Eversmann,1846)** (Noctuidae) Synonym(s): *siderifera Eversmann,1846* (*) (x)
- 1068. Euchalcia (s.str.) stilpna Dufay,1969** (Noctuidae) Synonym(s): *stilpna Dufay,1969* (**) (xx) Realm: Hx Hp
- 1069. Euchalcia (s.str.) taurica (Osthelder,1933)** (Noctuidae) Synonym(s): *taurica Osthelder,1933* (*) (**) Realm: Hx Hp
- 1070. Euchalcia (s.str.) variabilis (Piller & Mitterpacher,1783)** (Noctuidae) Synonym(s): *variabilis Piller & Mitterpacher,1783; cuprea Esper,1787; illustris Fabricius,1787* (*) (x) Realm: Hx Hp
- 1071. Euchalcia (s.str.) variabilis fuscolivacea Varga & Ronkay,1984** (Noctuidae) Synonym(s): *fuscolivacea Varga & Ronkay,1984* (*) (x)
- 1072. Euchalcia (s.str.) variabilis obscurior (Alberti,1965)** (Noctuidae) Synonym(s): *obscurior Alberti,1965.* (*) (x)
- 1073. Euchalcia (s.str.) viridis (Staudinger,1901)** (Noctuidae) Synonym(s): *viridis Staudinger,1901* (*) (**) Realm: Hx Hp
- 1074. Euchalcia (s.str.) viridis phrygiae Dufay,1963** (Noctuidae) Synonym(s): *phrygiae Dufay,1963* (*) (x)
- 1075. Euchalcia (s.str.) viridis viridis (Staudinger,1901)** (Noctuidae) Synonym(s): *viridis Staudinger,1901* (*) (x)
- 1076. Euclidia glyphica (Linnaeus,1758)** (Noctuidae) Synonym(s): *glyphica Linnaeus,1758; pratensis Müller,1764* (*) (x) Realm: Hx Hp
- 1077. Eugnorisma (Metagnorisma) depuncta (Linnaeus,1761)** (Noctuidae) Synonym(s): *depuncta Linnaeus,1761; meridionalis Dannehl,1925.* (*) (x) Realm: Hx Hp
- 1078. Eugnorisma (Metagnorisma) heuristica Varga & Ronkay,1987** (Noctuidae) Synonym(s): *heuristica Varga & Ronkay,1987* (*) (**) Realm: Hx Hp
- 1079. Eugnorisma (Metagnorisma) pontica (Staudinger,1892)** (Noctuidae) Synonym(s): *pontica Staudinger,1892* (*) (**) Realm: Hx Hp
- 1080. Eugnorisma (Metagnorisma) pontica anis Varga & Ronkay,1987** (Noctuidae) Synonym(s): *anis Varga & Ronkay,1987* (*) (x)
- 1081. Eugnorisma (Metagnorisma) pontica pontica (Staudinger,1892)** (Noctuidae) Synonym(s): *pontica Staudinger,1892* (*) (**) (xx)
- 1082. Eugnorisma (Metagnorisma) pontica zaghros Varga & Ronkay,1987** (Noctuidae) Synonym(s): *zaghros Varga & Ronkay,1987* (**) (xx)
- 1083. Eugnorisma (Metagnorisma) rafidain (Boursin,1936)** (Noctuidae) Synonym(s): *rafidain Boursin,1936* (*) (x) Realm: Hx Hp
- 1084. Eugnorisma (s.str.) chaldaica (Boisduval,1840)** (Noctuidae) Synonym(s): *chaldaica Boisduval,1840* (*) (**) Realm: Hx Hp
- 1085. Eugnorisma (s.str.) chaldaica buraki Koçak,1983** (cf. Baisch et al.,1998) (Noctuidae) Synonym(s): *caerulea Wagner,1932 nec Gn.,1852; buraki Koçak,1983* (*) (**) (xx)

- 1086. Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) Synonym(s): *eminens Lederer,1855; excellens Staudinger,1867* (*) (**) Realm: Hx Hp
- 1087. Eugnorisma (s.str.) eminens eminens (Lederer,1855)** (Noctuidae) Synonym(s): *eminens Lederer,1855* (*) (**) Realm: Hx Hp
- 1088. Eugnorisma (s.str.) enargiaris (Draudt,1936)** (Noctuidae) Synonym(s): *enargiaris Draudt,1936* (*) (x) Realm: Hx Hp
- 1089. Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) Synonym(s): *insignata Lederer,1853; intermedia Eversmann,1855* (*) (**) Realm: Hx Hp
- 1090. Eugnorisma (s.str.) insignata columbina (Draudt,1936)** (Noctuidae) Synonym(s): *columbina Draudt,1936* (*) (**) Realm: Hx Hp
- 1091. Eugnorisma (s.str.) insignata pallescens (Christoph,1893)** (Noctuidae) Synonym(s): *pallescens Christoph,1893* (**) (xx) Realm: Hx Hp
- 1092. Eugnorisma (s.str.) kurdistan Hacker, Kuhna & Gross,1986** (Noctuidae) Synonym(s): *kurdistan Hacker, Kuhna & Gross,1986* (*) (**) Realm: Hx Hp
- 1093. Eugnorisma (s.str.) kurdistan isabellina Varga & Ronkay,1987** (Noctuidae) Synonym(s): *isabellina Varga & Ronkay,1987* (**) (xx) Realm: Hx Hp
- 1094. Eugnorisma (s.str.) kurdistan kurdistan Hacker, Kuhna & Gross,1986** (Noctuidae) Synonym(s): *kurdistan Hacker, Kuhna & Gross,1986* (*) (x) Realm: Hx Hp
- 1095. Eugnorisma (s.str.) leuconura (Hampson,1918)** (Noctuidae) Synonym(s): *leuconura Hampson,1918; fuliginosa Draudt,1936* (*) (**) Realm: Hx Hp
- 1096. Eugnorisma (s.str.) persago Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *persago Gyulai & L.Ronkay,2006* (*) (**) Realm: Hx Hp
- 1097. Eugnorisma (s.str.) persago persago Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *persago Gyulai & L.Ronkay,2006* (**) (xx) Realm: Hx Hp
- 1098. Eugnorisma (s.str.) persago peterseni Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *peterseni Gyulai & L.Ronkay,2006* (*) (x) Realm: Hx Hp
- 1099. Eugnorisma (s.str.) semiramis (Boursin,1940)** (Noctuidae) Synonym(s): *semiramis Boursin,1940* (*) (**) Realm: Hx Hp
- 1100. Eugnorisma (s.str.) semiramis farsica (Boursin,1940)** (Noctuidae) Synonym(s): *farsica Boursin,1940* (**) (xx) Realm: Hx Hp
- 1101. Eugnorisma (s.str.) semiramis semiramis (Boursin,1940)** (Noctuidae) Synonym(s): *semiramis Boursin,1940* (*) (x) Realm: Hx Hp
- 1102. Eulocastra bryophilioides Brandt,1938** (Noctuidae) Synonym(s): *bryophilioides Brandt,1938* (**) (xx) Realm: Hx Hp
- 1103. Eulocastra diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora Staudinger,1879; triangularis Warren,1888; atribasalis Hampson,1896; laticincta Staudinger,1898* (*) (**) Realm: Hx Hp
- 1104. Eulocastra tamsina Wiltshire,1948** (Noctuidae) Synonym(s): *tamsi Brandt,1941 nec Ber.,1938; tamsina Wiltshire,1948* (**) (xx) Realm: Hx Hp
- 1105. Euplexia lucipara (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucipara Linnaeus,1758* (*) (**) Realm: Hx Hp
- 1106. Eupsilia transversa (Hufnagel,1766)** (Noctuidae) Synonym(s): *transversa Hufnagel,1766* (*) (**) Realm: Hx Hp
- 1107. Eurois occulta (Linnaeus,1758)** (Noctuidae) Synonym(s): *occulta Linnaeus,1758; implicata Lefebvre,1836; extricata Zetterstedt,[1839]; prolixa Zetterstedt,[1839]; puncticosa Zetterstedt,[1839]; roseovirgata Dannehl,1929; fumea Corti & Draudt,1933; tibetica Corti & Draudt,1933* (*) (x) Realm: Hx Hn Hp
- 1108. Eurois occulta occulta (Linnaeus,1758)** (Noctuidae) Synonym(s): *occulta Linnaeus,1758; implicata Lefebvre,1836; extricata Zetterstedt,[1839]; prolixa Zetterstedt,[1839]; puncticosa Zetterstedt,[1839]; roseovirgata Dannehl,1929* (*) (x) Realm: Hx Hp
- 1109. Eutelia adoratrix (Staudinger,1892)** (Noctuidae) Synonym(s): *adoratrix Staudinger,1892* (*) (**) Realm: Hx Hp
- 1110. Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix Hübner,[1813]* (*) (**) Realm: Hx Hp Px Pa
- 1111. Euxoa (Chorisagrotis) adumbrata (Eversmann,1842)** (Noctuidae) Synonym(s): *adumbrata Eversmann,1842; polygonides Staudinger,1874; variegata Wagner,1913; pamiricola Kozhantshikov,1937* (*) (**) Realm: Hx Hp
- 1112. Euxoa (Chorizagrotis) adumbrata adumbrata (Eversmann,1842)** (Noctuidae) Synonym(s): *adumbrata Eversmann,1842; polygonides Staudinger,1874; variegata Wagner,1913; pamiricola Kozhanchikov,1937* (**) (xx) Realm: Hx Hp
- 1113. Euxoa (Chorisagrotis) adumbrata friedeli Pinker,1980** (Noctuidae) Synonym(s): *friedeli Pinker,1980* (*) (x) Realm: Hx Hp
- 1114. Euxoa (Chorizagrotis) lidia (Stoll,1782)** (Noctuidae) Synonym(s): *lidia Stoll,[1782]* (*) (x) Realm: Hx Hp

- 1115. Euxoa (Orosagrotis) difficillima (Draudt,1937)** (Noctuidae) Synonym(s): *difficillima* Draudt,1937 (*) (**) Realm: Hx Hp
- 1116. Euxoa (Orosagrotis) difficillima difficillima (Draudt,1937)** (Noctuidae) Synonym(s): *difficillima* Draudt,1937 (*) (**) Realm: Hx Hp
- 1117. Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) Synonym(s): *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937. (*) (**) Realm: Hx Hp
- 1118. Euxoa (Orosagrotis) nomas (Erschoff,1874)** (Noctuidae) Synonym(s): *nomas* Erschoff,1874 (**) (xx) Realm: Hx Hp
- 1119. Euxoa (Pleonectopoda) hilaris (Freyer,1838)** (Noctuidae) Synonym(s): *hilaris* Freyer,1838 (*) (**) Realm: Hx Hp
- 1120. Euxoa (Pleonectopoda) hilaris hikmeti Koçak,1989** (Noctuidae) Synonym(s): *hikmeti* Koçak,1989 (*) (x)
- 1121. Euxoa (Pleonectopoda) hilaris hilaris (Freyer,1838)** (Noctuidae) Synonym(s): *hilaris* Freyer,1838 (*) (**) Realm: Hx Hp
- 1122. Euxoa (Pleonectopoda) inclusa Corti,1931** (Noctuidae) Synonym(s): *inclusa* Corti,1931 (*) (**) Realm: Hx Hp
- 1123. Euxoa (Pleonectopoda) rjabovi (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *rjabovi* Kozhantshikov,1929; *inclusa* Corti,1931 (*) (**) Realm: Hx Hp
- 1124. Euxoa (s.str.) abualisinai Varga & Gyulai,2002** (Noctuidae) Synonym(s): *abualisinai* Varga & Gyulai,2002 (**) (xx) Realm: Hx Hp
- 1125. Euxoa (s.str.) abualisinai esfahanica Varga & Gyulai,2002** (Noctuidae) Synonym(s): *esfahanica* Varga & Gyulai,2002 (**) (xx)
- 1126. Euxoa (s.str.) adjemi Brandt,1941** (Noctuidae) Synonym(s): *adjemi* Brandt,1941. (*) (**) Realm: Hx Hp
- 1127. Euxoa (s.str.) adjemi adjemi Brandt,1941** (Noctuidae) Synonym(s): *adjemi* Brandt,1941. (*) (**) Realm: Hx Hp
- 1128. Euxoa (s.str.) anaemica Draudt,1936** (Noctuidae) Synonym(s): *anaemica* Draudt,1936 (*) (**) Realm: Hx Hp
- 1129. Euxoa (s.str.) anatolica Draudt,1936** (Noctuidae) Synonym(s): *anatolica* Draudt,1936. (*) (x) Realm: Hx Hp
- 1130. Euxoa (s.str.) aneucta Brandt,1938** (Noctuidae) Synonym(s): *aneucta* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1131. Euxoa (s.str.) aneucta binaloudica Brandt,1941** (Noctuidae) Synonym(s): *binaloudica* Brandt,1941 (**) (xx)
- 1132. Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. (*) (**) Realm: Hx Hp
- 1133. Euxoa (s.str.) aquilina obeliscata (Wagner,1929)** (Noctuidae) Synonym(s): *obeliscata* Wagner,1929. (*) (**) Realm: Hx Hp
- 1134. Euxoa (s.str.) basigramma (Staudinger,1870)** (Noctuidae) Synonym(s): *basigramma* Staudinger,1870 (*) (**) Realm: Hx Hp
- 1135. Euxoa (s.str.) basigramma asiaeminoris Koçak,1991** (Noctuidae) Synonym(s): *#asiaeminoris* Strand,1915; *asiaeminoris* Koçak,1991 (*) (x)
- 1136. Euxoa (s.str.) basigramma hyrcana Corti,1932** (Noctuidae) Synonym(s): *hyrcana* Corti,1932. (**) (xx)
- 1137. Euxoa (s.str.) basigramma pallidior (Wagner,1913)** (Noctuidae) Synonym(s): *pallidior* Wagner,1913; *apocrypha* Corti,1932. (**) (xx)
- 1138. Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *birivia* [Denis & Schiffermüller],1775; *honnoratina* Donzel,1837; *cuprina* Staudinger,1900; *sudeticola* Skala,1929; *caucasica* Spuler,1908; *flavisignata* Corti,1932. (*) (**) Realm: Hx Hp
- 1139. Euxoa (s.str.) canariensis Rebel,1902** (Noctuidae) Synonym(s): *canariensis* Rebel,1902 (**) (xx) Realm: Hx Hp
- 1140. Euxoa (s.str.) canariensis diamondi Boursin,1940** (Noctuidae) Synonym(s): *diamondi* Boursin,1940 (**) (xx)
- 1141. Euxoa (s.str.) cespitis (Swinhoe,1885)** (Noctuidae) Synonym(s): *cespitis* Swinhoe,1885; *praestigiosa* Brandt,1941 (**) (xx) Realm: Hx Hp
- 1142. Euxoa (s.str.) christophi (Staudinger,1870)** (Noctuidae) Synonym(s): *christophi* Staudinger,1870 (*) (**) Realm: Hx Hp
- 1143. Euxoa (s.str.) christophi cappadocica (Hacker,1988)** (Noctuidae) Synonym(s): *cappadocica* Hacker,1988 (*) (x)
- 1144. Euxoa (s.str.) christophi christophi (Staudinger,1870)** (Noctuidae) Synonym(s): *christophi* Staudinger,1870. (*) (**) Realm: Hx Hp
- 1145. Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. (*) (**) Realm: Hx Hp

- 1146. Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. (*) (**) Realm: Hx Hp
- 1147. Euxoa (s.str.) cos cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilie,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. (*) (**) Realm: Hx Hp
- 1148. Euxoa (s.str.) decora ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller],1775 (*) (**) Realm: Hx Hp
- 1149. Euxoa (s.str.) decora hackeri Fibiger & Moberg,1990** (Noctuidae) Synonym(s): *hackeri* Fibiger & Moberg,1990 (*) (x)
- 1150. Euxoa (s.str.) deserta (Staudinger,1870)** (Noctuidae) Synonym(s): *deserta* Staudinger,1870 (*) (**) Realm: Hx Hp
- 1151. Euxoa (s.str.) deserta glaseri Varga,1979** (Noctuidae) Synonym(s): *glaseri* Varga,1979 (*) (x)
- 1152. Euxoa (s.str.) deserta hamadanensis Varga,1979** (Noctuidae) Synonym(s): *hamadanensis* Varga,1979 (**) (xx)
- 1153. Euxoa (s.str.) designata Brandt,1941** (Noctuidae) Synonym(s): *designata* Brandt,1941 (**) (xx) Realm: Hx Hp
- 1154. Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda* Lederer,1857. (*) (**) Realm: Hx Hp
- 1155. Euxoa (s.str.) distinguenda distincta (Staudinger,1892)** (Noctuidae) Synonym(s): *distincta* Staudinger,1892; *uralensis* Corti,1926; *amplexa* Corti,1931; *akschehirensis* Corti,1932; *rumelica* Boursin,1935; *#aksehirensis* Ebert & Hacker,2002 (*) (**) Realm: Hx Hp
- 1156. Euxoa (s.str.) dsheiron Brandt,1938** (Noctuidae) Synonym(s): *dsheiron* Brandt,1938. (*) (**) Realm: Hx Hp
- 1157. Euxoa (s.str.) ebadhadiani Gyulai & Varga,2002** (Noctuidae) Synonym(s): *ebadhadiani* Gyulai & Varga,2002 (**) (xx) Realm: Hx Hp
- 1158. Euxoa (s.str.) emamrezai Varga & Gyulai,2002** (Noctuidae) Synonym(s): *emamrezai* Varga & Gyulai,2002 (**) (xx) Realm: Hx Hp
- 1159. Euxoa (s.str.) eremospersa Gyulai & Varga,2006** (Noctuidae) Synonym(s): *eremospersa* Gyulai & Varga,2006 (**) (xx) Realm: Hx Hp
- 1160. Euxoa (s.str.) eruta (Hübner,[1817])** (Noctuidae) Synonym(s): *eruta* Hübner,[1817]. (*) (x) Realm: Hx Hp
- 1161. Euxoa (s.str.) glabella (Wagner,1930)** (Noctuidae) Synonym(s): *glabella* Wagner,1930 (*) (x) Realm: Hx Hp
- 1162. Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952. (*) (**) Realm: Hx Hp
- 1163. Euxoa (s.str.) hastifera geghardica Varga,1979** (Noctuidae) Synonym(s): *geghardica* Varga,1979 (*) (x)
- 1164. Euxoa (s.str.) hastifera hastifera (Donzel,1837)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952. (**) (xx)
- 1165. Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. (*) (**) Realm: Hx Hp
- 1166. Euxoa (s.str.) heringi heringi (Christoph,1877)** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. (*) (**) Realm: Hx Hp
- 1167. Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. (*) (**) Realm: Hx Hp
- 1168. Euxoa (s.str.) homicida homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. (*) (**) Realm: Hx Hp
- 1169. Euxoa (s.str.) homicida schahkuhensis (Bartel,1907)** (Noctuidae) Synonym(s): *schahkuhensis* Bartel,1907 (*) (**) Realm: Hx Hp
- 1170. Euxoa (s.str.) homicida transcaspica Kozhantshikov,1928** (Noctuidae) Synonym(s): *transcaspica* Kozhantshikov,1928; *catervaria* Corti,1929; *lugubris* Brandt,1941. (**) (xx)
- 1171. Euxoa (s.str.) luteomixta (Wagner,1932)** (Noctuidae) Synonym(s): *luteomixta* Wagner,1932 (*) (x) Realm: Hx Hp
- 1172. Euxoa (s.str.) mobergi Fibiger,1990** (Noctuidae) Synonym(s): *mobergi* Fibiger,1990 (*) (x) Realm: Hx Hp
- 1173. Euxoa (s.str.) montivaga Fibiger,1997** (Noctuidae) Synonym(s): *montivaga* Fibiger,1997 (*) (x) Realm: Hx Hp

- 1174. Euxoa (s.str.) mustelina (Christoph,1877)** (Noctuidae) Synonym(s): *mustelina* Christoph,1877 (*) (**) Realm: Hx Hp
- 1175. Euxoa (s.str.) mustelina mustelina (Christoph,1877)** (Noctuidae) Synonym(s): *mustelina* Christoph,1877 (*) (**) Realm: Hx Hp
- 1176. Euxoa (s.str.) nigricans (Linnaeus,1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus,1761; *fumosa* [Denis & Schiffermüller],1775; *rubricans* Esper,[1788]; *dubia* Haworth,1809; *vilis*, *fuliginea* Hübner,[1813]; *carbonea* Hübner,[1823]; *ursina* Godart,1825; *rustica* Eversmann,1842; *oppidicola* Krulikowsky,1907. (*) (**) Realm: Hx Hp
- 1177. Euxoa (s.str.) nigrofusca (Esper,[1788])** (Noctuidae) Synonym(s): *tritici sensu auct. nec* Linn.,1761; *nigrofusca* Esper,[1788]. (*) (x) Realm: Hx Hp
- 1178. Euxoa (s.str.) obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934. (*) (**) Realm: Hx Hp
- 1179. Euxoa (s.str.) obelisca obelisca ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller],1775; *praticola* Hübner,[1813]; *plectoides* Guenée,1852; *grisea* Tutt,1892; *#carbonis* Warren,1909; *stephensii* Heyd.,1933; *salioclitana* Boursin,1934. (*) (**) Realm: Hx Hp
- 1180. Euxoa (s.str.) ochrogaster (Guenée,1852)** (Noctuidae) Synonym(s): *ochrogaster* Guenée,1852 (*) (**) Realm: Hx Hn Hp
- 1181. Euxoa (s.str.) ochrogaster rossica (Staudinger,1881)** (Noctuidae) Synonym(s): *rossica* Staudinger,1881; *sublata* Corti,1932; *derasa* Corti,1932; *yarkenda* Corti,1932; *deserticola* Kozhantshikov,1937. (*) (**) Realm: Hx Hp
- 1182. Euxoa (s.str.) perierga Brandt,1938** (Noctuidae) Synonym(s): *perierga* Brandt,1938 (*) (**) Realm: Hx Hp
- 1183. Euxoa (s.str.) perierga dolomedes Boursin,1940** (Noctuidae) Synonym(s): *dolomedes* Boursin,1940 (*) (**) Realm: Hx Hp
- 1184. Euxoa (s.str.) perierga haloeremialis Varga,1979** (Noctuidae) Synonym(s): *haloeremialis* Varga,1979 (*) (x) Realm: Hx Hp
- 1185. Euxoa (s.str.) perierga kendevari Boursin,1940** (Noctuidae) Synonym(s): *kendevari* Boursin,1940 (**) (xx) Realm: Hx Hp
- 1186. Euxoa (s.str.) perierga perierga Brandt,1938** (Noctuidae) Synonym(s): *perierga* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1187. Euxoa (s.str.) recussa (Hübner,[1817])** (Noctuidae) Synonym(s): *recussa* Hübner,[1817]; *telifera* Donzel,1837; *transsylvania* Herrich-Schäffer,[1851]; *florigera* Eversmann,1856; *latebrosa* Corti,1931. (*) (x) Realm: Hx Hp
- 1188. Euxoa (s.str.) recussa tetrastigma (Zetterstedt,1840)** (Noctuidae) Synonym(s): *tetrastigma* Zetterstedt,1840; *florigera* Eversmann,1844. (*) (x) Realm: Hx Hp
- 1189. Euxoa (s.str.) robiginosa (Staudinger,[1895])** (Noctuidae) Synonym(s): *robiginosa* Staudinger,[1895]; *terminalis* Rothschild,1921; *pseudoobelisca* Corti,1932; *intensior* Draudt,1936; *vinirufa* Draudt,1936. (*) (**) Realm: Hx Hp
- 1190. Euxoa (s.str.) rubrior Pinker,1980** (Noctuidae) Synonym(s): *rubrior* Pinker,1980; *kansui* Kornoşor,1989; *oezeri* Kornoşor,1989; *loedlii* Kornoşor,1989 (*) (x) Realm: Hx Hp
- 1191. Euxoa (s.str.) sabuletorum (Boisduval,1840)** (Noctuidae) Synonym(s): *sabuletorum* Boisduval,1840. (*) (x) Realm: Hx Hp
- 1192. Euxoa (s.str.) scurrilis Draudt,1937** (Noctuidae) Synonym(s): *scurrilis* Draudt,1937 (*) (**) Realm: Hx Hp
- 1193. Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957. (*) (**) Realm: Hx Hp
- 1194. Euxoa (s.str.) segnilis cortii (F.Wagner,1930)** (Noctuidae) Synonym(s): *cortii* F.Wagner,1930; *costaevittata* F.Wagner,1930. (*) (**) Realm: Hx Hp
- 1195. Euxoa (s.str.) shahabbasi Gyulai & Varga,2002** (Noctuidae) Synonym(s): *shahabbasi* Gyulai & Varga,2002; *#abbasshahi* Varga & Gyulai,2002 (**) (xx) Realm: Hx Hp
- 1196. Euxoa (s.str.) sigmata Kozhantshikov,1928** (Noctuidae) Synonym(s): *sigmata* Kozhantshikov,1928 (**) (xx) Realm: Hx Hp
- 1197. Euxoa (s.str.) subdecora Hampson,1903** (Noctuidae) Synonym(s): *subdecora* Hampson,1903; *clauda* Püngeler,1906. (*) (**) Realm: Hx Hp
- 1198. Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) Synonym(s): *sulcifera* Christoph,1893 (*) (**) Realm: Hx Hp
- 1199. Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *hemispherica* Hampson,1903; *alphonsina*

- Fernald, 1918; boursini Schawerda, 1931; perambulans Corti, 1931; leucotera Bytinski-Salz & Brandt, 1937. (*) (**) Realm: Hx Hp*
- 1200. Euxoa (s.str.) triaena Kozhantshikov, 1929** (Noctuidae) Synonym(s): *triaena Kozhantshikov, 1929* (**) (xx) Realm: Hx Hp
- 1201. Euxoa (s.str.) tritici (Linnaeus, 1761)** (Noctuidae) Synonym(s): *tritici Linnaeus, 1761; pratincola Borkhausen, 1792; domestica Fabricius, 1794; venosus, pupillatus, pusillus Haworth, 1803; lineolata, albilinea Haworth, 1809; privigna Püngeler, 1906. (*) (x) Realm: Hx Hp*
- 1202. Euxoa (s.str.) tritici tritici (Linnaeus, 1761)** (Noctuidae) Synonym(s): *tritici Linnaeus, 1761; nigrofusca Esper, [1788]; pratincola Borkhausen, 1792; domestica Fabricius, 1794; venosus, pupillatus, pusillus Haworth, 1803; lineolata, albilinea Haworth, 1809; privigna Püngeler, 1906. (*) (x)*
- 1203. Euxoa (s.str.) vitta (Esper, [1789])** (Noctuidae) Synonym(s): *vitta Esper, [1789]* (*) (x) Realm: Hx Hp
- 1204. Euxoa (s.str.) vitta hercegoviensis (Schawerda, 1938)** (Noctuidae) Synonym(s): *hercegoviensis Schawerda, 1938. (*) (x)*
- 1205. Euxoa (s.str.) waltharii (Corti, 1931)** (Noctuidae) Synonym(s): *waltharii Corti, 1931* (**) (xx) Realm: Hx Hp
- 1206. Euxoa (s.str.) waltharii waltharii (Corti, 1931)** (Noctuidae) Synonym(s): *waltharii Corti, 1931* (**) (xx)
- 1207. Euxoa (s.str.) zernyi Boursin, 1944** (Noctuidae) Synonym(s): *zernyi Boursin, 1944. (*) (x) Realm: Hx Hp*
- 1208. Evisa schawerdae Reisser, 1930** (Noctuidae) Synonym(s): *schawerdae Reisser, 1930* (*) (**) Realm: Hx Hp
- 1209. Evisa schawerdae kurdistan Boursin, 1940** (Noctuidae) Synonym(s): *kurdistan Boursin, 1940* (*) (x)
- 1210. Evisa schawerdae reisseri Wiltshire, 1952** (Noctuidae) Synonym(s): *reisseri Wiltshire, 1952* (**) (xx)
- 1211. Evisa schawerdae syriaca Boursin, 1940** (Noctuidae) Synonym(s): *syriaca Boursin, 1940* (*) (x)
- 1212. Exophila rectangularis (Hübner, [1828])** (Noctuidae) Synonym(s): *rectangularis Hübner, [1828]* (*) (x) Realm: Hx Hp
- 1213. Fredina esmeralda Brandt, 1939** (Noctuidae) Synonym(s): *esmeralda Brandt, 1939* (**) (xx) Realm: Hx Hp
- 1214. Gnamptonyx innexa (Walker, 1858)** (Noctuidae) Synonym(s): *innexa Walker, 1858; vilis Walker, 1865. (**) (xx) Realm: Hx Hp Px Pa*
- 1215. Gonospileia munita (Hübner, [1813])** (Noctuidae) Synonym(s): *munita Hübner, [1813]; angulosa Eversmann, 1832. (*) (x) Realm: Hx Hp*
- 1216. Gonospileia triquetra ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *triquetra [Denis & Schiffermüller], 1775; aurantiaca Staudinger, 1881. (*) (x) Realm: Hx Hp*
- 1217. Gonospileia triquetra triquetra ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *triquetra [Denis & Schiffermüller], 1775; aurantiaca Staudinger, 1881. (*) (x)*
- 1218. Gortyna cervago Eversmann, 1844** (Noctuidae) Synonym(s): *cervago Eversmann, 1844; #argillago Draudt, 1936. (*) (**) Realm: Hx Hp*
- 1219. Gortyna flavago ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *flavago [Denis & Schiffermüller], 1775* (*) (**) Realm: Hx Hp
- 1220. Gortyna golestanensis Fibiger & Zahiri, 2007** (Noctuidae) Synonym(s): *golestanensis Fibiger & Zahiri, 2007* (**) (xx) Realm: Hx Hp
- 1221. Gortyna hethitica Hacker, Kuhna & Gross, 1986** (Noctuidae) Synonym(s): *hethitica Hacker, Kuhna & Gross, 1986* (*) (x) Realm: Hx Hp
- 1222. Gortyna moesiaca Herrich-Schäffer, [1849]** (Noctuidae) Synonym(s): *moesiaca Herrich-Schäffer, [1849]; perlucida W. Warren, 1911. (*) (x) Realm: Hx Hp*
- 1223. Gortyna moesiaca euxinia Hacker, [1987]** (Noctuidae) Synonym(s): *euxinia Hacker, [1987]* (*) (x)
- 1224. Gortyna moesiaca moesiaca Herrich-Schäffer, [1849]** (Noctuidae) Synonym(s): *moesiaca Herrich-Schäffer, [1849]; perlucida W. Warren, 1911. (*) (x)*
- 1225. Gortyna osmana Hacker & Kuhna, 1986** (Noctuidae) Synonym(s): *osmana Hacker & Kuhna, 1986* (*) (**) Realm: Hx Hp
- 1226. Grammodes bifasciata (Petagna, 1786)** (Noctuidae) Synonym(s): *geometrica auct.; bifasciata Petagna, 1786; linearis Hübner, 1790; parallela Cyrillo, 1790; chalciptera Borkhausen, 1792; parallelaris Hübner, [1803]. (*) (x) Realm: Hx Hp Px Pa*
- 1227. Grammodes paerambar Brandt, 1939** (Noctuidae) Synonym(s): *paerambar Brandt, 1939* (**) (xx) Realm: Hx Hp
- 1228. Grammodes stolidia (Fabricius, 1775)** (Noctuidae) Synonym(s): *stolidia Fabricius, 1775; cingularis Hübner, [1808]; stupida Herrich-Schäffer, 1851; curvilinea*

- Walker, 1869.* (*) (**) Realm: Hx Hp Px Pa
Ax Aa
- 1229. Graphantha (Dysgraphhadena) commoda (Staudinger, 1889)** (Noctuidae) Synonym(s): *indigna auct. nec Chr., 1887; commoda Staudinger, 1889; manifesta Christoph, 1893; idumaea Püngeler, 1902; schlumbergeri Püngeler, 1905* (*) (**) Realm: Hx Hp
- 1230. Graphiphora augur (Fabricius, 1775)** (Noctuidae) Synonym(s): *augur Fabricius, 1775* (*) (x) Realm: Hx Hp
- 1231. Griposia aprilina (Linnaeus, 1758)** (Noctuidae) Synonym(s): *aprilina Linnaeus, 1758; runica [Denis & Schiffermüller], 1775; obscurior Wolfsberger, 1969.* (*) (**) Realm: Hx Hp
- 1232. Griposia aprilina aprilina (Linnaeus, 1758)** (Noctuidae) Synonym(s): *aprilina Linnaeus, 1758; runica [Denis & Schiffermüller], 1775; obscurior Wolfsberger, 1969.* (*) (x)
- 1233. Griposia pinkeri (Kobes, 1973)** (Noctuidae) Synonym(s): *pinker Kobes, 1973* (*) (x) Realm: Hx Hp
- 1234. Griposia wegneri Kobes & Fibiger, 2003** (Noctuidae) Synonym(s): *wegneri Kobes & Fibiger, 2003* (*) (x) Realm: Hx Hp
- 1235. Hada persa (Alpheraky, 1897)** (Noctuidae) Synonym(s): *persa Alpheraky, 1897* (*) (**) Realm: Hx Hp
- 1236. Hada persa armeniaca Hacker, Huber & Kuhna, 1988** (Noctuidae) Synonym(s): *armeniaca Hacker, Huber & Kuhna, 1988* (*) (x)
- 1237. Hada persa persa (Alpheraky, 1897)** (Noctuidae) Synonym(s): *persa Alpheraky, 1897* (**) (xx)
- 1238. Hada plebeja (Linnaeus, 1761)** (Noctuidae) Synonym(s): *plebeja Linnaeus, 1761; nana Hufnagel, 1766; dentina [Denis & Schiff.], 1775; leucostigma Hw., 1809; odontides Bsd., 1829; latenai Pierret, 1837; hilaris Zetterstedt, [1839]; reducta Rbl. & Zerny, [1932]; littoralis, gredensis, nevadensis, hawelkae Schawerda, 1938.* (*) (x) Realm: Hx Hp
- 1239. Hada plebeja sultana (Schwingenschuss, 1938)** (Noctuidae) Synonym(s): *sultana Schwingenschuss, 1938* (*) (x)
- 1240. Haden (Anepia) esperi Hacker, 1992** (Noctuidae) Synonym(s): *esper Hack, 1992* (*) (x) Realm: Hx Hp
- 1241. Haden (Anepia) irregularis (Hufnagel, 1766)** (Noctuidae) Synonym(s): *irregularis Hufnagel, 1766; echii Borkhausen, 1792; syngenesiae Borkhausen, 1793; brecciaeformis Esper, [1805].* (*) (x) Realm: Hx Hp
- 1242. Haden (Anepia) musculina (Staudinger, 1892)** (Noctuidae) Synonym(s): *musculina Staudinger, 1892; mayeri F. Wagner, 1931.* (*) (x) Realm: Hx Hp
- 1243. Haden (Anepia) neglecta Hacker, 1992** (Noctuidae) Synonym(s): *neglecta Hacker, 1992* (*) (x) Realm: Hx Hp
- 1244. Haden (Anepia) perplexa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *perplexa [Denis & Schiffermüller], 1775; lepida Esper, [1790] nec Cr., [1779]; carpophaga Brahm, 1791; ochracea Haworth, 1809; capsophila Boisduval, 1840; nisus Germar, [1842]; repanda Herrich-Schäffer, [1850]; atlas A.E. Prout, 1929; sricula Draudt, 1933* (*) (**) Realm: Hx Hp
- 1245. Haden (Anepia) perplexa perplexa ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *perplexa [Denis & Schiffermüller], 1775; lepida Esper, [1790] nec Cr., [1779]; carpophaga Brahm, 1791; ochracea Haworth, 1809; capsophila Boisduval, 1840; nisus Germar, [1842]; repanda Herrich-Schäffer, [1850]; atlas A.E. Prout, 1929; sricula Draudt, 1933* (*) (**) Realm: Hx Hp
- 1246. Haden (Anepia) sancta (Staudinger, 1859)** (Noctuidae) Synonym(s): *sancta Staudinger, 1859* (*) (x) Realm: Hx Hp
- 1247. Haden (Anepia) sancta turca Koçak, 1991** (Noctuidae) Synonym(s): *anatolica Berio, 1978 nec Reb., 1933; turca Koçak, 1991.* (*) (x)
- 1248. Haden (Anepia) silen (Hübner, [1822])** (Noctuidae) Synonym(s): *silen Hübner, [1822]; sejuncta Herrich-Schäffer, [1850].* (*) (**) Realm: Hx Hp
- 1249. Haden (Anepia) silen csorbai Hacker, 1992** (Noctuidae) Synonym(s): *csorbai Hacker, 1992* (**) (xx)
- 1250. Haden (Anepia) silen mesopotamica Hacker, 1992** (Noctuidae) Synonym(s): *mesopotamica Hacker, 1992* (*) (**) Realm: Hx Hp
- 1251. Haden (Anepia) silen variegata (Wagner, 1929)** (Noctuidae) Synonym(s): *variegata Wagner, 1929* (*) (x)
- 1252. Haden (Anepia) syriaca (Osthelder, 1933)** (Noctuidae) Synonym(s): *syriaca Osthelder, 1933; osthelderi Draudt, 1933.* (*) (**) Realm: Hx Hp
- 1253. Haden (Anepia) syriaca imitatoria (Brandt, 1947)** (Noctuidae) Synonym(s): *imitatoria Brandt, 1947* (**) (xx)
- 1254. Haden (Anepia) syriaca podolica (Kremsky, 1937)** (Noctuidae) Synonym(s): *podolica Kremsky, 1937* (*) (x)
- 1255. Haden (Anepia) syriaca syriaca (Osthelder, 1933)** (Noctuidae) Synonym(s): *syriaca Osthelder, 1933; osthelderi Draudt, 1933.* (*) (x)

- 1256. *Hadena* (*Anepia*) *wolfi* Hacker,1992** (Noctuidae) Synonym(s): *wolfi* Hacker,1992 (*) (x) Realm: Hx Hp
- 1257. *Hadena* (*Enterpia*) *laudeti* (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840 (*) (**) Realm: Hx Hp
- 1258. *Hadena* (*Enterpia*) *laudeti orientis* Hacker,1996** (Noctuidae) Synonym(s): *orientis* Hacker,1996 (*) (**) Realm: Hx Hp
- 1259. *Hadena* (*Enterpia*) *picturata* (Alpheraky,1882)** (Noctuidae) Synonym(s): *picturata* Alpheraky,1882 (**) (xx) Realm: Hx Hp
- 1260. *Hadena* (*Enterpia*) *roseocandida* Hacker,1996** (Noctuidae) Synonym(s): *roseocandida* Hacker,1996 (*) (**) Realm: Hx Hp
- 1261. *Hadena* (*Maschukia*) *lypra* (Püngeler,1904)** (Noctuidae) Synonym(s): *lypra* Püngeler,1904 (**) (xx) Realm: Hx Hp
- 1262. *Hadena* (*Maschukia*) *lypra hajara* Hacker & Legrain,1996** (Noctuidae) Synonym(s): *hajara* Hacker & Legrain,1996 (**) (xx) Realm: Hx Hp
- 1263. *Hadena* (*Maschukia*) *pumila* (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879 (*) (**) Realm: Hx Hp
- 1264. *Hadena* (*Maschukia*) *pumila pumila* (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879 (*) (**) Realm: Hx Hp
- 1265. *Hadena* (*Pinkericola*) *cappadocia* Hacker,1987** (Noctuidae) Synonym(s): *cappadocia* Hacker,1987 (*) (x) Realm: Hx Hp
- 1266. *Hadena* (*Pinkericola*) *inexpectata* Varga,1979** (Noctuidae) Synonym(s): *inexpectata* Varga,1979 (*) (**) Realm: Hx Hp
- 1267. *Hadena* (*Pinkericola*) *inexpectata inexpectata* Varga,1979** (Noctuidae) Synonym(s): *inexpectata* Varga,1979 (**) (xx) Realm: Hx Hp
- 1268. *Hadena* (*Pinkericola*) *inexpectata kurdistanica* Hacker,1996** (Noctuidae) Synonym(s): *kurdistanica* Hacker,1996 (*) (**) Realm: Hx Hp
- 1269. *Hadena* (*Pinkericola*) *pygmaea* (Boursin,1962)** (Noctuidae) Synonym(s): *pygmaea* Boursin,1962 (*) (x) Realm: Hx Hp
- 1270. *Hadena* (*Pinkericola*) *tephroleuca* (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833 (*) (**) Realm: Hx Hp
- 1271. *Hadena* (*Pinkericola*) *tephroleuca asiatica* (Wagner,1931)** (Noctuidae) Synonym(s): *asiatica* Wagner,1931 (*) (**) Realm: Hx Hp
- 1272. *Hadena* (*Pinkericola*) *vulpecula* (Brandt,1938)** (Noctuidae) Synonym(s): *vulpecula* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1273. *Hadena* (*Pronotestra*) *silenides* (Staudinger,1895)** (Noctuidae) Synonym(s): *silenides* Staudinger,1895; *cinochrea* Chrétien,1911; *pampaninii* C.G.Krüger,1933. (**) (xx) Realm: Hx Hp
- 1274. *Hadena* (s.str.(*Albimaculia*)) *adriana* (Schawerda,1921)** (Noctuidae) Synonym(s): *adriana* Schawerda,1921 (*) (x) Realm: Hx Hp
- 1275. *Hadena* (s.str.(*Albimaculia*)) *albimacula* (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820]. (*) (**) Realm: Hx Hp
- 1276. *Hadena* (s.str.(*Albimaculia*)) *albimacula albimacula* (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820]. (*) (**) Realm: Hx Hp
- 1277. *Hadena* (s.str.(*Albimaculia*)) *cavalla* Pinker,1980** (Noctuidae) Synonym(s): *cavalla* Pinker,1980 (*) (x) Realm: Hx Hp
- 1278. *Hadena* (s.str.(*Albimaculia*)) *defreinai* Hacker, Kuhna & Gross,1986** (Noctuidae) Synonym(s): *defreinai* Hacker, Kuhna & Gross,1986 (*) (x) Realm: Hx Hp
- 1279. *Hadena* (s.str.(*Albimaculia*)) *defreinai defreinai* Hacker, Kuhna & Gross,1986** (Noctuidae) Synonym(s): *defreinai* Hacker, Kuhna & Gross,1986 (*) (x) Realm: Hx Hp
- 1280. *Hadena* (s.str.(*Albimaculia*)) *defreinai thoenyi* Hacker,1996** (Noctuidae) Synonym(s): *thoenyi* Hacker,1996 (*) (x) Realm: Hx Hp
- 1281. *Hadena* (s.str.(*Albimaculia*)) *gueneei* (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905 (*) (**) Realm: Hx Hp
- 1282. *Hadena* (s.str.(*Albimaculia*)) *gueneei hostilis* (Püngeler,1906)** (Noctuidae) Synonym(s): *hostilis* Püngeler,1906 (**) (xx) Realm: Hx Hp
- 1283. *Hadena* (s.str.(*Albimaculia*)) *humilis* (Christoph,1893)** (Noctuidae) Synonym(s): *humilis* Christoph,1893; *stenoptera* Rebel,1933. (*) (**) Realm: Hx Hp
- 1284. *Hadena* (s.str.(*Albimaculia*)) *secreta* Hacker,1996** (Noctuidae) Synonym(s): *secreta* Hacker,1996 (*) (x) Realm: Hx Hp
- 1285. *Hadena* (s.str.(*Anatolidena*)) *danilewskyi* Hacker,1996** (Noctuidae) Synonym(s): *danilewskyi* Hacker,1996 (*) (x) Realm: Hx Hp

- 1286. Haden** (s.str.(Anatolidena)) **draudti** (Brandt,1938) (Noctuidae) Synonym(s): *draudti* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1287. Haden** (s.str.(Anatolidena)) **elbursica** Hacker,1996 (Noctuidae) Synonym(s): *elbursica* Hacker,1996 (**) (xx) Realm: Hx Hp
- 1288. Haden** (s.str.(Anatolidena)) **mesolampra** (Brandt,1938) (Noctuidae) Synonym(s): *mesolampra* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1289. Haden** (s.str.(Anatolidena)) **nebulosa** Hacker,1996 (Noctuidae) Synonym(s): *nebulosa* Hacker,1996 (*) (x) Realm: Hx Hp
- 1290. Haden** (s.str.(Anatolidena)) **pfeifferi** (Draudt,1934) (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934 (*) (**) Realm: Hx Hp
- 1291. Haden** (s.str.(Anatolidena)) **pfeifferi** **pfeifferi** (Draudt,1934) (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934 (*) (**) (x)
- 1292. Haden** (s.str.(Anatolidena)) **pfeifferi** **ponticola** Hacker,1996 (Noctuidae) Synonym(s): *ponticola* Hacker,1996 (*) (x)
- 1293. Haden** (s.str.(Anatolidena)) **ronkayorum** Hacker,1996 (Noctuidae) Synonym(s): *ronkayorum* Hacker,1996 (*) (x) Realm: Hx Hp
- 1294. Haden** (s.str.(Anatolidena)) **staudingeri** (Wagner,1931) (Noctuidae) Synonym(s): *staudingeri* Wagner,1931 (*) (**) Realm: Hx Hp
- 1295. Haden** (s.str.(Caeshadena)) **caesia** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *caesia* [Denis & Schiffermüller],1775; *dichroma* Esp.,[1790]. (*) (x) Realm: Hx Hp
- 1296. Haden** (s.str.(Caeshadena)) **caesia** **bulgarica** Boursin,1959 (Noctuidae) Synonym(s): *bulgarica* Boursin,1959 (*) (x)
- 1297. Haden** (s.str.(Caeshadena)) **caesia** **euxinia** Hacker,1990 (Noctuidae) Synonym(s): *euxinia* Hacker,1990 (*) (x)
- 1298. Haden** (s.str.(Caeshadena)) **vanensis** Hacker,1996 (Noctuidae) Synonym(s): *vanensis* Hacker,1996 (*) (x) Realm: Hx Hp
- 1299. Haden** (s.str.(Clarhadena)) **cimelia** (Brandt,1938) (Noctuidae) Synonym(s): *cimelia* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1300. Haden** (s.str.(Clarhadena)) **clara** (Staudinger,1901) (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938. (*) (**) Realm: Hx Hp
- 1301. Haden** (s.str.(Clarhadena)) **clara** **clara** (Staudinger,1901) (Noctuidae) Synonym(s): *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938 (*) (x)
- 1302. Haden** (s.str.(Clarhadena)) **clara** **gladys** (Wiltshire,1947) (Noctuidae) Synonym(s): *gladys* Wiltshire,1947 (**) (xx)
- 1303. Haden** (s.str.(Clarhadena)) **clara** **kuruschensis** Boursin,1959 (Noctuidae) Synonym(s): *kuruschensis* Boursin,1959 (*) (x)
- 1304. Haden** (s.str.(Clarhadena)) **clara** **transiens** (Draudt,1936) (Noctuidae) Synonym(s): *transiens* Draudt,1936 (*) (x)
- 1305. Haden** (s.str.(Clarhadena)) **clara** **weissi** (Draudt,1934) (Noctuidae) Synonym(s): *weissi* Draudt,1934 (*) (x)
- 1306. Haden** (s.str.(Clarhadena)) **drenowski** (Rebel,1930) (Noctuidae) Synonym(s): *drenowski* Rebel,1930. (*) (**) Realm: Hx Hp
- 1307. Haden** (s.str.(Clarhadena)) **drenowski** **sultana** Hacker,1996 (Noctuidae) Synonym(s): *sultana* Hacker,1996 (*) (x)
- 1308. Haden** (s.str.(Clarhadena)) **drenowskii** **kendevani** (Schwingenschuss,1937) (Noctuidae) Synonym(s): *kendevani* Schwingenschuss,1937 (**) (xx)
- 1309. Haden** (s.str.(Clarhadena)) **drenowskii** **khorrassana** (Brandt,1947) (Noctuidae) Synonym(s): *khorrassana* Brandt,1947 (**) (xx)
- 1310. Haden** (s.str.(Clarhadena)) **hyrcanoides** Hacker,1996 (Noctuidae) Synonym(s): *hyrcanoides* Hacker,1996 (*) (**) Realm: Hx Hp
- 1311. Haden** (s.str.(Clarhadena)) **pseudoclara** Hacker,1996 (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996 (*) (**) Realm: Hx Hp
- 1312. Haden** (s.str.(Clarhadena)) **pseudoclara** **cimeloides** Hacker,1996 (Noctuidae) Synonym(s): *cimeloides* Hacker,1996 (**) (xx)
- 1313. Haden** (s.str.(Clarhadena)) **pseudoclara** **oleagina** Hacker,1996 (Noctuidae) Synonym(s): *oleagina* Hacker,1996 (*) (x)
- 1314. Haden** (s.str.(Clarhadena)) **pseudoclara** **pseudoclara** Hacker,1996 (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996 (*) (x)
- 1315. Haden** (s.str.(Clarhadena)) **subhyrcana** Hacker,1996 (Noctuidae) Synonym(s): *subhyrcana* Hacker,1996 (*) (**) Realm: Hx Hp
- 1316. Haden** (s.str.(Dianthoecia)) **impressa** (Esper,[1790]) (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790]. (*) (**) Realm: Hx Hp

- magnolii* Boisduval, 1828; *nummosa* Eversmann, 1844. (*) (**) Realm: Hx Hp
1349. **Hadena (s.str.(Magnolihadena)) magnolii fabiani** Hacker, 1996 (Noctuidae) Synonym(s): *fabiani* Hacker, 1996 (**) (xx)
1350. **Hadena (s.str.(Miselia)) compta ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller], 1775; *viscaria* Guenée, 1852; *galactina* Turati, 1908. (*) (**) Realm: Hx Hp
1351. **Hadena (s.str.(Miselia)) compta compta ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller], 1775; *viscaria* Guenée, 1852; *galactina* Turati, 1908. (*) (**) (xx)
1352. **Hadena (s.str.(Miselia)) compta kashgaia (Brandt, 1947)** (Noctuidae) Synonym(s): *kashgaia* Brandt, 1947 (**) (xx)
1353. **Hadena (s.str.(Miselia)) compta persica (Schwingschuss, 1938)** (Noctuidae) Synonym(s): *persica* Schwingschuss, 1938 (**) (xx)
1354. **Hadena (s.str.(Montanohadena)) fibigeri** Hacker, 1996 (Noctuidae) Synonym(s): *fibigeri* Hacker, 1996 (*) (x) Realm: Hx Hp
1355. **Hadena (s.str.(Montanohadena)) montana (Brandt, 1941)** (Noctuidae) Synonym(s): *montana* Brandt, 1941 (**) (xx) Realm: Hx Hp
1356. **Hadena (s.str.(Montanohadena)) montana montana (Brandt, 1941)** (Noctuidae) Synonym(s): *montana* Brandt, 1941 (**) (xx)
1357. **Hadena (s.str.(Montanohadena)) praetermissa** Hacker, 1996 (Noctuidae) Synonym(s): *praetermissa* Hacker, 1996 (*) (**) Realm: Hx Hp
1358. **Hadena (s.str.(Montanohadena)) pseudohyrcana De Freina & Hacker, 1985** (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker, 1985. (*) (**) Realm: Hx Hp
1359. **Hadena (s.str.(Montanohadena)) purpurea** Hacker, 1996 (Noctuidae) Synonym(s): *purpurea* Hacker, 1996 (*) (**) Realm: Hx Hp
1360. **Hadena (s.str.(Montanohadena)) purpurea olivascens** Hacker, 1996 (Noctuidae) Synonym(s): *olivascens* Hacker, 1996 (*) (x)
1361. **Hadena (s.str.(Montanohadena)) virescens** Hacker, 1996 (Noctuidae) Synonym(s): *virescens* Hacker, 1996 (*) (x) Realm: Hx Hp
1362. **Hadena (s.str.(Turkihadena)) bactriana** Hacker, 1996 (Noctuidae) Synonym(s): *bactriana* Hacker, 1996 (**) (xx) Realm: Hx Hp
1363. **Hadena (s.str.(Turkihadena)) bactriana distalis** Hacker, 1996 (Noctuidae) Synonym(s): *distalis* Hacker, 1996 (**) (xx)
1364. **Hadena (s.str.(Turkihadena)) rjabovi (Idrisov, 1961)** (Noctuidae) Synonym(s): *rjabovi* Idrisov, 1961; *occidentalis* De Freina & Hacker, 1985 (*) (**) Realm: Hx Hp
1365. **Hadena (s.str.(Zeteolyga)) confusa (Hufnagel, 1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel, 1766; *conspersa* [Denis & Schiffermüller], 1775; *nana* Rottentburg, 1776 nec Hufnagel, 1766; *annulata* Fabricius, 1781; *x-scriptum* Sowerby, 1806; *fasciata* Tutt, 1902; *suffusa* Tutt, 1902; *intermedia* Tutt, 1902. (*) (**) Realm: Hx Hp
1366. **Hadena (s.str.(Zeteolyga)) confusa confusa (Hufnagel, 1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel, 1766; *conspersa* [Denis & Schiffermüller], 1775; *nana* Rottentburg, 1776 nec Hufnagel, 1766; *annulata* Fabricius, 1781; *x-scriptum* Sowerby, 1806; *fasciata* Tutt, 1902; *suffusa* Tutt, 1902; *intermedia* Tutt, 1902. (*) (**) (xx)
1367. **Hadena (s.str.(Zeteolyga)) confusa herczigi** Hacker, 1996 (Noctuidae) Synonym(s): *herczigi* Hacker, 1996 (*) (**) (xx)
1368. **Hadena (s.str.(Zeteolyga)) pseudodealbata** Hacker, 1988 (Noctuidae) Synonym(s): *pseudodealbata* Hacker, 1988 (*) (x) Realm: Hx Hp
1369. **Haderonia lupa (Christoph, 1893)** (Noctuidae) Synonym(s): *lupa* Christoph, 1893; *contempta* Püngeler, 1914. (**) (xx) Realm: Hx Hp
1370. **Hadjina cinerea Hampson, 1909** (Noctuidae) Synonym(s): *cinerea* Hampson, 1909 (**) (xx) Realm: Hx Hp
1371. **Hadjina lutosa Staudinger, 1892** (Noctuidae) Synonym(s): *lutosa* Staudinger, 1892 (*) (**) Realm: Hx Hp
1372. **Hadjina lutosa lutosa Staudinger, 1892** (Noctuidae) Synonym(s): *lutosa* Staudinger, 1892 (*) (x)
1373. **Hadjina lutosa subflava** Hacker & Ebert, 2002 (Noctuidae) Synonym(s): *subflava* Hacker & Ebert, 2002 (*) (**) (xx)
1374. **Hadula (Caloestra (Dianthus)) dianthi (Tauscher, 1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher, 1809; *dentigera* Eversmann, 1837; *actinobola* Eversmann, 1837; *furculoides* Wagner, 1930. (*) (**) Realm: Hx Hp
1375. **Hadula (Caloestra (Dianthus)) dianthi dianthi (Tauscher, 1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher, 1809; *dentigera* Eversmann, 1837; *actinobola* Eversmann, 1837; *furculoides* Wagner, 1930. (*) (**) (xx)

- 1376. *Hadula (Calocestra (Hadufurca)) colletti* (Schneider,1876) (Noctuidae) Synonym(s): *colletti* Schneider,1876 (*) (**) Realm: Hx Hp**
- 1377. *Hadula (Calocestra (Hadufurca)) colletti originalis* Hacker,1998 (Noctuidae) Synonym(s): *originalis* Hacker,1998 (*) (**) (Noctuidae)**
- 1378. *Hadula (Calocestra (Hadumendax)) hoplites* (Staudinger,1901) (Noctuidae) Synonym(s): *hoplites* Staudinger,1901 (*) (**) Realm: Hx Hp**
- 1379. *Hadula (Calocestra (Hadumendax)) hoplites loeffleri* Reisser,1958 (Noctuidae) Synonym(s): *loeffleri* Reisser,1958 (*) (**) (Noctuidae)**
- 1380. *Hadula (Calocestra (Hadumendax)) mendax* (Staudinger,1879) (Noctuidae) Synonym(s): *mendax* Staudinger,1879 (*) (**) Realm: Hx Hp**
- 1381. *Hadula (Calocestra (Hadumendax)) mendax mendax* (Staudinger,1879) (Noctuidae) Synonym(s): *mendax* Staudinger,1879 (*) (x)**
- 1382. *Hadula (Calocestra (Hadumendax)) mendax phoenicica* Hacker,1998 (Noctuidae) Synonym(s): *phoenicica* Hacker,1998 (*) (x)**
- 1383. *Hadula (Calocestra (Hadumendax)) mendica* (Staudinger,[1895]) (Noctuidae) Synonym(s): *mendica* Staudinger,[1895]. (*) (**) Realm: Hx Hp**
- 1384. *Hadula (Calocestra (Hadumendax)) mendica mendica* (Staudinger,[1895]) (Noctuidae) Synonym(s): *mendica* Staudinger,[1895]. (*) (**) (Noctuidae)**
- 1385. *Hadula (Calocestra (Hadumendax)) mendica mendosa* Hacker,1998 (Noctuidae) Synonym(s): *mendosa* Hacker,1998 (*) (x)**
- 1386. *Hadula (Calocestra (Hadupugnax)) latemarginata* (Wiltshire,1976) (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986. (*) (x) Realm: Hx Hp**
- 1387. *Hadula (Calocestra (Hadupugnax)) odontites* (Boisduval,1829) (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941. (*) (x) Realm: Hx Hp**
- 1388. *Hadula (Calocestra (Hadupugnax)) odontites odontites* (Boisduval,1829) (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941. (*) (x)**
- 1389. *Hadula (Calocestra (Hadupugnax)) pugnax* (Hübner,[1824]) (Noctuidae) Synonym(s): *pugnax* Hübner,[1824]; *treitschkei* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942 (*) (**) Realm: Hx Hp**
- 1390. *Hadula (Calocestra (Hadupugnax)) pugnax intermedia* Pinker,1980 (Noctuidae) Synonym(s): *intermedia* Pinker,1980 (*) (**) (Noctuidae)**
- 1391. *Hadula (Calocestra (Hadutrifolium)) trifolii* (Hufnagel,1766) (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 (*) (**) Realm: Hx Hn Hp**
- 1392. *Hadula (Calocestra (Stigmosa)) stigmosa* (Christoph,1887) (Noctuidae) Synonym(s): *stigmosa* Christoph,1887. (*) (**) Realm: Hx Hp**
- 1393. *Hadula (Calocestra (Stigmosa)) stigmosa stigmosa* (Christoph,1887) (Noctuidae) Synonym(s): *stigmosa* Christoph,1887. (*) (x)**
- 1394. *Hadula (Cardiestra) eremistis* (Püngeler,1904) (Noctuidae) Synonym(s): *eremistis* Püngeler,1904 (**) (xx) Realm: Hx Hp**
- 1395. *Hadula (Cardiestra) eremistis avicenna* Hacker,1998 (Noctuidae) Synonym(s): *avicenna* Hacker,1998 (**) (xx)**
- 1396. *Hadula (Cardiestra) vassilini* (O.Bang-Haas,1927) (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927 (*) (x) Realm: Hx Hp**
- 1397. *Hadula (Ptochicestra) osmana* Hacker,1998 (Noctuidae) Synonym(s): *osmana* Hacker,1998 (*) (x) Realm: Hx Hp**
- 1398. *Hadula (Ptochicestra) ptochica* (Püngeler,1900) (Noctuidae) Synonym(s): *ptochica* Püngeler,1900 (**) (xx) Realm: Hx Hp**
- 1399. *Hadula (Ptochicestra) ptochica iranica* Gyulai,2002 (Noctuidae) Synonym(s): *iranica* Gyulai,2002 (**) (xx)**
- 1400. *Hadula (s.str. (Habulorum)) sabulorum* (Alpheraky,1882) (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882 (*) (**) Realm: Hx Hp**
- 1401. *Hadula (s.str. (Habulorum)) sabulorum rhodina* (Christoph,1893) (Noctuidae) Synonym(s): *rhodina* Christoph,1893 (*) (**) (Noctuidae)**
- 1402. *Haemerosia ionochlora* Ronkay, Varga & Hreblay,1998 (Noctuidae) Synonym(s): *ionochlora* Ronkay, Varga & Hreblay,1998 (**) (xx) Realm: Hx Hp**
- 1403. *Haemerosia renalis* (Hübner,[1813]) (Noctuidae) Synonym(s): *renalis* Hübner,[1813] (*) (**) Realm: Hx Hp**

- 1404. Hakkaria varga (Hacker,[1987])**
(Noctuidae) Synonym(s): *varga* Hacker,[1987]
(*) (x) Realm: Hx Hp
- 1405. Hecatera bicolorata (Hufnagel,1766)**
(Noctuidae) Synonym(s): *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. (*) (**) Realm: Hx Hp
- 1406. Hecatera cappa (Hübner,[1809])**
(Noctuidae) Synonym(s): *cappa* Hübner,[1809]
(*) (**) Realm: Hx Hp
- 1407. Hecatera rhodocharis (Brandt,1938)**
(Noctuidae) Synonym(s): *rhodocharis* Brandt,1938 (*) (**) Realm: Hx Hp
- 1408. Hecatera rhodocharis herkia (Wiltshire,1957)** (Noctuidae) Synonym(s): *herkia* Wiltshire,1957 (*) (x)
- 1409. Hecatera rhodocharis rhodocharis (Brandt,1938)** (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938 (*) (**) (xx)
- 1410. Hecatera spinaciae (Vieweg,1790)**
(Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* Warren,1910. (*) (**) Realm: Hx Hp
- 1411. Helicoverpa armigera (Hübner,[1808])**
(Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacherjee & Gupta,1972. (*) (**) Realm: Hx Hn Hp Px Pa Pn
- 1412. Helicoverpa armigera armigera (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacherjee & Gupta,1972. (*) (**) (xx)
- 1413. Heliocheilus confertissima (Walker,1865)**
(Noctuidae) Synonym(s): *confertissima* Walker,1865; *hyalosticta* Hampson,1894; *perdentata* Hampson,1903; *mekrana* Brandt,1941; *designata* Brandt,1941; *ennedica* Herbulot & Viette,1952. (**) (xx) Realm: Hx Hp Px Pa Po
- 1414. Heliocheilus mekrana Brandt,1941**
(Noctuidae) Synonym(s): *mekrana* Brandt,1941 (**) (xx) Realm: Hx Hp
- 1415. Heliophobus reticulata (Goeze,1781)**
(Noctuidae) Synonym(s): *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944. (*) (**) Realm: Hx Hp
- 1416. Heliophobus reticulata reticulata (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944. (*) (**) (xx)
- 1417. Heliophobus unicolor (Alpheraky,1889)**
(Noctuidae) Synonym(s): *unicolor* Alpheraky,1889 (*) (**) Realm: Hx Hp
- 1418. Heliothis (Masalia) albida (Hampson,1905)** (Noctuidae) Synonym(s): *albida* Hampson,1905; *chitinipyga* Dumont,1920 (**) (xx) Realm: Hx Hp
- 1419. Heliothis (Masalia) perstriata (Hampson,1903)** (Noctuidae) Synonym(s): *perstriata* Hampson,1903 (**) (xx) Realm: Hx Hp
- 1420. Heliothis (Masalia) perstriata fuscostriata (Brandt,1941)** (Noctuidae) Synonym(s): *fuscostriata* Brandt,1941 (**) (xx)
- 1421. Heliothis (Masalia) philbyi (Brandt,1941)**
(Noctuidae) Synonym(s): *philbyi* Brandt,1941; *nuristana* Boursin,1960; *arabica* Boursin,1960. (**) (xx) Realm: Hx Hp
- 1422. Heliothis maritima Graslin,1855**
(Noctuidae) Synonym(s): *maritima* Graslin,1855 (*) (x) Realm: Hx Hp
- 1423. Heliothis maritima bulgarica (Draudt,1938)** (Noctuidae) Synonym(s): *bulgarica* Draudt,1938 (*) (x)
- 1424. Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. (*) (**) Realm: Hx Hp
- 1425. Heliothis ononis (Fabricius,1787)**
(Noctuidae) Synonym(s): *#ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852. (*) (x) Realm: Hx Hp
- 1426. Heliothis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. (*) (**) Realm: Hx Hp Px Po
- 1427. Heliothis viriplaca (Hufnagel,1766)**
(Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. (*) (**) Realm: Hx Hp Px Po
- 1428. Hemiexarnis berezskii (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *berezskii* Kozhantshikov,1937 (**) (xx) Realm: Hx Hp

- 1429. Hemiexarnis berezskii iuguma** (Brandt,1938) (Noctuidae) Synonym(s): *iuguma* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1430. Heptapotamia eustratii Alpheraky,1882** (Noctuidae) Synonym(s): *eustratii* Alpheraky,1882 (*) (x) Realm: Hx Hp
- 1431. Heptapotamia eustratii lutea** (Hacker,Kuhna & Gross,1986) (Noctuidae) Synonym(s): *lutea* Hacker,Kuhna & Gross,1986 (*) (x)
- 1432. Herminia grisealis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nemoralis* Fabricius,1775 *nec* Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *nemorum* Fabricius,1798; *nemoratus* Haworth,1809 (*) (x) Realm: Hx Hp
- 1433. Herminia nigricaria Osthelder,1933** (Noctuidae) Synonym(s): *nigricaria* Osthelder,1933 (*) (x) Realm: Hx Hp
- 1434. Herminia proxima Christoph,1893** (Noctuidae) Synonym(s): *proxima* Christoph,1893 (*) (**) Realm: Hx Hp
- 1435. Herminia proxima anahita Wiltshire,1952** (Noctuidae) Synonym(s): *anahita* Wiltshire,1952 (**) (xx)
- 1436. Herminia proxima proxima Christoph,1893** (Noctuidae) Synonym(s): *proxima* Christoph,1893 (*) (x)
- 1437. Herminia tarsicrinalis (Knoch,1782)** (Noctuidae) Synonym(s): *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809 (*) (**) Realm: Hx Hp
- 1438. Herminia tarsipennalis Treitschke,1835** (Noctuidae) Synonym(s): *tarsipennalis* Treitschke,1835 (*) (x) Realm: Hx Hp
- 1439. Herminia tenuialis (Rebel,1899)** (Noctuidae) Synonym(s): *tenuialis* Rebel,1899 (*) (x) Realm: Hx Hp
- 1440. Heterographa puengeleri Bartel,1904** (Noctuidae) Synonym(s): *puengeleri* Bartel,1904 (**) (xx) Realm: Hx Hp
- 1441. Heterographa tetrastigma Brandt,1941** (Noctuidae) Synonym(s): *tetrastigma* Brandt,1941 (**) (xx) Realm: Hx Hp
- 1442. Heterographa zelleri (Christoph,1877)** (Noctuidae) Synonym(s): *zelleri* Christoph,1877 (**) (xx) Realm: Hx Hp
- 1443. Heteropalpia acrosticta (Püngeler,1904)** (Noctuidae) Synonym(s): *acrosticta* Püngeler,1904; *rosacea* Rebel,1907 (**) (xx) Realm: Hx Hp Px Pa
- 1444. Heteropalpia vetusta (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898 (*) (**) Realm: Hx Hp Px Pa Po Ax Aa
- 1445. Heteropalpia witshirei Hacker & Ebert,2002** (Noctuidae) Synonym(s): *witshirei* Hacker & Ebert,2002 (**) (xx) Realm: Hx Hp
- 1446. Heterophysa dumetorum (Geyer,1834)** (Noctuidae) Synonym(s): *dumetorum* Geyer,1834 (*) (**) Realm: Hx Hp
- 1447. Heterophysa dumetorum mutica (Christoph,1885)** (Noctuidae) Synonym(s): *mutica* Christoph,1885; *griseoviridis* Schwingenschuss,1937 (*) (**) Realm: Hx Hp
- 1448. Himalistra tahiricola Ronkay & Hreblay,1994** (Noctuidae) Synonym(s): *tahiricola* Ronkay & Hreblay,1994 (*) (x) Realm: Hx Hp
- 1449. Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 (*) (**) Realm: Hx Hp
- 1450. Hoplodrina ambigua ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 (*) (**) Realm: Hx Hp
- 1451. Hoplodrina blanda ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813]. (*) (**) Realm: Hx Hp
- 1452. Hoplodrina blanda blanda ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813]. (*) (x) Realm: Hx Hp
- 1453. Hoplodrina blanda robusta Boursin,1940** (Noctuidae) Synonym(s): *robusta* Boursin,1940 (**) (xx) Realm: Hx Hp
- 1454. Hoplodrina levis (Staudinger,1888)** (Noctuidae) Synonym(s): *levis* Staudinger,1888 (*) (**) Realm: Hx Hp
- 1455. Hoplodrina octogenaria (Goeze,1781)** (Noctuidae) Synonym(s): *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 *nec* Hübner,[1803] (*) (**) Realm: Hx Hp
- 1456. Hoplodrina pfeifferi (Boursin,1932)** (Noctuidae) Synonym(s): *pfeifferi* Boursin,1932. (*) (**) Realm: Hx Hp
- 1457. Hoplodrina respersa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 *nec* Vill.,1789 (*) (x) Realm: Hx Hp
- 1458. Hoplodrina superstes (Ochsenheimer,1816)** (Noctuidae)

- Synonym(s): *superstes* Ochsenheimer, 1816
(*) (x) Realm: Hx Hp
- 1459. *Hoplotarache costalis* (Walker, 1865)** (Noctuidae) Synonym(s): *costalis* Walker, 1865; *binominata* Butler, 1892 (**) (xx) Realm: Hx Hp
- 1460. *Hoplotarache sordescens* (Staudinger, 1895)** (Noctuidae) Synonym(s): *sordescens* Staudinger, 1895 (*) (**) Realm: Hx Hp
- 1461. *Hypena* (Ophiuche) *lividalis* (Hübner, 1796)** (Noctuidae) Synonym(s): *lividalis* Hübner, 1796; *diagonalis* Fabricius, 1794; *simplicalis* Zeller, 1852; *abjuralis* Walker, [1859]; *scissalis* Walker, [1866]; ? *perna* R. Felder & Rogenhofer, 1873; ? *bipartita* Smith, 1900. (*) (x) Realm: Hx Hn Hp Px Pn Pa Po
- 1462. *Hypena* (Ophiuche) *lividalis lividalis* (Hübner, 1796)** (Noctuidae) Synonym(s): *lividalis* Hübner, 1796; *diagonalis* Fabricius, 1794; *simplicalis* Zeller, 1852; *abjuralis* Walker, [1859]; *scissalis* Walker, [1866]; ? *perna* R. Felder & Rogenhofer, 1873; ? *bipartita* Smith, 1900. (*) (x)
- 1463. *Hypena* (s.str.) *obsitalis* (Hübner, [1813])** (Noctuidae) Synonym(s): *obsitalis* Hübner, [1813] (*) (**) Realm: Hx Hp Px Pa
- 1464. *Hypena amica* (Butler, 1878)** (Noctuidae) Synonym(s): *amica* Butler, 1878 (*) (x) Realm: Hx Hp
- 1465. *Hypena munitalis* Mann, 1861** (Noctuidae) Synonym(s): *munitalis* Mann, 1861. (*) (x) Realm: Hx Hp
- 1466. *Hypena obesalis* Treitschke, 1829** (Noctuidae) Synonym(s): *obesalis* Treitschke, 1829 (*) (**) Realm: Hx Hp
- 1467. *Hypena opulenta* (Christoph, 1877)** (Noctuidae) Synonym(s): *opulenta* Christoph, 1877 (**) (xx) Realm: Hx Hp
- 1468. *Hypena palpalis* (Hübner, 1796)** (Noctuidae) Synonym(s): *palpalis* Hübner, 1796; *extensalis* Guenée, 1854; *armenialis* Staudinger, 1901. (*) (**) Realm: Hx Hp
- 1469. *Hypena proboscidalis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *proboscidalis* Linnaeus, 1758 (*) (**) Realm: Hx Hp
- 1470. *Hypena rostralis* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *rostralis* Linnaeus, 1758. (*) (**) Realm: Hx Hp
- 1471. *Hypenodes anatolica* Schwingenschuss, 1938** (Noctuidae) Synonym(s): *anatolica* Schwingenschuss, 1938; *nigritalis* Ronkay, 1984. (*) (x) Realm: Hx Hp
- 1472. *Hypenodes humidalis* Doubleday, 1850** (Noctuidae) Synonym(s): *humidalis* Doubleday, 1850 (*) (x) Realm: Hx Hp
- 1473. *Hypenodes kalchbergi* Staudinger, 1876** (Noctuidae) Synonym(s): *kalchbergi* Staudinger, 1876 (*) (x) Realm: Hx Hp
- 1474. *Hypenodes orientalis* Staudinger, 1901** (Noctuidae) Synonym(s): *orientalis* Staudinger, 1901; *nesiota* Rebel, 1916. (*) (x) Realm: Hx Hp
- 1475. *Hypenodes orientis* Brandt, 1938** (Noctuidae) Synonym(s): *orientis* Brandt, 1938 (**) (xx) Realm: Hx Hp
- 1476. *Hypersynpnoides submarginata* (Walker, 1865)** (Noctuidae) Synonym(s): *submarginata* Walker, 1865 (**) (xx) Realm: Hx Hp
- 1477. *Hypeuthina fulgurita* Lederer, 1855** (Noctuidae) Synonym(s): *fulgurita* Lederer, 1855 (*) (**) Realm: Hx Hp
- 1478. *Hyppa rectilinea* (Esper, [1788])** (Noctuidae) Synonym(s): *rectilinea* Esper, [1788] (*) (x) Realm: Hx Hp
- 1479. *Hyssia cavernosa* (Eversmann, 1852)** (Noctuidae) Synonym(s): *cavernosa* Eversmann, 1852 (*) (x) Realm: Hx Hp
- 1480. *Hyssia cavernosa gozmanyi* Kovacs, 1968** (Noctuidae) Synonym(s): *gozmanyi* Kovacs, 1968 (*) (x)
- 1481. *Idia calvaria* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *calvaria* [Denis & Schiffermüller], 1775 (*) (x) Realm: Hx Hp
- 1482. *Idia calvaria meridiorientalis* (Osthelder, 1940)** (Noctuidae) Synonym(s): *meridiorientalis* Osthelder, 1940 (*) (x)
- 1483. *Ipimorpha retusa* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *retusa* Linnaeus, 1761; *chreysoglossa* Beckwith, 1794; *gracilis* Haworth, 1809. (*) (x) Realm: Hx Hp
- 1484. *Ipimorpha subtusa* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#subtusa* [Denis & Schiffermüller], 1775; *subtusa* Fabricius, 1787. (*) (x) Realm: Hx Hp
- 1485. *Iranada ornata* (Brandt, 1938)** (Noctuidae) Synonym(s): *ornata* Brandt, 1938 (**) (xx) Realm: Hx Hp
- 1486. *Iranada tarachoides* (Bytinski-Salz & Brandt, 1937)** (Noctuidae) Synonym(s): *tarachoides* Bytinski-Salz & Brandt, 1937 (*) (**) Realm: Hx Hp
- 1487. *Iranada turcorum* (Zerny, 1915)** (Noctuidae) Synonym(s): *turcorum* Zerny, 1915 (**) (xx) Realm: Hx Hp
- 1488. *Iranada turcorum atrior* Wiltshire, 1977** (Noctuidae) Synonym(s): *atrior* Wiltshire, 1977 (**) (xx)
- 1489. *Iranada venusta* (Brandt, 1939)** (Noctuidae) Synonym(s): *venusta* Brandt, 1939 (**) (xx) Realm: Hx Hp

- 1490. Iranada versicolor (Brandt,1939)**
(Noctuidae) Synonym(s): *versicolor*
Brandt,1939 (**) (xx) Realm: Hx Hp
- 1491. Janthinea divalis Staudinger,1892**
(Noctuidae) Synonym(s): *divalis*
Staudinger,1892 (*) (x) Realm: Hx Hp
- 1492. Janthinea friwaldskii (Duponchel,1835)**
(Noctuidae) Synonym(s): *friwaldskii*
Duponchel,1835; *viola Freyer,1836*; *#violacea*
Staudinger,1879; *friwaldszi Hampson,1910*.
(*) (x) Realm: Hx Hp
- 1493. Janthinea friwaldskii asiatica Sheljuzhko,1955** (Noctuidae) Synonym(s):
asiatica Sheljuzhko,1955 (*) (x)
- 1494. Jodia croceago (Fabricius,1787)**
(Noctuidae) Synonym(s): *#croceago [Denis & Schiffermüller],1775*; *croceago Fabricius,1787*;
aurantiagio Donovan,1796; *corsica Mabilie,1868*
(*) (x) Realm: Hx Hp
- 1495. Karmanica bandarabbasa Hacker & Ebert,2002** (Noctuidae) Synonym(s):
bandarabbasa Hacker & Ebert,2002 (**) (xx)
Realm: Hx Hp
- 1496. Karmanica chosroes (Brandt,1938)**
(Noctuidae) Synonym(s): *chosroes Brandt,1938*
(**) (xx) Realm: Hx Hp
- 1497. Karmanica cyros Hacker & Ebert,2002**
(Noctuidae) Synonym(s): *cyros Hacker & Ebert,2002* (**) (xx) Realm: Hx Hp
- 1498. Karmanica magnifica Hacker & Ebert,2002** (Noctuidae) Synonym(s):
magnifica Hacker & Ebert,2002 (**) (xx)
Realm: Hx Hp
- 1499. Lacanobia (Dianobia) dissimilis (Knoch,1781)** (Noctuidae) Synonym(s):
#suasa [Denis & Schiffermüller],1775; *dissimilis*
Knoch,1781; *leucographa Esper,[1790]*;
denscanis Haworth,1809; *permixta*
Geyer,[1833]; *pavida Boisduval,1840*; *confluens*
Eversmann,1844; *laeta Reuter,1893*. (*) (x)
Realm: Hx Hp
- 1500. Lacanobia (Dianobia) histrio (Goeze,1781)**
(Noctuidae) Synonym(s): *#contigua [Denis & Schiffermüller],1775*; *histrio Goeze,1781*; *ariae*
Esper,[1786]; *spartii Brahm,1791*; *dives*,
pulchellina Haworth,1809; *subcontigua*
Eversmann,1852, etc. (*) (x) Realm: Hx Hp
- 1501. Lacanobia (Dianobia) obvia (Eversmann,1856)** (Noctuidae) Synonym(s):
obvia Eversmann,1856 (*) (x) Realm: Hx Hp
- 1502. Lacanobia (Dianobia) thalassina (Hufnagel,1766)** (Noctuidae) Synonym(s):
thalassina Hufnagel,1766; *humeralis*
Haworth,1809; *achates Hübner,[1813]*. (*)
(**) Realm: Hx Hp
- 1503. Lacanobia (Diataraxia) aliena (Hübner,[1809])** (Noctuidae) Synonym(s):
aliena Hübner,[1809] (*) (x) Realm: Hx Hp
- 1504. Lacanobia (Diataraxia) blenna (Hübner,[1824])** (Noctuidae) Synonym(s):
blenna Hübner,[1824]; *peregrina*
Treitschke,1825; *trimenda Geyer,[1832]*; *guenei*
Bruand,1850. (*) (x) Realm: Hx Hp
- 1505. Lacanobia (Diataraxia) oleracea (Linnaeus,1758)** (Noctuidae) Synonym(s):
oleracea Linnaeus,1758; *spinaciae*
Borkhausen,1792; *variegata Austaut,1885*;
essoni Hampson,1909; *albolineata*
Matsumura,1926; *#pallida Bytinski-Salz & Brandt,1937* (*) (**) Realm: Hx Hp
- 1506. Lacanobia (Diataraxia) praedita (Hübner,[1813])** (Noctuidae) Synonym(s):
praedita Hübner,[1813] (*) (x) Realm: Hx Hp
- 1507. Lacanobia (Diataraxia) splendens (Hübner,[1808])** (Noctuidae) Synonym(s):
splendens Hübner,[1808] (*) (**) Realm: Hx Hp
- 1508. Lacanobia (s.str.) w-latinum (Hufnagel,1766)** (Noctuidae) Synonym(s): *w-latinum*
Hufnagel,1766; *genistae*
Borkhausen,1792; *dives Donovan,1801*; *umbrosa*
Bytinski-Salz & Brandt,1937; *diniensis*
Heinrich,1938; *caerulescens*
Schwingenschuss,1962. (*) (**) Realm: Hx Hp
- 1509. Lamprosticta culta ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *#culta [Denis & Schiffermüller],1775* (*) (x) Realm: Hx Hp
- 1510. Lamprosticta culta albescens Hacker,1990**
(Noctuidae) Synonym(s): *albescens*
Hacker,1990 (*) (x)
- 1511. Lamprosticta culta coeruleuca G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s):
coeruleuca G.Ronkay & L.Ronkay,1995 (*)
(x)
- 1512. Lamprosticta culta plumbitincta G.Ronkay & L.Ronkay,1995** (Noctuidae)
Synonym(s): *plumbitincta G.Ronkay & L.Ronkay,1995* (*) (x)
- 1513. Lasionycta draudti (F.Wagner,1936)**
(Noctuidae) Synonym(s): *draudti*
F.Wagner,1936 (*) (**) Realm: Hx Hp
- 1514. Lasionycta proxima (Hübner,[1809])**
(Noctuidae) Synonym(s): *proxima*
Hübner,[1809]; *cana Eversmann,1841*;
ochrostigma Eversmann,1842; *extensa*
Eversmann,1844; *nevadensis Reisser,1926*;
noguera De Laever,1976. (*) (x) Realm: Hx Hp
- 1515. Laspeyria flexula ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *flexula [Denis & Schiffermüller],1775* (*) (**) Realm: Hx Hp

- 1516. Ledereragrotis multifida (Lederer,1870)**
(Noctuidae) Synonym(s): *multifida*
Lederer,1870; sanctimoritz A.Bang-Haas,1906
(*) (x) Realm: Hx Hp
- 1517. Ledereragrotis multifida multifida (Lederer,1870)**
(Noctuidae) Synonym(s): *multifida Lederer,1870; sanctimoritz A.Bang-Haas,1906* (*) (x)
- 1518. Leucania comma (Linnaeus,1761)**
(Noctuidae) Synonym(s): *comma Linnaeus,1761; turbida Hübner,[1803]; congener Hübner,[1817]; rhodocomma Püngeler,1900; engadinensis Wagner,1909.* (*) (**) Realm: Hx Hp
- 1519. Leucania herrichi Herrich-Schäffer,[1849]**
(Noctuidae) Synonym(s): *herrichi Herrich-Schäffer,[1849]* (*) (x) Realm: Hx Hp
- 1520. Leucania joannisi Boursin & Rungs,1952**
(Noctuidae) Synonym(s): *joannisi Boursin & Rungs,1952* (**) (xx) Realm: Hx Hp
- 1521. Leucania loreyi (Duponchel,1827)**
(Noctuidae) Synonym(s): *loreyi Duponchel,1827; caricis Walker,1856; collecta Walker,1856; curcula Walker,1856; denotata Walker,1856; designata Walker,1856; exterior Walker,1856; thoracica Walker,1856.* (*) (**) Realm: Hx Hn Hp Px Pa Po Ax Aa Ap
- 1522. Leucania obsoleta (Hübner,[1803])**
(Noctuidae) Synonym(s): *obsoleta Hübner,[1803]; insecuta Walker,1865; intermissa Walker,1865; nohirae Matsumura,1926; griseola Matsumura,1926* (*) (x) Realm: Hx Hp
- 1523. Leucania palaestinae Staudinger,1897**
(Noctuidae) Synonym(s): *palaestinae Staudinger,1897; languida Staudinger,1897 nec Wlk.,1858; #obscura Heydemann et al.,1963; #plastinaea Kornoşor & Lödl,1990* (*) (**) Realm: Hx Hp
- 1524. Leucania punctosa (Treitschke,1825)**
(Noctuidae) Synonym(s): *punctosa Treitschke,1825* (*) (**) Realm: Hx Hp
- 1525. Leucania punctosa punctosa (Treitschke,1825)**
(Noctuidae) Synonym(s): *punctosa Treitschke,1825* (*) (**) Realm: Hx Hp
- 1526. Leucania putrescens (Hübner,[1824])**
(Noctuidae) Synonym(s): *putrescens Hübner,[1824]; boisduvalii Duponchel,1827; valletai Boursin,1952* (*) (**) Realm: Hx Hp
- 1527. Leucania zaeae (Duponchel,1827)**
(Noctuidae) Synonym(s): *zaeae Duponchel,1827; indistincta Christoph,1887; putrida Staudinger,1889; cinerea Lucas,1948* (*) (**) Realm: Hx Hp Px Pa
- 1528. Leucochlaena fallax (Staudinger,1870)**
(Noctuidae) Synonym(s): *fallax Staudinger,1870* (*) (x) Realm: Hx Hp
- 1529. Leucochlaena fallax reticularis Gyulai & L.Ronkay,1995**
(Noctuidae) Synonym(s): *reticularis Gyulai & L.Ronkay,1995* (*) (x)
- 1530. Leucochlaena hoerhammeri (Wagner,1931)**
(Noctuidae) Synonym(s): *hoerhammeri Wagner,1931* (*) (x) Realm: Hx Hp
- 1531. Leucochlaena jordana Draudt,1934**
(Noctuidae) Synonym(s): *jordana Draudt,1934* (*) (x) Realm: Hx Hp
- 1532. Leucochlaena muscosa (Staudinger,1892)**
(Noctuidae) Synonym(s): *muscosa Staudinger,1892; hirsutus Staudinger,1892* (*) (**) Realm: Hx Hp
- 1533. Leucochlaena muscosa centralasiae Hacker,2001**
(Noctuidae) Synonym(s): *centralasiae Hacker,2001* (**) (xx)
- 1534. Leucochlaena muscosa muscosa (Staudinger,1892)**
(Noctuidae) Synonym(s): *muscosa Staudinger,1892; hirsutus Staudinger,1892* (*) (x)
- 1535. Lithophane lapidea (Hübner,[1808])**
(Noctuidae) Synonym(s): *lapidea Hübner,[1808]* (*) (**) Realm: Hx Hp
- 1536. Lithophane lapidea lapidea (Hübner,[1808])**
(Noctuidae) Synonym(s): *lapidea Hübner,[1808]* (*) (x)
- 1537. Lithophane ledereri (Staudinger,1892)**
(Noctuidae) Synonym(s): *ledereri Staudinger,1892; discors Staudinger,1892* (*) (x) Realm: Hx Hp
- 1538. Lithophane merckii (Rambur,1832)**
(Noctuidae) Synonym(s): *merckii Rambur,1832* (*) (x) Realm: Hx Hp
- 1539. Lithophane ornitopus (Hufnagel,1766)**
(Noctuidae) Synonym(s): *ornitopus Hufnagel,1766; rhizolitha [Denis & Schiffermüller],1775; pitzalisi Hartig,1976* (*) (x) Realm: Hx Hp
- 1540. Lithophane semibrunnea (Haworth,1809)**
(Noctuidae) Synonym(s): *semibrunnea Haworth,[1809]; oculata Sommer,[1824].* (*) (x) Realm: Hx Hp
- 1541. Lithophane semibrunnea wiltshirei Boursin,1962**
(Noctuidae) Synonym(s): *wiltshirei Boursin,1962* (*) (x)
- 1542. Lithophane socia (Hufnagel,1766)**
(Noctuidae) Synonym(s): *socia Hufnagel,1766* (*) (x) Realm: Hx Hp
- 1543. Lithophasia venosula Staudinger,1892**
(Noctuidae) Synonym(s): *venosula Staudinger,1892* (*) (x) Realm: Hx Hp
- 1544. Lophoterges (Fibigeres) hoerhammeri (Wagner,1931)**
(Noctuidae) Synonym(s): *hoerhammeri Wagner,1931* (*) (**) Realm: Hx Hp
- 1545. Lophoterges (Fibigeres) mariannae Fibiger,2001**
(Noctuidae) Synonym(s):

- mariannae* Fibiger, 2001 (**) (xx) Realm: Hx Hp
- 1546. *Luperina diversa* (Staudinger, 1892)** (Noctuidae) Synonym(s): *diversa* Staudinger, 1892; *indistincta* Rebel, 1933 (*) (**) Realm: Hx Hp
- 1547. *Luperina diversa diversa* (Staudinger, 1892)** (Noctuidae) Synonym(s): *diversa* Staudinger, 1892; *indistincta* Rebel, 1933 (*) (**) (**) (xx)
- 1548. *Luperina dumerilii* (Duponchel, 1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel, 1826 (*) (x) Realm: Hx Hp
- 1549. *Luperina dumerilii hirsuta* (Wagner, 1931)** (Noctuidae) Synonym(s): *hirsuta* Wagner, 1931 (*) (x)
- 1550. *Luperina koshantschikovi* (Püngeler, 1914)** (Noctuidae) Synonym(s): *koshantschikovi* Püngeler, 1914 (*) (x) Realm: Hx Hp
- 1551. *Luperina koshantschikovi amplificata* Hacker, 1990** (Noctuidae) Synonym(s): *amplificata* Hacker, 1990 (*) (x)
- 1552. *Luperina rjabovi* (Kljutschko, 1967)** (Noctuidae) Synonym(s): *rjabovi* Kljutschko, 1967 (*) (x) Realm: Hx Hp
- 1553. *Luperina rubella* (Duponchel, 1835)** (Noctuidae) Synonym(s): *mediosignata* Turati, 1930; *sericea* Caradja, 1932; *thurneri* Schawerda, 1938. (*) (**) Realm: Hx Hp
- 1554. *Luperina rubella rubella* (Duponchel, 1835)** (Noctuidae) Synonym(s): *mediosignata* Turati, 1930; *sericea* Caradja, 1932; *thurneri* Schawerda, 1938. (*) (x)
- 1555. *Luperina testacea* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *testacea* [Denis & Schiffermüller], 1775 (*) (x) Realm: Hx Hp
- 1556. *Lycophorus ankarensis* (Rebel, 1931)** (Noctuidae) Synonym(s): *ankarensis* Rebel, 1931; *wichgrafi* Corti & Draudt, 1933; *#ankariensis* Hacker, 2001 (*) (x) Realm: Hx Hp
- 1557. *Lycophorus tischendorfi* (Püngeler, 1915)** (Noctuidae) Synonym(s): *tischendorfi* Püngeler, 1915 (*nec* 1925!); *flagrans* Püngeler, 1925; *libanotica* Corti & Draudt, 1933. (*) (x) Realm: Hx Hp
- 1558. *Lycophorus villosus* (Alpheraky, 1887)** (Noctuidae) Synonym(s): *villosus* Alpheraky, 1887; *benigna* Corti, 1926 (**) (xx) Realm: Hx Hp
- 1559. *Lygephila cracca* (Fabricius, 1787)** (Noctuidae) Synonym(s): *#cracca* [Denis & Schiffermüller], 1775; *riata* Rungs, 1952; *cracca* Fabricius, 1787; *#cracca* Hacker & Kautt, 1999. (*) (**) Realm: Hx Hp
- 1560. *Lygephila fereidun* Wiltshire, 1961** (Noctuidae) Synonym(s): *fereidun* Wiltshire, 1961 (**) (xx) Realm: Hx Hp
- 1561. *Lygephila lubrica* (Freyer, 1842)** (Noctuidae) Synonym(s): *lubrica* Freyer, 1842 (**) (xx) Realm: Hx Hp
- 1562. *Lygephila lubrica lubrica* (Freyer, 1846)** (Noctuidae) Synonym(s): *lubrica* Freyer, 1842 (**) (xx)
- 1563. *Lygephila ludicra* (Hübner, 1790)** (Noctuidae) Synonym(s): *ludicra* Hübner, 1790 (*) (x) Realm: Hx Hp
- 1564. *Lygephila lusoria* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus, 1758 (*) (**) Realm: Hx Hp
- 1565. *Lygephila lusoria amasina* (Staudinger, 1879)** (Noctuidae) Synonym(s): *amasina* Staudinger, 1879; *sublutea* W. Warren, 1913. (*) (**) Realm: Hx Hp
- 1566. *Lygephila pallida* (A. Bang-Haas, 1907)** (Noctuidae) Synonym(s): *pallida* A. Bang-Haas, 1907 (*) (x) Realm: Hx Hp
- 1567. *Lygephila pastinum* (Treitschke, 1826)** (Noctuidae) Synonym(s): *pastinum* Treitschke, 1826; *dilutior* Staudinger, 1892. (*) (x) Realm: Hx Hp
- 1568. *Lygephila procax* (Hübner, [1813])** (Noctuidae) Synonym(s): *procax* Hübner, [1813]; *limosa* Treitschke, 1826. (*) (**) Realm: Hx Hp
- 1569. *Lygephila schachti* Behounek & Hacker, 1986** (Noctuidae) Synonym(s): *schachti* Behounek & Hacker, 1986 (*) (**) Realm: Hx Hp
- 1570. *Lygephila subpicata* Wiltshire, 1971** (Noctuidae) Synonym(s): *subpicata* Wiltshire, 1971 (*) (**) Realm: Hx Hp
- 1571. *Lygephila viciae* (Hübner, [1822])** (Noctuidae) Synonym(s): *viciae* Hübner, [1822]; *violaceogrisea* Draudt, 1950 (*) (x) Realm: Hx Hp
- 1572. *Macdunnoughia confusa* (Stephens, 1850)** (Noctuidae) Synonym(s): *confusa* Stephens, 1850; *gutta* Guenée, 1852. (*) (**) Realm: Hx Hp
- 1573. *Mamestra brassicae* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889. (*) (**) Realm: Hx Hp
- 1574. *Mamestra brassicae brassicae* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus, 1758; *omicron* Geoffroy, 1785; *albidilinea* Haworth, 1809; *andalusica* Staudinger, 1871; *decolorata* Staudinger, 1889. (*) (x)

- 1575. Maraschia grisescens Osthelder,1933** (Noctuidae) Synonym(s): *grisescens Osthelder,1933* (*) (**) Realm: Hx Hp
- 1576. Margelana brunnea Fibiger, Zahiri & Kononenko,2007** (Noctuidae) Synonym(s): *brunnea Fibiger, Zahiri & Kononenko,2007* (**) (xx) Realm: Hx Hp
- 1577. Margelana flavidior Wagner,1831** (Noctuidae) Synonym(s): *flavidior Wagner,1831* (*) (**) Realm: Hx Hp
- 1578. Margelana ochrea Brandt,1941** (Noctuidae) Synonym(s): *ochrea Brandt,1941* (**) (xx) Realm: Hx Hp
- 1579. Margelana versicolor Staudinger,1888** (Noctuidae) Synonym(s): *versicolor Staudinger,1888* (*) (**) Realm: Hx Hp
- 1580. Marsipiophora christophi (Erschoff,1874)** (Noctuidae) Synonym(s): *christophi Erschoff,1874* (**) (xx) Realm: Hx Hp
- 1581. Megalodes eximia (Freyer,1845)** (Noctuidae) Synonym(s): *eximia Freyer,1845* (*) (**) Realm: Hx Hp
- 1582. Megalodes eximia eximia (Freyer,1845)** (Noctuidae) Synonym(s): *eximia Freyer,1845* (*) (x)
- 1583. Megalodes eximia tengistana Brandt,1938** (Noctuidae) Synonym(s): *tengistana Brandt,1938* (**) (xx)
- 1584. Meganephria bimaculosa (Linnaeus,1767)** (Noctuidae) Synonym(s): *bimaculosa Linnaeus,1767; italica Esper,[1791]; binubeculosa Esper,[1804].* (*) (x) Realm: Hx Hp
- 1585. Meganephria bimaculosa pontica Draudt,1936** (Noctuidae) Synonym(s): *pontica Draudt,1936* (*) (x)
- 1586. Meganola albula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#albula [Denis & Schiffermüller],1775* (*) (x) Realm: Hx Hp
- 1587. Meganola gigantula (Staudinger,1879)** (Noctuidae) Synonym(s): *gigantula Staudinger,1879* (*) (x) Realm: Hx Hp
- 1588. Meganola nanula (Wiltshire,1961)** (Noctuidae) Synonym(s): *nanula Wiltshire,1961* (**) (xx) Realm: Hx Hp
- 1589. Meganola strigula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#strigula [Denis & Schiffermüller],1775* (*) (**) Realm: Hx Hp
- 1590. Meganola taurica (Daniel,1935)** (Noctuidae) Synonym(s): *taurica Daniel,1935* (*) (x) Realm: Hx Hp
- 1591. Meganola togatalis (Hübner,1796)** (Noctuidae) Synonym(s): *togatalis Hübner,1796* (*) (x) Realm: Hx Hp
- 1592. Mekrania punctalis Brandt,1941** (Noctuidae) Synonym(s): *punctalis Brandt,1941* (**) (xx) Realm: Hx Hp
- 1593. Melanchra persicariae (Linnaeus,1761)** (Noctuidae) Synonym(s): *persicariae Linnaeus,1761; sambuci Hufnagel,1766; graphica Geoffroy,1785; accipitrina Esper,[1788].* (*) (**) Realm: Hx Hp
- 1594. Melanchra persicariae cypriaca Hacker & Wimmer,1990** (Noctuidae) Synonym(s): *cypriaca Hacker & Wimmer,1990* (*) (x)
- 1595. Melanchra pisi (Linnaeus,1758)** (Noctuidae) Synonym(s): *pisi Linnaeus,1758; rukavaarae Hoffmann,1893; pardoi Agenjo,1945.* (*) (x) Realm: Hx Hp
- 1596. Mesapamea (Resapamea) hedeni (Graeser,1888)** (Noctuidae) Synonym(s): *hedeni Graeser,1888; subornata Staudinger,1896.* (*) (x) Realm: Hx Hp
- 1597. Mesapamea (Resapamea) hedeni vargai Hacker,1988** (Noctuidae) Synonym(s): *vargai Hacker,1988* (*) (x)
- 1598. Mesapamea (s.str.) didyma (Esper,[1788])** (Noctuidae) Synonym(s): *didyma Esper,[1788]; secalella Remm,1983.* (*) (x) Realm: Hx Hp
- 1599. Mesapamea (s.str.) secalis (Linnaeus,1758)** (Noctuidae) Synonym(s): *secalis Linnaeus,1758* (*) (**) Realm: Hx Hp
- 1600. Mesapamea (s.str.) vaskeni Varga,1979** (Noctuidae) Synonym(s): *vaskeni Varga,1979* (*) (x) Realm: Hx Hp
- 1601. Mesapamea (s.str.) vaskeni vaskeni Varga,1979** (Noctuidae) Synonym(s): *vaskeni Varga,1979* (*) (x)
- 1602. Mesogona acetosellae (Goeze,1781)** (Noctuidae) Synonym(s): *#acetosellae [Denis & Schiffermüller],1775; acetosellae Goeze,1781; vorbrodti Wehrli,1917; grisea Dannehl,1929; pallida Dannehl,1929; segoviensis Calle,1982; #clarescens Calle,1982* (*) (x) Realm: Hx Hp
- 1603. Mesogona acetosellae anatolica Fibiger & Schepler,1997** (Noctuidae) Synonym(s): *anatolica Fibiger & Schepler,1997* (*) (x)
- 1604. Mesogona oxalina (Hübner,[1803])** (Noctuidae) Synonym(s): *oxalina Hübner,[1803]* (*) (x) Realm: Hx Hp
- 1605. Mesoligia furuncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *furuncula [Denis & Schiffermüller],1775; spoliatricula [Denis & Schiffermüller],1775; bicoloria Villers,1789; vinctuncula Hübner,[1803]; humeralis Haworth,1809; terminalis Haworth,1809; rufuncula Haworth,1809* (*) (**) Realm: Hx Hp
- 1606. Mesoligia literosa (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa Haworth,[1809]; erratricula Hübner,[1813];*

- faroulti* Rothschild, 1914; *powelli* Oberthür, 1918
(*) (**) Realm: Hx Hp
1607. **Mesoligia literosa kutchilou** (Brandt, 1939)
(Noctuidae) Synonym(s): *kutchilou* Brandt, 1939
(**) (xx)
1608. **Mesoligia literosa minorasia** Rezbanyai-
Reser, 1998 (Noctuidae) Synonym(s):
minorasia Rezbanyai-Reser, 1998 (*) (x)
1609. **Mesoligia literosa subarcta**
(Staudinger, 1898) (Noctuidae) Synonym(s):
subarcta Staudinger, 1898 (*) (**) (xx)
1610. **Mesoplus contrita** (Christoph, 1884)
(Noctuidae) Synonym(s): *contrita*
Christoph, 1884 (**) (xx) Realm: Hx Hp
1611. **Metachrostis dardouini** (Boisduval, 1840)
(Noctuidae) Synonym(s): *dardouini*
Boisduval, 1840 (*) (**) Realm: Hx Hp
1612. **Metachrostis dardouini dilucida**
(Osthelder, 1933) (Noctuidae) Synonym(s):
dilucida Osthelder, 1933 (*) (**) (xx)
1613. **Metachrostis sefidi** (Brandt, 1938)
(Noctuidae) Synonym(s): *sefidi* Brandt, 1938
(*) (**) Realm: Hx Hp
1614. **Metachrostis velocior** (Staudinger, 1892)
(Noctuidae) Synonym(s): *velocior*
Staudinger, 1892 (*) (x) Realm: Hx Hp
1615. **Metachrostis velocior velocior**
(Staudinger, 1892) (Noctuidae) Synonym(s):
velocior Staudinger, 1892 (*) (x)
1616. **Metachrostis velox** (Hübner, [1813])
(Noctuidae) Synonym(s): *velox* Hübner, [1813];
griseimargo W. Warren, 1912; *velocissima*
Turati, 1926; *rubescens* Schwingenschuss, 1930;
vinacea De Joannis, 1931 (*) (**) Realm: Hx Hp
1617. **Metaegle gratiosa** (Staudinger, 1892)
(Noctuidae) Synonym(s): *gratiosa*
Staudinger, 1892; *iranica* Bytinski-Salz &
Brandt, 1937. (*) (**) Realm: Hx Hp
1618. **Metaegle pallida** (Staudinger, 1892)
(Noctuidae) Synonym(s): *pallida*
Staudinger, 1892 (*) (x) Realm: Hx Hp
1619. **Metalopha ionodoxa** Ronkay, 1990
(Noctuidae) Synonym(s): *ionodoxa* Ronkay, 1990
(*) (**) Realm: Hx Hp
1620. **Metalopha ionodoxa euechalcina**
Ronkay, 1990 (Noctuidae) Synonym(s):
euechalcina Ronkay, 1990 (**) (xx)
1621. **Metalopha ionodoxa ionodoxa**
Ronkay, 1990 (Noctuidae) Synonym(s):
ionodoxa Ronkay, 1990 (*) (x)
1622. **Metalopha liturata** (Christoph, 1887)
(Noctuidae) Synonym(s): *liturata*
Christoph, 1887; *plusina* Staudinger, 1892. (*)
(**) Realm: Hx Hp
1623. **Metalopha liturata liturata**
(Christoph, 1887) (Noctuidae) Synonym(s):
liturata Christoph, 1887; *plusina* Staudinger, 1892. (*) (**) (xx)
1624. **Metopistis erschoffi** (Christoph, 1884)
(Noctuidae) Synonym(s): *erschoffi*
Christoph, 1884 (**) (xx) Realm: Hx Hp
1625. **Metopistis picturata** (Rothschild, 1909)
(Noctuidae) Synonym(s): *picturata*
Rothschild, 1909 (**) (xx) Realm: Hx Hp
1626. **Metopoceras (s.str.) delicata**
(Staudinger, 1898) (Noctuidae) Synonym(s):
delicata Staudinger, 1898; *gauckleri*
Püngeler, 1905. (*) (x) Realm: Hx Hp
1627. **Metopoceras (s.str.) omar**
(Oberthür, 1887) (Noctuidae) Synonym(s):
omar Oberthür, 1887 (*) (**) Realm: Hx Hp
1628. **Metopoceras (s.str.) omar caspica**
Alpheraky, 1895 (Noctuidae) Synonym(s):
caspica Alpheraky, 1895 (**) (xx)
1629. **Metopoceras (s.str.) omar felix**
Standfuss, 1893 (Noctuidae) Synonym(s): *felix*
Standfuss, 1893; *sacra* Staudinger, 1895. (*)
(**) (xx)
1630. **Metopoceras (s.str.) solituda**
(Brandt, 1938) (Noctuidae) Synonym(s):
solituda Brandt, 1938 (**) (xx) Realm: Hx Hp
1631. **Metopodicha antherici** (Christoph, 1884)
(Noctuidae) Synonym(s): *antherici*
Christoph, 1884 (**) (xx) Realm: Hx Hp
1632. **Metopodicha ernesti** Draudt, 1936
(Noctuidae) Synonym(s): *ernesti* Draudt, 1936;
achaemenica Wiltshire, 1941 (*) (**) Realm:
Hx Hp
1633. **Metoponrhis albirena** (Christoph, 1887)
(Noctuidae) Synonym(s): *albirena*
Christoph, 1887 (*) (**) Realm: Hx Hp
1634. **Metoponrhis albirena albirena**
(Christoph, 1887) (Noctuidae) Synonym(s):
albirena Christoph, 1887 (*) (**) (xx)
1635. **Metoponrhis karakumensis**
(Gerasimov, 1931) (Noctuidae) Synonym(s):
karakumensis Gerasimov, 1931 (**) (xx)
Realm: Hx Hp
1636. **Metoponrhis karakumensis kasyi**
Wiltshire, 1971 (Noctuidae) Synonym(s): *kasyi*
Wiltshire, 1971 (**) (xx)
1637. **Metopoplus boursini** Brandt, 1938
(Noctuidae) Synonym(s): *boursini* Brandt, 1938
(*) (**) Realm: Hx Hp
1638. **Metopoplus excelsa** (Christoph, 1885)
(Noctuidae) Synonym(s): *excelsa*
Christoph, 1885 (*) (**) Realm: Hx Hp
1639. **Micriantha decorata** (Frivaldsky, 1845)
(Noctuidae) Synonym(s): *decorata*
Frivaldsky, 1845 (*) (x) Realm: Hx Hp
1640. **Micronola karsholti** Fibiger, 1997
(Noctuidae) Synonym(s): *karsholti* Fibiger, 1997
(*) (x) Realm: Hx Hp

- 1641. Minucia bimaculata (Osthelder,1933)** (Noctuidae) Synonym(s): *bimaculata* Osthelder,1933 (*) (**) Realm: Hx Hp
- 1642. Minucia bimaculata pulchrior Wiltshire,1957** (Noctuidae) Synonym(s): *pulchrior* Wiltshire,1957 (**) (xx)
- 1643. Mniotype adusta (Esper,[1790])** (Noctuidae) Synonym(s): *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *grisescens* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki (*) (x) Realm: Hx Hp
- 1644. Mniotype buxtoni (Rothschild,1921)** (Noctuidae) Synonym(s): *buxtoni* Rothschild,1921 (**) (xx) Realm: Hx Hp
- 1645. Mniotype fabulosa Benedek & L.Ronkay,2002** (Noctuidae) Synonym(s): *fabulosa* Benedek & L.Ronkay,2002 (**) (xx) Realm: Hx Hp
- 1646. Mniotype solieri (Boisduval,1840)** (Noctuidae) Synonym(s): *solieri* Boisduval,1840 (*) (x) Realm: Hx Hp
- 1647. Mniotype solieri solieri (Boisduval,1840)** (Noctuidae) Synonym(s): *solieri* Boisduval,1840 (*) (x)
- 1648. Moma alpium (Osbeck,1778)** (Noctuidae) Synonym(s): *alpium* Osbeck,1778 (*) (**) Realm: Hx Hp
- 1649. Mormo maura (Linnaeus,1758)** (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996 (*) (**) Realm: Hx Hp
- 1650. Myana sapor Swinhoe,1884** (Noctuidae) Synonym(s): *sapora* Swinhoe,1884; *amseli* Brandt,1941. (**) (xx) Realm: Hx Hp Px Pa
- 1651. Mythimna (Aletia) alopecuri (Boisduval,1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933 (*) (x) Realm: Hx Hp
- 1652. Mythimna (Aletia) andereggii (Boisduval,1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval,1840 (*) (x) Realm: Hx Hp
- 1653. Mythimna (Aletia) anderreggii anderreggii (Boisduval,1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval,1840 (*) (x)
- 1654. Mythimna (Aletia) citrinotata (Hampson,1905)** (Noctuidae) Synonym(s): *citrinotata* Hampson,1905; *brandti* Boursin,1963 (**) (xx) Realm: Hx Hp
- 1655. Mythimna (Aletia) congrua (Hübner,[1817])** (Noctuidae) Synonym(s): *congrua* Hübner,[1817]; *amnicola* Rambur,1829. (*) (x) Realm: Hx Hp
- 1656. Mythimna (Aletia) conigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788]. (*) (**) Realm: Hx Hp
- 1657. Mythimna (Aletia) consanguis (Guenée,1852)** (Noctuidae) Synonym(s): *consanguis* Guenée,1852 (*) (x) Realm: Hx Hp Px Pa Po Ax Aa Ap
- 1658. Mythimna (Aletia) deserticola (Bartel,1903)** (Noctuidae) Synonym(s): *deserticola* Bartel,1903 (*) (x) Realm: Hx Hp
- 1659. Mythimna (Aletia) impura (Hübner,[1808])** (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalis* Staudinger,1892; *fuscipennis* W.Warren,1910 (*) (**) Realm: Hx Hp
- 1660. Mythimna (Aletia) impura dungana (Alpheraky,1882)** (Noctuidae) Synonym(s): *dungana* Alpheraky,1882 (**) (xx)
- 1661. Mythimna (Aletia) impura impura (Hübner,[1808])** (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalis* Staudinger,1892; *fuscipennis* W.Warren,1910 (*) (x)
- 1662. Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881 (*) (**) Realm: Hx Hp Px Po
- 1663. Mythimna (Aletia) pallens (Linnaeus,1758)** (Noctuidae) Synonym(s): *pallens* Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829. (*) (x) Realm: Hx Hn Hp
- 1664. Mythimna (Aletia) prominens Walker,1856** (Noctuidae) Synonym(s): *prominens* Walker,1856; *hispanica* Bellier,1863. (*) (**) Realm: Hx Hp Px Pa
- 1665. Mythimna (Aletia) pudorina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *pudorina* [Denis & Schiffermüller],1775; *impudens* Hübner,[1803]. (*) (x) Realm: Hx Hp
- 1666. Mythimna (Aletia) sassanidica (Hacker,1986)** (Noctuidae) Synonym(s): *sassanidica* Hacker,1986 (*) (**) Realm: Hx Hp
- 1667. Mythimna (Aletia) scirpi (Duponchel,1836)** (Noctuidae) Synonym(s): *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cyperi*

- Boisduval, 1840; fuscilinea* Graslin, 1852; *syriaca* Osthelder, 1933. (*) (x) Realm: Hx Hp
- 1668. Mythimna (Aletia) sicala (Treitschke, 1835)** (Noctuidae) Synonym(s): *sicala* Treitschke, 1835; *albivena* Graslin, 1852. (*) (x) Realm: Hx Hp
- 1669. Mythimna (Aletia) straminea (Treitschke, 1825)** (Noctuidae) Synonym(s): *straminea* Treitschke, 1825 (*) (**) Realm: Hx Hp
- 1670. Mythimna (Aletia) vitellina (Hübner, [1808])** (Noctuidae) Synonym(s): *vitellina* Hübner, [1808]; *#vitellina* Lederer, 1870; *decolorata* Dannehl, 1929; *saturation* Dannehl, 1929; *grisea* Dannehl, 1929. (*) (**) Realm: Hx Hp Px Po
- 1671. Mythimna (Anapoma) riparia (Rambur, 1829)** (Noctuidae) Synonym(s): *riparia* Rambur, 1829 (*) (x) Realm: Hx Hp
- 1672. Mythimna (Hyphilare) albipuncta (Fabricius, 1787)** (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller, 1775; *albipuncta* (Fabricius, 1787; *rufotincta* Wagner, 1921. (*) (**) Realm: Hx Hp
- 1673. Mythimna (Hyphilare) ferrago (Fabricius, 1787)** (Noctuidae) Synonym(s): *ferrago* Fabricius, 1787; *lithargyria* Esper, [1788]; *grisea* Stephens, 1829; *anargyria* Boisduval, 1840; *argyristis* Rambur, 1858; *meridionalis* Dannehl, 1926 (*) (**) Realm: Hx Hp
- 1674. Mythimna (Morphopoliana) languida (Walker, 1858)** (Noctuidae) Synonym(s): *consanguis* auct. nec Gn., 1852; *languida* Walker, 1858; *zachii* Bohatsch, 1880; *abbas* Bethune-Baker, 1894; *arbia* Boursin & Rungs, 1952. (*) (**) Realm: Hx Hp Px Pa
- 1675. Mythimna (Pseudaletia) unipuncta (Haworth, [1809])** (Noctuidae) Synonym(s): *unipuncta* Haworth, [1809]; *extranea* Guenée, 1852; *antica* Walker, 1856; *tseki* Koutsaftikis, 1974. (*) (x) Realm: Hx Hn Hp Px Pn Pa Ax Aa Ap
- 1676. Mythimna joannisi arabia (Boursin & Rungs, 1952)** (Noctuidae) Synonym(s): *arabia* Boursin & Rungs, 1952 (**) (xx)
- 1677. Naenia typica (Linnaeus, 1758)** (Noctuidae) Synonym(s): *typica* Linnaeus, 1758; *filicis* Goeze, 1781; *venosa* Hübner, [1803]; *excusa* Esper, [1805]; *claricolor* Schawerda, 1928. (*) (**) Realm: Hx Hp
- 1678. Netrocercora quadrangula (Zetterstedt, [1839])** (Noctuidae) Synonym(s): *quadrangula* Eversmann, 1844; *coraxa* Püngeler, 1898; *oblongula* Staudinger, 1901; *quadriplaga* Bartel, 1902 (*) (x) Realm: Hx Hp
- 1679. Nezonecta obtusa Varga & Ronkay, 1991** (Noctuidae) Synonym(s): *obtusa* Varga & Ronkay, 1991 (*) (**) Realm: Hx Hp
- 1680. Nezonecta pusilla (Püngeler, 1900)** (Noctuidae) Synonym(s): *pusilla* Püngeler, 1900 (*) (**) Realm: Hx Hp
- 1681. Noctua (Divaena) haywardi (Tams, 1926)** (Noctuidae) Synonym(s): *haywardi* Tams, 1926; *balcanica* Slivov, 1985 (*) (x) Realm: Hx Hp
- 1682. Noctua (Euschesis) interjecta (Hübner, [1803])** (Noctuidae) Synonym(s): *interjecta* Hübner, [1803]. (*) (x) Realm: Hx Hp
- 1683. Noctua (Euschesis) interjecta interjecta (Hübner, [1803])** (Noctuidae) Synonym(s): *interjecta* Hübner, [1803]. (*) (x)
- 1684. Noctua (Euschesis) janthina ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *janthina* [Denis & Schiffermüller], 1775; *latimarginata* Röber, 1900. (*) (**) Realm: Hx Hp
- 1685. Noctua (Lampra) fimbriata (Schreber, 1759)** (Noctuidae) Synonym(s): *fimbriata* Schreber, 1759; *domiduca* Hufnagel, 1766; *fimbria* Linnaeus, 1767; *solani* Fabricius, 1787. (*) (x) Realm: Hx Hp
- 1686. Noctua (Lampra) tirrenica (Biebing, Speidel & Hanigk, 1983)** (Noctuidae) Synonym(s): *tirrenica* Biebing, Speidel & Hanigk, 1983 (*) (x) Realm: Hx Hp
- 1687. Noctua (Latanocua) orbona (Hufnagel, 1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel, 1766; *subsequa* [Denis & Schiffermüller], 1775; *caroni* Lempke, 1964. (*) (**) Realm: Hx Hp
- 1688. Noctua (Paranocua) comes (Hübner, [1813])** (Noctuidae) Synonym(s): *orbona* Fabricius, 1787 nec Hufn., 1767; *comes* Hübner, [1813]; *adsequa* Treitschke, 1825; *prosequa* Treitschke, 1825; *bergensis* Sp.-Schn., 1901. (*) (**) Realm: Hx Hp
- 1689. Noctua (Paranocua) interposita (Hübner, 1790)** (Noctuidae) Synonym(s): *interposita* Hübner, 1790; *consequa* Hübner, [1803]; *sarmata* Rambur, 1871; *nigra* Pieszczyk, 1908; *baraudi* Boursin, 1963; *lajonquierrei* Boursin, 1963; *terracotta* Boursin, 1963 (*) (x) Realm: Hx Hp
- 1690. Noctua (Paranocua) interposita interposita (Hübner, 1790)** (Noctuidae) Synonym(s): *interposita* Hübner, 1790; *consequa* Hübner, [1803]; *sarmata* Rambur, 1871; *nigra* Pieszczyk, 1908; *baraudi* Boursin, 1963; *lajonquierrei* Boursin, 1963; *terracotta* Boursin, 1963 (*) (x)
- 1691. Noctua (Paranocua) warreni (Lödl, 1987)** (Noctuidae) Synonym(s): *warreni* Lödl, 1987 (*) (x) Realm: Hx Hp

- 1692. *Noctua* (s.str.) *pronuba* (Linnaeus,1758)**
(Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Piesz.,1908; *decolorata* Turati,1923. (*) (**) Realm: Hx Hp
- 1693. *Noctua* (s.str.) *tertia* Mentzer, Moberg & Fibiger,1991** (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991 (*) (**) Realm: Hx Hp
- 1694. *Nodaria* *nodosalis* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *nodosalis* Herrich-Schäffer,[1851]; *aethiopolis* Herrich-Schäffer,[1851]; *hispanalis* Guenée,1854; *aesopusalis* Walker,[1859]. (*) (x) Realm: Hx Hp Px Pa
- 1695. *Nola* *chlamitulalis* (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis* Hübner,[1813] (*) (x) Realm: Hx Hp
- 1696. *Nola* *cicatricalis* (Treitschke,1835)** (Noctuidae) Synonym(s): *cicatricalis* Treitschke,1835 (*) (x) Realm: Hx Hp
- 1697. *Nola* *confusalis* (Herrich-Schäffer,1847)** (Noctuidae) Synonym(s): *confusalis* Herrich-Schäffer,1847; *fumosalis* Daniel,1957. (*) (x) Realm: Hx Hp
- 1698. *Nola* *cristatula* (Hübner,1793)** (Noctuidae) Synonym(s): *cristatula* Hübner,1793; *cristulalis* Hübner,1796; *cristulana* Hübner,[1825]. (*) (x) Realm: Hx Hp
- 1699. *Nola* *cucullatella* (Linnaeus,1758)** (Noctuidae) Synonym(s): *cucullatella* Linnaeus,1758 (*) (x) Realm: Hx Hp
- 1700. *Nola* *harouni* (Wiltshire,1951)** (Noctuidae) Synonym(s): *harouni* Wiltshire,1951; *dilmuna* Wiltshire,1961. (*) (**) Realm: Hx Hp
- 1701. *Nola* *karelica* (Tengström,1869)** (Noctuidae) Synonym(s): *karelica* Tengström,1869 (*) (x) Realm: Hx Hp
- 1702. *Nola* *karelica* *tigranula* Püngeler,1902** (Noctuidae) Synonym(s): *tigranula* Püngeler,1902 (*) (x)
- 1703. *Nola* *ronkayorum* Beshkov,2006** (Noctuidae) Synonym(s): *ronkayorum* Beshkov,2006 (*) (x) Realm: Hx Hp
- 1704. *Nola* *squalida* Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *uranica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henrioti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947 (*) (**) Realm: Hx Hp Px Pa Po
- 1705. *Nola* *subchlamydula* Staudinger,1870** (Noctuidae) Synonym(s): *subchlamydula* Staudinger,1870 (*) (**) Realm: Hx Hp
- 1706. *Nonagria* *typhae* (Thunberg,1784)** (Noctuidae) Synonym(s): *typhae* Thunberg,1784; *arundinis* Fabricius,1787. (*) (**) Realm: Hx Hp
- 1707. *Nycteola* *asiatica* (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954. (*) (**) Realm: Hx Hp
- 1708. *Nycteola* *columbana* (Turner,1925)** (Noctuidae) Synonym(s): *columbana* Thurner,1925; *gallicana* Aubert,1957; *#apicistrigata* Dufay,1958. (*) (x) Realm: Hx Hp
- 1709. *Nycteola* *eremostola* Dufay,1961** (Noctuidae) Synonym(s): *eremostola* Dufay,1961 (*) (x) Realm: Hx Hp
- 1710. *Nycteola* *revayana* (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana* Scopoli,1772; *duplana* Fabricius,1777; *ilicana* Fabricius,1781; *fasciatum* Retzius,1783; *punctana* Thunberg,1784; *anglica* Fourcroy,1785; *rivagana* Fabricius,1787; *ramosana* Hübner,1793; *undulana* Hübner,[1799]; *bifasciana* Donovan,1801 *nec* Hbn.,1787 (*) (**) Realm: Hx Hp
- 1711. *Nycteola* *siculana* (Fuchs,1899)** (Noctuidae) Synonym(s): *siculana* Fuchs,1899; *cuneana* Patočka,1953; *pseudodilutana* Obratsov,1954. (*) (x) Realm: Hx Hp
- 1712. *Ochropleura* *leucogaster* (Freyer,1831)** (Noctuidae) Synonym(s): *leucogaster* Freyer,1831 (*) (x) Realm: Hx Hp Px Pa
- 1713. *Ochropleura* *plecta* (Linnaeus,1761)** (Noctuidae) Synonym(s): *plecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unupplecta* Bryk,1942. (*) (**) Realm: Hx Hp
- 1714. *Odice* *arcuinna* (Hübner,1790)** (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803]. (*) (**) Realm: Hx Hp
- 1715. *Odice* *arcuinna* *arcuinna* (Hübner,[1790])** (Noctuidae) Synonym(s): *arcuinna* Hübner,1790; *inamoena* Hübner,[1803]. (*) (**) (**) Realm: Hx Hp
- 1716. *Odice* *keyserlingi* (Bienert,1870)** (Noctuidae) Synonym(s): *keyserlingi* Bienert,1870 (**) (xx) Realm: Hx Hp
- 1717. *Odice* *kuelekana* (Staudinger,1871)** (Noctuidae) Synonym(s): *kuelekana* Staudinger,1871 (*) (x) Realm: Hx Hp
- 1718. *Odice* *suava* (Hübner,[1813])** (Noctuidae) Synonym(s): *suava* Hübner,[1813]. (*) (x) Realm: Hx Hp
- 1719. *Odice* *suava* *bithynica* (Schwingenschuss,1940)** (Noctuidae) Synonym(s): *bithynica* Schwingenschuss,1940. (*) (x)

- 1720. Odontestis ? dubiosa (Brandt,1941)** (Noctuidae) Synonym(s): *dubiosa* Brandt,1941 (*) (xx) Realm: Hx Hp
- 1721. Oligia latruncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775 (*) (**) Realm: Hx Hp
- 1722. Oligia latruncula grisescens (Heydemann,1932)** (Noctuidae) Synonym(s): *grisescens* Heydemann,1932; *erewani* Fazekas,1984. (*) (**) Realm: Hx Hp
- 1723. Oligia latruncula latruncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775 (*) (x)
- 1724. Oligia pseudodubia Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *pseudodubia* Rezbanyai-Reser,1997 (*) (x) Realm: Hx Hp
- 1725. Oligia strigilis (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775. (*) (**) Realm: Hx Hp
- 1726. Oligia suleiman Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *suleiman* Rezbanyai-Reser,1997 (*) (**) Realm: Hx Hp
- 1727. Oligia turcia Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *turcia* Rezbanyai-Reser,1997 (*) (x) Realm: Hx Hp
- 1728. Oligia vandarban Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *vandarban* Rezbanyai-Reser,1997 (**) (xx) Realm: Hx Hp
- 1729. Oligia versicolor (Borkhausen,1792)** (Noctuidae) Synonym(s): *versicolor* Borkhausen,1792; *vojnitsi* Kovacs,1967; *nerminae* Koçak,1982. (*) (x) Realm: Hx Hp
- 1730. Olivenebula subsericata (Herrich-Schäffer,1861)** (Noctuidae) Synonym(s): *subsericata* Herrich-Schäffer,1861; *#elisabethae* De Lattin,1951; *bobitsi* Beck,1996. (*) (**) Realm: Hx Hp
- 1731. Omia raphaeli Kettner,2004** (Noctuidae) Synonym(s): *raphaeli* Kettner,2004 (*) (x) Realm: Hx Hp
- 1732. Omphalophana anatolica (Lederer,1857)** (Noctuidae) Synonym(s): *anatolica* Lederer,1857 (*) (**) Realm: Hx Hp
- 1733. Omphalophana antirrhinii (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803] (*) (**) Realm: Hx Hp
- 1734. Omphalophana antirrhinii asiatica Osthelder,1933** (Noctuidae) Synonym(s): *asiatica* Osthelder,1933 (*) (x)
- 1735. Omphalophana durnalayana Osthelder,1933** (Noctuidae) Synonym(s): *durnalayana* Osthelder,1933 (*) (x) Realm: Hx Hp
- 1736. Omphalophana pauli (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892; *adamantina* Blachier,1905 (*) (x) Realm: Hx Hp
- 1737. Oncocnemis arenbergeri Hacker & Lödl,1989** (Noctuidae) Synonym(s): *arenbergeri* Hacker & Lödl,1989 (*) (x) Realm: Hx Hp
- 1738. Oncocnemis campicola Lederer,1853** (Noctuidae) Synonym(s): *campicola* Lederer,1853 (*) (x) Realm: Hx Hp
- 1739. Oncocnemis confusa (Freyer,[1839])** (Noctuidae) Synonym(s): *confusa* Freyer,[1839]. (*) (**) Realm: Hx Hp
- 1740. Oncocnemis confusa persica Ebert,1978** (Noctuidae) Synonym(s): *persica* Ebert,1978 (*) (**) Realm: Hx Hp
- 1741. Oncocnemis erythropsis Brandt,1938** (Noctuidae) Synonym(s): *erythropsis* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1742. Oncocnemis exacta Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937 (*) (**) Realm: Hx Hp
- 1743. Oncocnemis exacta exacta Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937 (**) (xx)
- 1744. Oncocnemis exacta vanensis Hreblay & Ronkay,1992** (Noctuidae) Synonym(s): *vanensis* Hreblay & Ronkay,1992 (*) (x)
- 1745. Oncocnemis fuscipicta Wiltshire,1976** (Noctuidae) Synonym(s): *fuscipicta* Wiltshire,1976 (*) (x) Realm: Hx Hp
- 1746. Oncocnemis idioglypha Brandt,1938** (Noctuidae) Synonym(s): *idioglypha* Brandt,1938 (**) (xx) Realm: Hx Hp
- 1747. Oncocnemis nigricula (Eversmann,1847)** (Noctuidae) Synonym(s): *nigricula* Eversmann,1847 (*) (x) Realm: Hx Hp
- 1748. Oncocnemis nigricula araratrica G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *araratrica* G.Ronkay & L.Ronkay,1995 (*) (x)
- 1749. Oncocnemis strioligera Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853 (*) (**) Realm: Hx Hp
- 1750. Oncocnemis strioligera anatolica Hacker,[1987]** (Noctuidae) Synonym(s): *anatolica* Hacker,[1987] (*) (x)
- 1751. Oncocnemis strioligera strioligera Lederer,1853** (Noctuidae) Synonym(s): *strioligera* Lederer,1853 (**) (xx)
- 1752. Ophiusa lunaris (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *chosensis* Bryk,1949. (*) (**) Realm: Hx Hp

- 1753. Ophiusa tirhaca (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978 (*) (**) Realm: Hx Hp Px Pa Po Ax Aa Ap
- 1754. Opigena huberi Hacker,1999** (Noctuidae) Synonym(s): *huberi* Hacker,1999 (*) (**) Realm: Hx Hp
- 1755. Opigena polygona (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792. (*) (**) Realm: Hx Hp Px Po
- 1756. Opigena polygona chersotimorpha Ronkay & Varga,1985** (Noctuidae) Synonym(s): *chersotimorpha* Ronkay & Varga,1985 (*) (**) Realm: Hx Hp
- 1757. Opigena polygona polygona (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792. (*) (x)
- 1758. Orectis proboscidata (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *proboscidata* Herrich-Schäffer,[1851]; *barteli* Turati,1907. (*) (x) Realm: Hx Hp
- 1759. Oria musculosa (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889. (*) (**) Realm: Hx Hp
- 1760. Orthosia (Dioszeghyana) schmidtii (Diószeghy,1935)** (Noctuidae) Synonym(s): *schmidtii* Diószeghy,1935 (*) (x) Realm: Hx Hp
- 1761. Orthosia (Dioszeghyana) schmidtii pinkeri Hreblay & Varga,1993** (Noctuidae) Synonym(s): *pinkerii* Hreblay & Varga,1993 (*) (x)
- 1762. Orthosia (Monima) cerasi (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809. (*) (**) Realm: Hx Hp
- 1763. Orthosia (Monima) dalmatica (Wagner,1909)** (Noctuidae) Synonym(s): *dalmatica* Wagner,1909 (*) (x) Realm: Hx Hp
- 1764. Orthosia (Monima) dalmatica ivani Gyulai** (Noctuidae) Synonym(s): (*) (x)
- 1765. Orthosia (Monima) imitabilis Hreblay,1993** (Noctuidae) Synonym(s): *imitabilis* Hreblay,1993 (**) (xx) Realm: Hx Hp
- 1766. Orthosia (Monima) populeti (Fabricius,1781)** (Noctuidae) Synonym(s): *populeti* Fabricius,1781; *populi* Ström,1783; *subplumbeus* Haworth,1803; *intermedia* Stephens,1829; *ocularis* Freyer,1833; *tremuleti* Tetens,1876. (*) (x) Realm: Hx Hp
- 1767. Orthosia (Monima) pulverulenta (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803]. (*) (x) Realm: Hx Hp
- 1768. Orthosia (Monima) pulverulenta illustris Hreblay,1993** (Noctuidae) Synonym(s): *illustris* Hreblay,1993 (*) (x)
- 1769. Orthosia (Semiophora) gothica (Linnaeus,1758)** (Noctuidae) Synonym(s): *gothica* Linnaeus,1758; *nunatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849]. (*) (x) Realm: Hx Hp
- 1770. Orthosia (s.str.) incerta (Hufnagel,1766)** (Noctuidae) Synonym(s): *incerta* Hufnagel,1766; *instabilis* [Denis & Schiffermüller],1775; *collinita* Esper,[1790]; *contracta* Esper,[1790]; *trigutta* Esper,[1790]; *nebulosus* Haworth,1803; *subsetaceus* Haworth,1803; *angustus* Haworth,1803; *fuscatus* Haworth,1803; *pallida* Lampa,1885 *nec* Hw.,1809; *pallidior* Staudinger,1901 *nec* Stgr.,1888 (*) (**) Realm: Hx Hp
- 1771. Orthosia cypriaca Hacker,1996** (Noctuidae) Synonym(s): *cypriaca* Hacker,1996 (*) (x) Realm: Hx Hp
- 1772. Orthosia gracilis (Fabricius,1787)** (Noctuidae) Synonym(s): *#gracilis* [Denis & Schiffermüller],1775; *gracilis* Fabricius,1787; *lepidia* Brahm,1791; *sparsus* Haworth,1803; *pallidior* Staudinger,1888. (*) (x) Realm: Hx Hp
- 1773. Orthosia rubricosa (Esper,[1786])** (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper, [1786]. (*) (x) Realm: Hx Hp
- 1774. Ostheldera gracilis (Osthelder,1933)** (Noctuidae) Synonym(s): *gracilis* Osthelder,1933 (*) (**) Realm: Hx Hp
- 1775. Oxytripia orbiculosa (Esper,1799)** (Noctuidae) Synonym(s): *orbiculosa* Esper,1799 (*) (x) Realm: Hx Hp
- 1776. Oxytripia orbiculosa noctivolans Pinker,1980** (Noctuidae) Synonym(s): *noctivolans* Pinker,1980 (*) (x)
- 1777. Oxytripia stephania Sutton,[1964]** (Noctuidae) Synonym(s): *stephania*

- Sutton*,[1964]; *danilevskyi* *Miljanovsky*,1973.
(*) (**) Realm: Hx Hp
- 1778. Ozarba lascivalis (Lederer,1855)**
(Noctuidae) Synonym(s): *lascivalis*
Lederer,1855 (*) (x) Realm: Hx Hp
- 1779. Ozarba moldavicola (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s):
moldavicola *Herrich-Schäffer*,[1851]; *euboica*
Mill.,1874; *mesopotamica* *Schawerda*,1924.
(*) (x) Realm: Hx Hp
- 1780. Ozarba moldavicola mesopotamica Schawerda,1923** (Noctuidae) Synonym(s):
mesopotamica *Schawerda*,1923 (*) (x)
- 1781. Ozarba sancta (Staudinger,1900)**
(Noctuidae) Synonym(s): *sancta*
Staudinger,1900 (**) (xx) Realm: Hx Hp Px Pa
- 1782. Pamparama acuta (Freyer,[1837])**
(Noctuidae) Synonym(s): *acuta* *Freyer*,[1837];
producta *Lederer*,1857; *pygmaea*
Staudinger,1871. (*) (**) Realm: Hx Hp
- 1783. Panchrysia aurea (Hübner,[1803])**
(Noctuidae) Synonym(s): *deaurata* *Esper*,[1787]
nec *Goeze*,1981; *chryson* *Borkhausen*,1792 *nec*
Esp.,[1789]; *aurea* *Hübner*,[1803]. (*) (x)
Realm: Hx Hp
- 1784. Panemeria tenebrata (Scopoli,1763)**
(Noctuidae) Synonym(s): *tenebrata*
Scopoli,1763 (*) (x) Realm: Hx Hp
- 1785. Panolis flammea ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *flammea* [*Denis & Schiffermüller*],1775 (*) (x) Realm: Hx Hp
- 1786. Panthea coenobita (Esper,1785)** (Noctuidae)
Synonym(s): *coenobita* *Esper*,1785 (*) (x)
Realm: Hx Hp
- 1787. Papestra biren (Goeze,1781)** (Noctuidae)
Synonym(s): *biren* *Goeze*,1781; *glauca*
Kleemann,1792; *lappo* *Duponchel*,1827; *aperta*
Geyer,[1832]; *quadripuncta* *Zetterstedt*,[1839];
poliostigma *Hampson*,1894; *tanensis*
Fuchs,1899; *paupercula* *Püngeler*,1902;
frustrata *McDunnough*,1946. (*) (x) Realm:
Hx Hp
- 1788. Paracentropus cyrus (Brandt,1938)**
(Noctuidae) Synonym(s): *cyrus* *Brandt*,1938
(**) (xx) Realm: Hx Hp
- 1789. Paracolax tristalis (Fabricius,1794)**
(Noctuidae) Synonym(s): *tristalis*
Fabricius,1794; *derivalis* *Hübner*,1796. (*)
(**) Realm: Hx Hp
- 1790. Paraegle ochracea (Erschoff,1874)**
(Noctuidae) Synonym(s): *ochracea*
Erschoff,1874 (*) (**) Realm: Hx Hp
- 1791. Paraegle subochracea (Staudinger,1892)**
(Noctuidae) Synonym(s): *subochracea*
Staudinger,1892 (*) (**) Realm: Hx Hp
- 1792. Parallelia algira (Linnaeus,1767)**
(Noctuidae) Synonym(s): *algira* *Linnaeus*,1767;
achatina *Sulzer*,1776; *alterna* *Villers*,1789;
triangularis *Hübner*,[1803] *nec* *Thunb.*,1784;
albivitta *Guenée*,1852; *festina* *Walker*,1858;
europaea *Schawerda*,1912 (*) (**) Realm: Hx
Hp Px Pa Po
- 1793. Parallelia rogenhoferi (Bohatsch,1880)**
(Noctuidae) Synonym(s): *rogenhoferi*
Bohatsch,1880; *mirabilis* *Romanoff*,1885;
triangulata *Swinhoe*,1889. (**) (xx) Realm:
Hx Hp
- 1794. Parallelia torrida (Guenée,1852)**
(Noctuidae) Synonym(s): *torrida* *Guenée*,1852;
albivitta *Guenée*,1852; *festina* *Walker*,1858;
#zorrida *Hacker*,[1987] (*) (**) Realm: Hx
Hp Px Pa Po
- 1795. Parascotia detersa (Staudinger,1892)**
(Noctuidae) Synonym(s): *detersa*
Staudinger,1892 (*) (**) Realm: Hx Hp
- 1796. Parascotia fuliginaria (Linnaeus,1761)**
(Noctuidae) Synonym(s): *fuliginaria*
Linnaeus,1761; *lunulata* *Fabricius*,1775;
carbonaria *Denis & Schiffermüller*,1775;
lignaria *Fabricius*,1794 (*) (x) Realm: Hx
Hp
- 1797. Parascotia robiginosa (Staudinger,1892)**
(Noctuidae) Synonym(s): *robiginosa*
Staudinger,1892 (*) (x) Realm: Hx Hp
- 1798. Parastichtis corticea (Esper,[1800])**
(Noctuidae) Synonym(s): *#ypsillon* [*Denis & Schiffermüller*],1775; *ipsilon* *Goeze*,1781 *nec*
Hufn.,1766; *corticea* *Esper*,[1800]; *fissipuncta*
Haworth,1809; *upsilon* *Curtis*,1828. (*) (**) Realm: Hx Hp
- 1799. Parastichtis corticea corticea (Esper,[1800])** (Noctuidae) Synonym(s):
#ypsillon [*Denis & Schiffermüller*],1775; *ipsilon*
Goeze,1781 *nec* *Hufnagel*,1766; *fissipuncta*
Haworth,1809; *upsilon* *Curtis*,1828. (*) (**) Realm: Hx Hp
- 1800. Parastichtis suspecta (Hübner,[1817])**
(Noctuidae) Synonym(s): *suspecta*
Hübner,[1817] (*) (x) Realm: Hx Hp
- 1801. Pardoxia graellsii (Feisthamel,1837)**
(Noctuidae) Synonym(s): *graellsii*
Feisthamel,1837; *innocens* *Walker*,1858;
fimbriata *Walker*,1865 (*) (x) Realm: Hx Hp
Px Pa
- 1802. Parexarnis ala (Staudinger,1881)**
(Noctuidae) Synonym(s): *ala* *Staudinger*,1881
(*) (x) Realm: Hx Hp
- 1803. Parexarnis damnata (Draudt,1937)**
(Noctuidae) Synonym(s): *damnata* *Draudt*,1937
(*) (**) Realm: Hx Hp
- 1804. Parexarnis figulina (Draudt,1936)**
(Noctuidae) Synonym(s): *figulina* *Draudt*,1936
(*) (x) Realm: Hx Hp
- 1805. Parexarnis sollers (Christoph,1877)**
(Noctuidae) Synonym(s): *sollers* *Christoph*,1877
(**) (xx) Realm: Hx Hp

- 1806. Parexarnis squalida (Guenée,1852)** (Noctuidae) Synonym(s): *squalida* Guenée,1852 (*) (**) Realm: Hx Hp
- 1807. Parexarnis taurica (Staudinger,1879)** (Noctuidae) Synonym(s): *taurica* Staudinger,1879; *pseudosollers* Boursin,1940. (*) (**) Realm: Hx Hp
- 1808. Pechipogo strigilata (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809. (*) (x) Realm: Hx Hp
- 1809. Pericyma albidentaria (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842 (*) (x) Realm: Hx Hp
- 1810. Pericyma signata Brandt,1939** (Noctuidae) Synonym(s): *signata* Brandt,1939 (**) (xx) Realm: Hx Hp
- 1811. Pericyma squalens Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855 (*) (**) Realm: Hx Hp
- 1812. Peridroma saucia (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infuscata* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929. (*) (**) Realm: Hx Hp Px Pa
- 1813. Perigrapha (Anorthoa) munda ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#munda* [Denis & Schiffermüller],1775 (*) (x) Realm: Hx Hp
- 1814. Perigrapha (Opacographa (Turcographa)) rorida (Frivaldsky,1835)** (Noctuidae) Synonym(s): *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990 (*) (x) Realm: Hx Hp
- 1815. Perigrapha (Opacographa (Turcographa)) rorida rorida (Frivaldsky,1835)** (Noctuidae) Synonym(s): *rorida* Frivaldsky,1835; *ganimetae* Kornosor & Lödl,1990. (*) (x)
- 1816. Perigrapha (Opacographa (Turcographa)) wolffi (Hacker,1986)** (Noctuidae) Synonym(s): *wolffi* Hacker,1986 (*) (x) Realm: Hx Hp
- 1817. Perigrapha (Opacographa (s.str.)) cilissa Püngeler,1917** (Noctuidae) Synonym(s): *cilissa* Püngeler,1917 (*) (x) Realm: Hx Hp
- 1818. Perigrapha (Opacographa (s.str.)) mithras (Wiltshire,1941)** (Noctuidae) Synonym(s): *mithras* Wiltshire,1941 (**) (xx) Realm: Hx Hp
- 1819. Perigrapha (s.str.) i-cinctum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966. (*) (x) Realm: Hx Hp
- 1820. Perigrapha (s.str.) i-cinctum hethitica Hacker,1992** (Noctuidae) Synonym(s): *hethitica* Hacker,1992 (*) (x)
- 1821. Perigrapha gyuriani Benedek & L.Ronkay,2001** (Noctuidae) Synonym(s): *gyuriani* Benedek & L.Ronkay,2001 (**) (xx) Realm: Hx Hp
- 1822. Periphanes delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. (*) (**) Realm: Hx Hp
- 1823. Periphanes victorina (Sodoffsky,1849)** (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849 (*) (x) Realm: Hx Hp
- 1824. Phleboeis sureyae (Rebel,1931)** (Noctuidae) Synonym(s): *sureyae* Rebel,1931. (*) (**) Realm: Hx Hp
- 1825. Phleboeis sureyae facunda (Draudt,1938)** (Noctuidae) Synonym(s): *facunda* Draudt,1938 (*) (**) Realm: Hx Hp
- 1826. Phleboeis sureyae kuhnae (Hacker,[1987])** (Noctuidae) Synonym(s): *kuhnae* Hacker,[1987]. (*) (x)
- 1827. Phleboeis sureyae sureyae (Rebel,1931)** (Noctuidae) Synonym(s): *sureyae* Rebel,1931 (*) (**) Realm: Hx Hp
- 1828. Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Synonym(s): *meticulosa* Linnaeus,1758; *lamii* Schadewald,1993 (*) (**) Realm: Hx Hp
- 1829. Phlogophora scita (Hübner,1790)** (Noctuidae) Synonym(s): *scita* Hübner,1790 (*) (**) Realm: Hx Hp
- 1830. Phoeophilus veternosa (Püngeler,1907)** (Noctuidae) Synonym(s): *veternosa* Püngeler,1907 (**) (xx) Realm: Hx Hp
- 1831. Photodes captiuncula (Treitschke,1825)** (Noctuidae) Synonym(s): *captiuncula* Treitschke,1825; *unica* Freyer,1858; *tincta* Kane,1895; *delattini* Varga,1970 *nec* Wiltshire,1953; *kasyi* Varga,1970. (*) (x) Realm: Hx Hp
- 1832. Photodes delattini (Wiltshire,1953)** (Noctuidae) Synonym(s): *delattini* Wiltshire,1953 (**) (xx) Realm: Hx Hp
- 1833. Photodes extrema (Hübner,[1809])** (Noctuidae) Synonym(s): *extrema* Hübner,[1809]; *concolor* Guenée,1852; *calamoxantha* Varga,1982. (*) (x) Realm: Hx Hp

- 1834. Photedes fluxa (Hübner,[1809])** (Noctuidae)
Synonym(s): *fluxa* Hübner,[1809] (*) (x)
Realm: Hx Hp
- 1835. Phyllophila melacheila (Staudinger,1896)**
(Noctuidae) Synonym(s): *melacheila*
Staudinger,1896 (*) (x) Realm: Hx Hp
- 1836. Phyllophila obliterated (Rambur,1833)**
(Noctuidae) Synonym(s): *obliterated*
Rambur,1833; wimmerii Treitschke,1835; recta
Eversmann,1844; cretacea Butler,1879; venerica
Bryk,1949. (*) (**) Realm: Hx Hp
- 1837. Phytometra viridaria (Clerck,1759)**
(Noctuidae) Synonym(s): *viridaria Clerck,1759*
(*) (x) Realm: Hx Hp
- 1838. Platysenta viscosa (Freyer,1831)**
(Noctuidae) Synonym(s): *viscosa Freyer,1831;*
indelicata Turati,1934; europaea Parenzan,1980.
(*) (x) Realm: Hx Hp
- 1839. Plecoptera inquinata (Lederer,1857)**
(Noctuidae) Synonym(s): *inquinata*
Lederer,1857; pyrami Rogenhofer,1873;
amanica Osthelder,1933 (*) (**) Realm: Hx
Hp
- 1840. Plecoptera reflexa Guenée,1852** (Noctuidae)
Synonym(s): *reflexa Guenée,1852* (**) (xx)
Realm: Hx Hp Px Po
- 1841. Plusia festucae (Linnaeus,1758)** (Noctuidae)
Synonym(s): *festucae Linnaeus,1758;*
aureoargentea Retzius,1783; yokohamensis
Bryk,1949; japonibia Bryk,1949 (*) (**) Realm: Hx Hp
- 1842. Plusidia cheiranthi (Tauscher,1809)**
(Noctuidae) Synonym(s): *cheiranthi*
Tauscher,1809; eygenia Eversmann,1841;
abrostoloides Butler,1879; separanda
Warren,1913. (*) (x) Realm: Hx Hp
- 1843. Polia bombycina (Hufnagel,1766)**
(Noctuidae) Synonym(s): *bombycina*
Hufnagel,1766; advena [Denis &
Schifferrmüller],1775; tincta Brahm,1791; nitens
Haworth,1809. (*) (x) Realm: Hx Hp
- 1844. Polia nebulosa (Hufnagel,1766)** (Noctuidae)
Synonym(s): *nebulosa Hufnagel,1766;*
bimaculosa Esper,1788 nec Linnaeus,1767;
thapsi Brahm,1791; grandis Donovan,1801;
plebeja Hübner,[1803]. (*) (x) Realm: Hx Hp
- 1845. Polia sagittigera (Hufnagel,1766)**
(Noctuidae) Synonym(s): *sagittigera*
Hufnagel,1766; leucophaea [Denis &
Schifferrmüller],1775; fulminea Fabricius,1781;
vestigialis Esper,[1785]; ravidia Esper,[1789];
pyrenaica Oberthür,1884; incana Millière,1885.
(*) (x) Realm: Hx Hp
- 1846. Polia sagittigera uighur Koçak & Kemal,2001** (Noctuidae) Synonym(s):
bombycina Eversmann,1847 nec Hufn.,1766;
uighur Koçak & Kemal,2001 (*) (x)
- 1847. Polia serratilinea Ochsenheimer,1816**
(Noctuidae) Synonym(s): *serratilinea*
Ochsenheimer,1816; helvetica Schawerda,1925;
kowatschevi Drenowski,1931; pinkeri
Varga,1974. (*) (**) Realm: Hx Hp
- 1848. Polia serratilinea serratilinea (Treitschke,1825)** (Noctuidae) Synonym(s):
serratilinea Ochsenheimer,1816; helvetica
Schawerda,1925; kowatschevi Drenowski,1931;
pinkeri Varga,1974. (*) (**) Realm: Hx Hp
- 1849. Polia serratilinea spalax (Alpheraky,1897)**
(Noctuidae) Synonym(s): *spalax Alpheraky,1897*
(**) (xx)
- 1850. Polychrysis moneta (Fabricius,1787)**
(Noctuidae) Synonym(s): *moneta*
Fabricius,1787; argyritis Esper,1787; napelli
Villers,1789 (*) (x) Realm: Hx Hp
- 1851. Polymixis (Bischoffia) bischoffi (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s):
bischoffi Herrich-Schäffer,[1850] (*) (x)
Realm: Hx Hp
- 1852. Polymixis (Bischoffia) bischoffi bischoffi (Herrich-Schäffer,1850)** (Noctuidae)
Synonym(s): *bischoffi Herrich-Schäffer,[1850]*
(*) (x)
- 1853. Polymixis (Brandticola) dubiosa (Brandt,1938)** (Noctuidae) Synonym(s):
dubiosa Brandt,1938 (*) (**) Realm: Hx Hp
- 1854. Polymixis (Brandticola) dubiosa dubiosa (Brandt,1938)** (Noctuidae) Synonym(s):
dubiosa Brandt,1938 (*) (**) Realm: Hx Hp
- 1855. Polymixis (Brandticola) dubiosa roseotincta (Brandt,1941)** (Noctuidae)
Synonym(s): *roseotincta Brandt,1941* (**) (xx)
- 1856. Polymixis (Eremophysa) apothaina (Brandt,1938)** (Noctuidae) Synonym(s):
apothaina Brandt,1938 (*) (**) Realm: Hx
Hp
- 1857. Polymixis (Eremophysa) apothaina apothaina (Brandt,1938)** (Noctuidae)
Synonym(s): *apothaina Brandt,1938* (**) (xx)
- 1858. Polymixis (Eremophysa) apothaina exspectata (Hacker,[1987])** (Noctuidae)
Synonym(s): *exspectata Hacker,[1987]* (*) (x)
- 1859. Polymixis (Eremophysa) apothaina laristana (Brandt,1941)** (Noctuidae)
Synonym(s): *laristana Brandt,1941* (**) (xx)
- 1860. Polymixis (Eremophysa) gracilis (Brandt,1941)** (Noctuidae) Synonym(s):
gracilis Brandt,1941 (**) (xx) Realm: Hx Hp
- 1861. Polymixis (Eremophysa) hedygramma (Brandt,1941)** (Noctuidae) Synonym(s):
hedygramma Brandt,1941 (**) (xx) Realm: Hx
Hp
- 1862. Polymixis (Eremophysa) scrophulariae (Wiltshire,1952)** (Noctuidae) Synonym(s):

- scrophulariae* Wiltshire,1952 (**) (xx)
Realm: Hx Hp
1863. **Polymixis (Myxinia) chrysographa** (F.Wagner,1931) (Noctuidae) Synonym(s): *chrysographa* F.Wagner,1931 (*) (x) Realm: Hx Hp
1864. **Polymixis (Myxinia) perchrysa** Hacker & Ronkay,1992 (Noctuidae) Synonym(s): *perchrysa* Hacker & Ronkay,1992 (*) (x) Realm: Hx Hp
1865. **Polymixis (Myxinia) philippsi** (Püngeler,1911) (Noctuidae) Synonym(s): *philippsi* Püngeler,1911 (*) (**) Realm: Hx Hp
1866. **Polymixis (Myxinia) rufocincta** (Geyer,1828) (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. (*) (**) Realm: Hx Hp
1867. **Polymixis (Myxinia) rufocincta flavidior** (W.Warren,1911) (Noctuidae) Synonym(s): *flavidior* W.Warren,1911 (*) (**) Realm: Hx Hp
1868. **Polymixis (Parabrachionycha) atossa** (Wiltshire,1941) (Noctuidae) Synonym(s): *atossa* Wiltshire,1941 (*) (**) Realm: Hx Hp
1869. **Polymixis (Parabrachionycha) atossa atossa** (Wiltshire,1941) (Noctuidae) Synonym(s): *atossa* Wiltshire,1941 (**) (xx) Realm: Hx Hp
1870. **Polymixis (Parabrachionycha) atossa derrai** Hacker,1990 (Noctuidae) Synonym(s): *derrai* Hacker,1990 (*) (x) Realm: Hx Hp
1871. **Polymixis (Parabrachionycha) trisignata** (Ménétriés,1847) (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924 (*) (**) Realm: Hx Hp
1872. **Polymixis (Serpimixis) serpentina** (Treitschke,1825) (Noctuidae) Synonym(s): *serpentina* Treitschke,1825 (*) (x) Realm: Hx Hp
1873. **Polymixis (s.str.) ancepsoides** Poole,1989 (Noctuidae) Synonym(s): *anceps* Staudinger,1898 *nec* Sph.,1850; *ancepsoides* Poole,1989 (*) (x) Realm: Hx Hp
1874. **Polymixis (s.str.) manisadjiani** (Staudinger,1881) (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881 (*) (x) Realm: Hx Hp
1875. **Polymixis (s.str.) manisadjiani manisadjiani** (Staudinger,1882) (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881 (*) (x) Realm: Hx Hp
1876. **Polymixis (s.str.) manisadjiani vardikiani** Ronkay & Varga,1986 (Noctuidae) Synonym(s): *vardikiani* Ronkay & Varga,1986; *#vardikiana* Baisch et al.,1998. (*) (x) Realm: Hx Hp
1877. **Polymixis (s.str.) paravarga** Ronkay,1990 (Noctuidae) Synonym(s): *paravarga* Ronkay,1990 (*) (x) Realm: Hx Hp
1878. **Polymixis (s.str.) polymita** (Linnaeus,1761) (Noctuidae) Synonym(s): *Phalaena viridiobscura* Gz.,1781; *Noctua ridens* Hbn.,[1803]; *Polia polymita aithalodes* Dannehl,1929. (*) (x) Realm: Hx Hp
1879. **Polymixis (s.str.) rjabovi** (Boursin,1944) (Noctuidae) Synonym(s): *rjabovi* Boursin,1944 (*) (x) Realm: Hx Hp
1880. **Polymixis (s.str.) rosinae** (Bohatsch,1909) (Noctuidae) Synonym(s): *rosinae* Bohatsch,1909; *paradisiaca* Boursin,1944 (*) (**) Realm: Hx Hp
1881. **Polymixis (s.str.) zagrobia** (Wiltshire,1941) (Noctuidae) Synonym(s): *zagrobia* Wiltshire,1941 (**) (xx) Realm: Hx Hp
1882. **Polymixis aphrodite** Fibiger,1997 (Noctuidae) Synonym(s): *aphrodite* Fibiger,1997 (*) (x) Realm: Hx Hp
1883. **Polymixis crinomima** (Wiltshire,1946) (Noctuidae) Synonym(s): *crinomima* Wiltshire,1946 (*) (**) Realm: Hx Hp
1884. **Polyphaenis monophaeis** Brandt,1938 (Noctuidae) Synonym(s): *monophaeis* Brandt,1938; *#unicoloris* Brandt,1938. (*) (**) Realm: Hx Hp
1885. **Polyphaenis propinqua** Staudinger,1895 (Noctuidae) Synonym(s): *propinqua* Staudinger,1895 (*) (x) Realm: Hx Hp
1886. **Polyphaenis viridis** (De Villers,1789) (Noctuidae) Synonym(s): *sericata* Esper,[1787] *nec* ; *viridis* De Villers,1789. (*) (x) Realm: Hx Hp
1887. **Polypogon lunalis** (Scopoli,1763) (Noctuidae) Synonym(s): *lunalis* Scopoli,1763 (*) (x) Realm: Hx Hp
1888. **Polypogon plumigeralis** (Hübner,[1825]) (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829. (*) (**) Realm: Hx Hp
1889. **Polypogon schwingenschussi** (Wagner,1937) (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1937; *elbursalis* Draudt,1937. (*) (**) Realm: Hx Hp
1890. **Polypogon tentacularia** (Linnaeus,1758) (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758 (*) (x) Realm: Hx Hp
1891. **Polypogon zelleralis** (Wocke,1850) (Noctuidae) Synonym(s): *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851. (*) (x) Realm: Hx Hp
1892. **Polytela cliens** (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *cliens* R.Felder & Rogenhofer,1874; *orientalis* Hampson,1894; *aethiopica* Sheljuzhko,1960; *tanit* Rungs,1972 (**) (xx) Realm: Hx Hp Px Pa

- 1893. Powellinia boetica (Rambur,1837)**
(Noctuidae) Synonym(s): *boetica* Rambur,1837
(*) (**) Realm: Hx Hp
- 1894. Powellinia carthalina (Christoph,1893)**
(Noctuidae) Synonym(s): *carthalina* Christoph,1893 (*) (x) Realm: Hx Hp
- 1895. Powellinia lasserei (Oberthür,1881)**
(Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924 (*) (**) Realm: Hx Hp
- 1896. Powellinia lasserei lasserei (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserei* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924 (*) (**) Realm: Hx Hp
- 1897. Powellinia pierreti (Bugnion,1837)**
(Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894 (**) (xx) Realm: Hx Hp
- 1898. Powellinia pierreti pierreti (Bugnion,1837)**
(Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894 (**) (xx) Realm: Hx Hp
- 1899. Praestilbia armeniaca Staudinger,1892**
(Noctuidae) Synonym(s): *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936 (*) (x) Realm: Hx Hp
- 1900. Protexarnis confinis (Staudinger,1881)**
(Noctuidae) Synonym(s): *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *suspica* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964. (*) (x) Realm: Hx Hp
- 1901. Protexarnis opioleuca (Staudinger,1881)**
(Noctuidae) Synonym(s): *opioleuca* Staudinger,1881; *inermis* Corti & Draudt,1933. (*) (**) Realm: Hx Hp
- 1902. Protexarnis persica (Staudinger,1897)**
(Noctuidae) Synonym(s): *persica* Staudinger,1897 (**) (xx) Realm: Hx Hp
- 1903. Protexarnis squalidiformis (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *squalidiformis* Corti & Draudt,1933; *suspica* Corti & Draudt,1933. (*) (x) Realm: Hx Hp
- 1904. Protodeltote pygarga (Hufnagel,1766)**
(Noctuidae) Synonym(s): *pygarga* Hufnagel,1766 (*) (**) Realm: Hx Hp
- 1905. Protoschinia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878 (*) (**) Realm: Hx Hn Hp Px Po
- 1906. Proxenus hospes (Freyer,[1831])**
(Noctuidae) Synonym(s): *hospes* Freyer,[1831] (*) (**) Realm: Hx Hp
- 1907. Proxenus lepigone (Möschler,1860)**
(Noctuidae) Synonym(s): *lepigone* Möschler,1860 (**) (xx) Realm: Hx Hp
- 1908. Pseudenargia deleta (Osthelder,1933)**
(Noctuidae) Synonym(s): *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938. (*) (**) Realm: Hx Hp
- 1909. Pseudenargia regina (Staudinger,1892)**
(Noctuidae) Synonym(s): *regina* Staudinger,1892 (*) (x) Realm: Hx Hp
- 1910. Pseudeustrotia candidula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candidula* [Denis & Schiffermüller],1775; *pusilla* Vieweg,1789 (*) (x) Realm: Hx Hp
- 1911. Pseudeustrotia deceptoria (Scopoli,1763)**
(Noctuidae) Synonym(s): *deceptoria* Scopoli,1763; *tineodes* Hufnagel,1766; *atratura* [Denis & Schiffermüller],1775 (*) (x) Realm: Hx Hp
- 1912. Pseudocopicucullia syrtana (Mabilie,1888)**
(Noctuidae) Synonym(s): *syrtana* Mabilie,1888 (**) (xx) Realm: Hx Hp
- 1913. Pseudocopicucullia syrtana iranica Brandt,1941** (Noctuidae) Synonym(s): *iranica* Brandt,1941 (**) (xx) Realm: Hx Hp
- 1914. Pseudohadena (Jaxartia) magnitudinis Hacker & Ebert,2002** (Noctuidae) Synonym(s): *magnitudinis* Hacker & Ebert,2002 (**) (xx) Realm: Hx Hp
- 1915. Pseudohadena (s.str.) chenopodiphaga (Rambur,1832)** (Noctuidae) Synonym(s): *chenopodiphaga* Rambur,1832 (*) (**) Realm: Hx Hp
- 1916. Pseudohadena (s.str.) coluteae (Bienert,1870)** (Noctuidae) Synonym(s): *coluteae* Bienert,1870 (**) (xx) Realm: Hx Hp
- 1917. Pseudohadena (s.str.) impedita (Christoph,1887)** (Noctuidae) Synonym(s): *impressa* Christoph,1887 (*) (**) Realm: Hx Hp
- 1918. Pseudohadena (s.str.) laciniosa (Christoph,1887)** (Noctuidae) Synonym(s): *laciniosa* Christoph,1887 (*) (x) Realm: Hx Hp
- 1919. Pseudohadena (s.str.) laciniosa hethitica Ronkay & Varga,1989** (Noctuidae) Synonym(s): *hethitica* Ronkay & Varga,1989 (*) (x) Realm: Hx Hp
- 1920. Pseudohadena (s.str.) megaptera Boursin,1970** (Noctuidae) Synonym(s): *megaptera* Boursin,1970 (**) (xx) Realm: Hx Hp
- 1921. Pseudohadena (s.str.) minuta Püngeler,1900** (Noctuidae) Synonym(s): *minuta* Püngeler,1900; *sengana* Brandt,1941; *pseudocommoda* Boursin,1963 (**) (xx) Realm: Hx Hp

- 1922. Pseudohadena (s.str.) rjabovi Boursin,1970** (Noctuidae) Synonym(s): *rjabovi Boursin,1970* (**) (xx) Realm: Hx Hp
- 1923. Pseudohadena (s.str.) roseotinctoides Poole,1989** (Noctuidae) Synonym(s): *roseotincta Brandt,1941 nec Tur.,1929; roseotinctoides Poole,1989.* (**) (xx) Realm: Hx Hp
- 1924. Pseudoips prasinana (Linnaeus,1758)** (Noctuidae) Synonym(s): *prasinana Linnaeus,1758; fagana Fabricius,1781; sylvana Fabricius,1794; britannica Warren,1913.* (*) (x) Realm: Hx Hp
- 1925. Pseudozarba bipartita (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bipartita Herrich-Schäffer,1850* (*) (x) Realm: Hx Hp
- 1926. Pseudozarba mesozona (Hampson,1896)** (Noctuidae) Synonym(s): *mesozona Hampson,1896; mediana Staudinger,1898* (**) (xx) Realm: Hx Hp
- 1927. Pyrocleptria cora (Eversmann,1837)** (Noctuidae) Synonym(s): *cora Eversmann,1837* (*) (x) Realm: Hx Hp
- 1928. Pyrois cinnamomea (Goeze,1781)** (Noctuidae) Synonym(s): *cinnamomea Goeze,1781* (*) (x) Realm: Hx Hp
- 1929. Pyrois effusa (Boisduval,1828)** (Noctuidae) Synonym(s): *effusa Boisduval,1828; sciaphila Staudinger,1871* (*) (x) Realm: Hx Hp
- 1930. Pyrrhia treitschkii (Frigalszky,1835)** (Noctuidae) Synonym(s): *treitschkii Frigalszky,1835.* (*) (**) Realm: Hx Hp
- 1931. Pyrrhia umbra (Hufnagel,1766)** (Noctuidae) Synonym(s): *umbra Hufnagel,1766; marginata Fabricius,1775; rutilago [Denis & Schiffermüller],1775; conspicua Borkhausen,1792; umbrago Esper,[1796]; marginago Haworth,1809; aconiti Hölzermann,1902.* (*) (**) Realm: Hx Hp
- 1932. Raparna erubescens (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens A.Bang-Haas,1910* (**) (xx) Realm: Hx Hp
- 1933. Recophora beata (Staudinger,1892)** (Noctuidae) Synonym(s): *beata Staudinger,1892* (*) (**) Realm: Hx Hp
- 1934. Recophora hreblayi Hacker & L.Ronkay,2002** (Noctuidae) Synonym(s): *hreblayi Hacker & L.Ronkay,2002* (*) (**) Realm: Hx Hp
- 1935. Rhabdophera arefacta (Swinhoe,1884)** (Noctuidae) Synonym(s): *arefacta Swinhoe,1884; messrae Staudinger,1898.* (**) (xx) Realm: Hx Hp
- 1936. Rhabinopteryx subtilis (Mabille,1888)** (Noctuidae) Synonym(s): *subtilis Mabille,1888; renatalis Rebel,1909 nec Obth.; luridalis Rebel,1911.* (**) (xx) Realm: Hx Hp
- 1937. Rhizedra lutosa (Hübner,[1803])** (Noctuidae) Synonym(s): *lutosa Hübner,[1803]* (*) (x) Realm: Hx Hp
- 1938. Rhizedra lutosa lutosa (Hübner,[1803])** (Noctuidae) Synonym(s): *lutosa Hübner,[1803]* (*) (x)
- 1939. Rhyacia (Epipsilia) cervantes (Reisser,1935)** (Noctuidae) Synonym(s): *cervantes Reisser,1935; #gyulaipetri Varga,1975* (**) (xx) Realm: Hx Hp
- 1940. Rhyacia (Epipsilia) latens (Hübner,[1809])** (Noctuidae) Synonym(s): *latens Hübner,[1809]; murina Freyer,1842; latitans Guenée,1852; apennina Sohn-Rethel,1929.* (*) (**) Realm: Hx Hp
- 1941. Rhyacia (Epipsilia) latens hyrcana (Staudinger,1900)** (Noctuidae) Synonym(s): *hyrcana Staudinger,1900; pontica Draudt,1936.* (*) (**) Realm: Hx Hp
- 1942. Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea Hampson,1907; pseudosimulans Kozhantschikov,1929.* (*) (**) Realm: Hx Hp
- 1943. Rhyacia (s.str.) gabori Varga,1996** (Noctuidae) Synonym(s): *gabori Varga,1996* (**) (xx) Realm: Hx Hp
- 1944. Rhyacia (s.str.) helvetina (Boisduval,1833)** (Noctuidae) Synonym(s): *helvetina Boisduval,1833; livia Freyer,1836* (*) (**) Realm: Hx Hp
- 1945. Rhyacia (s.str.) helvetina banghaasi Boursin,1940** (Noctuidae) Synonym(s): *gilva A.Bang-Haas,1910 nec Donz.,1837; banghaasi Boursin,1940* (*) (x)
- 1946. Rhyacia (s.str.) helvetina deliciosa Brandt,1938** (Noctuidae) Synonym(s): *deliciosa Brandt,1938* (**) (xx)
- 1947. Rhyacia (s.str.) helvetina rjabovi Boursin,1940** (Noctuidae) Synonym(s): *rjabovi Boursin,1940.* (*) (**) Realm: Hx Hp
- 1948. Rhyacia (s.str.) lucipeta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lucipeta [Denis & Schiffermüller],1775.* (*) (**) Realm: Hx Hp
- 1949. Rhyacia (s.str.) nyctimerina (Staudinger,1888)** (Noctuidae) Synonym(s): *nyctimerina Staudinger,1888; rehnensis Wagner,1937.* (**) (xx) Realm: Hx Hp
- 1950. Rhyacia (s.str.) nyctimerides (O.Bang-Haas,1922)** (Noctuidae) Synonym(s): *nyctimerides O.Bang-Haas,1922; stavroitiacus Tuleschko,1951; alagesica Boursin,1962; #nyctomerides Hacker,[1987]* (*) (**) Realm: Hx Hp
- 1951. Rhyacia (s.str.) oxytheca Boursin,1957** (Noctuidae) Synonym(s): *oxytheca Boursin,1957* (**) (xx) Realm: Hx Hp

- 1952. Rhyacia (s.str.) simulans (Hufnagel,1766)** (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914 (*) (x) Realm: Hx Hp
- 1953. Rhyacia (s.str.) subdecora (Staudinger,1888)** (Noctuidae) Synonym(s): *subdecora* Staudinger,1888; *psammia* Püngeler,1906; *xanthopasta* Boursin,1957. (**) (xx) Realm: Hx Hp
- 1954. Rhypagla lacernaria (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842 (*) (**) Realm: Hx Hp
- 1955. Rileyana fovea (Treitschke,1825)** (Noctuidae) Synonym(s): *fovea* Treitschke,1825 (*) (x) Realm: Hx Hp
- 1956. Rivula sericealis (Scopoli,1763)** (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789. (*) (**) Realm: Hx Hp
- 1957. Rivula tanitalis Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912 (*) (**) Realm: Hx Hp
- 1958. Rusina ferrosqualida Simonyi,1996** (Noctuidae) Synonym(s): *ferrosqualida* Simonyi,1996 (*) (x) Realm: Hx Hp
- 1959. Rusina ferruginea (Esper,[1785])** (Noctuidae) Synonym(s): *umbratica* Goeze,1781; *ferruginea* Esper,[1785]; *tenebrosa* Hübner,[1803]; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809. (*) (x) Realm: Hx Hp
- 1960. Saragossa siccanorum (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870 (*) (**) Realm: Hx Hp
- 1961. Saragossa siccanorum albescens Gyulai & Varga,2002** (Noctuidae) Synonym(s): *albescens* Gyulai & Varga,2002 (**) (xx)
- 1962. Saragossa siccanorum poecilographa Varga & Ronkay,1991** (Noctuidae) Synonym(s): *poecilographa* Varga & Ronkay,1991 (*) (x) Realm: Hx Hp
- 1963. Schinia cardui (Hübner,1790)** (Noctuidae) Synonym(s): *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933. (*) (x) Realm: Hx Hp
- 1964. Schinia cognata (Freyer,[1833])** (Noctuidae) Synonym(s): *cognata* Freyer,[1833] (*) (x) Realm: Hx Hp
- 1965. Schinia imperialis (Staudinger,1871)** (Noctuidae) Synonym(s): *imperialis* Staudinger,1871 (*) (x) Realm: Hx Hp
- 1966. Schinia purpurascens (Tauscher,1809)** (Noctuidae) Synonym(s): *purpurascens* Tauscher,1809; *pulchra* Eversmann,1842 (*) (x) Realm: Hx Hp
- 1967. Schrankia costaeistrigalis (Stephens,1834)** (Noctuidae) Synonym(s): *costaeistrigalis* Stephens,1834; *hartigi* Berio,1991. (*) (x) Realm: Hx Hp Ax Aa Ap
- 1968. Schrankia taenialis (Hübner,[1809])** (Noctuidae) Synonym(s): *taenialis* Hübner,[1809] (*) (x) Realm: Hx Hp
- 1969. Scoliopteryx libatrix (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatricus* Haworth,1809 (*) (**) Realm: Hx Hp Px Po
- 1970. Scotochrosta pulla ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller],1775 (*) (x) Realm: Hx Hp
- 1971. Scotochrosta pulla caerulescens (Schwingenschuss,1938)** (Noctuidae) Synonym(s): *caerulescens* Schwingenschuss,1938 (*) (x)
- 1972. Scythocentropus inquinata (Mabille,1888)** (Noctuidae) Synonym(s): *inquinata* Mabille,1888; *mercedes* Pinker,1974 (*) (**) Realm: Hx Hp
- 1973. Scythocentropus misella (Püngeler,1907)** (Noctuidae) Synonym(s): *misella* Püngeler,1907 (*) (x) Realm: Hx Hp
- 1974. Selepa docilis Butler,1881** (Noctuidae) Synonym(s): *docilis* Butler,1881; *canofusa* Hampson,1905 (**) (xx) Realm: Hx Hp Px Pa
- 1975. Sesamia cretica Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857 (*) (**) Realm: Hx Hp Px Pa
- 1976. Sesamia inferens (Walker,1856)** (Noctuidae) Synonym(s): *inferens* Walker,1856; *transquilaris* Butler,1880; *gracilis* Butler,1880; *innocens* Butler,1881. (**) (xx) Realm: Hx Hp Px Pa Po
- 1977. Sesamia lacteola (Christoph,1893)** (Noctuidae) Synonym(s): *lacteola* Christoph,1893 (*) (x) Realm: Hx Hp
- 1978. Sesamia nonagrioides (Lefèbvre,1827)** (Noctuidae) Synonym(s): *nonagrioides* Lefèbvre,1827; *hesperica* Rambur,1839; *sacchari* Wollaston,1858; *gracilis* Rebel,1898. (*) (x) Realm: Hx Hp Px Pa
- 1979. Sesamia rungsi Boursin,1957** (Noctuidae) Synonym(s): *rungsii* Boursin,1957 (**) (xx) Realm: Hx Hp
- 1980. Setoctena dentula (Lederer,1870)** (Noctuidae) Synonym(s): *dentula* Lederer,1870; *innubila* Swinhoe *annulifera* Moore (*) (**) Realm: Hx Hp
- 1981. Sideridis (Aneda) rivularis (Fabricius,1775)** (Noctuidae) Synonym(s): *rivularis* Fabricius,1775; *cucubali* [Denis &

- Schifferrmüller*],1775; *rivosa* Ström,1783; *behenis* Freyer,1845. (*) (x) Realm: Hx Hp
1982. **Sideridis (Conisania) capsivora (Draudt,1933)** (Noctuidae) Synonym(s): *capsivora* Draudt,1933 (*) (**) Realm: Hx Hp
1983. **Sideridis (Conisania) evestigata (Draudt,1936)** (Noctuidae) Synonym(s): *evestigata* Draudt,1936 (*) (x)
1984. **Sideridis (Conisania) vidua (Staudinger,1888)** (Noctuidae) Synonym(s): *vidua* Staudinger,1888 (**) (xx) Realm: Hx Hp
1985. **Sideridis (Luteohadena) literata (Fischer v. Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983. (*) (**) Realm: Hx Hp
1986. **Sideridis (Luteohadena) literata literata (Fischer de Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983. (**) (xx)
1987. **Sideridis (Luteohadena) literata subfusca Hacker,1996** (Noctuidae) Synonym(s): *subfusca* Hacker,1996 (*) (x)
1988. **Sideridis (Luteohadena) luteago ([Denis & Schifferrmüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schifferrmüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. (*) (**) Realm: Hx Hp
1989. **Sideridis (Luteohadena) luteago luteago ([Denis & Schifferrmüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schifferrmüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. (*) (**) (**) (xx)
1990. **Sideridis (Luteohadena) luteago meridionalis (Brandt,1938)** (Noctuidae) Synonym(s): *meridionalis* Brandt,1938 (*) (**) (xx)
1991. **Sideridis (s.str.) egena (Lederer,1853)** (Noctuidae) Synonym(s): *egena* Lederer,1853; ? *stoliczkana* Moore,1878 (*) (**) Realm: Hx Hp
1992. **Sideridis (s.str.) implexa (Hübner,[1809])** (Noctuidae) Synonym(s): *implexa* Hübner,[1809] (*) (x) Realm: Hx Hp
1993. **Sideridis (s.str.) lampra (Schawerda,1913)** (Noctuidae) Synonym(s): *evidens* Hübner,[1808] *nec* Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975 (*) (**) Realm: Hx Hp
1994. **Sideridis (s.str.) turbida (Esper,[1790])** (Noctuidae) Synonym(s): *turbida* Esper,[1790]; *albicolon* Hübner,[1813] (*) (**) Realm: Hx Hp
1995. **Simplicia rectalis (Eversmann,1842)** (Noctuidae) Synonym(s): *rectalis* Eversmann,1842 (*) (x) Realm: Hx Hp
1996. **Simyra albovenosa (Goeze,1781)** (Noctuidae) Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809. (*) (**) Realm: Hx Hp
1997. **Simyra albovenosa cretacea (Wagner,1929)** (Noctuidae) Synonym(s): *cretacea* Wagner,1929 (*) (**) (xx)
1998. **Simyra dentinosa Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 (*) (**) Realm: Hx Hp
1999. **Simyra nervosa ([Denis & Schifferrmüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schifferrmüller],1775. (*) (**) Realm: Hx Hp
2000. **Simyra nervosa lactea Hacker & Kautt,1999** (Noctuidae) Synonym(s): *lactea* Hacker & Kautt,1999 (**) (xx)
2001. **Simyra nervosa nervosa ([Denis & Schifferrmüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schifferrmüller],1775. (*) (x)
2002. **Simyra renimaculata (Osthelder,1932)** (Noctuidae) Synonym(s): *renimaculata* Osthelder,1932 (*) (**) (xx)
2003. **Spaelotis degeniata (Christoph,1876)** (Noctuidae) Synonym(s): *degeniata* Christoph,1876 (*) (**) Realm: Hx Hp
2004. **Spaelotis demavendi (F.Wagner,1937)** (Noctuidae) Synonym(s): *demavendi* F.Wagner,1937 (*) (**) Realm: Hx Hp
2005. **Spaelotis ravidia ([Denis & Schifferrmüller],1775)** (Noctuidae) Synonym(s): *ravidia* [Denis & Schifferrmüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933. (*) (**) Realm: Hx Hp
2006. **Spaelotis ravidia ravidia ([Denis & Schifferrmüller],1775)** (Noctuidae) Synonym(s): *ravidia* [Denis & Schifferrmüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933. (*) (**) (xx)
2007. **Spaelotis ravidia stabulorum (Bienert,1870)** (Noctuidae) Synonym(s): *stabulorum* Bienert,1870 (**) (xx)
2008. **Spaelotis senna (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934 (*) (**) Realm: Hx Hp
2009. **Spaelotis senna contorta (Rebel & Zerny,[1932])** (Noctuidae) Synonym(s):

- contorta* Rebel & Zerny,[1932]; *eisenbergeri* Hartig,1934; *iranica* Draudt,1938 (*) (**)
- 2010. Spodoptera cilium Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *impervia* Walker,1865; *retrahens* Walker,1870. (*) (**) Realm: Hx Hp Px Pa Po
- 2011. Spodoptera exiguum (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* Warren,1914; *protector* De Laever,1985. (*) (**) Realm: Hx Hp Px Pa Po
- 2012. Spodoptera littoralis (Boisduval,1833)** (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911. (*) (**) Realm: Hx Hp Px Pa
- 2013. Spodoptera liturum (Fabricius,1775)** (Noctuidae) Synonym(s): *litura* Fabricius,1775 (**) (xx) Realm: Hx Hp Px Po Ax Aa Ap
- 2014. Spodoptera mauritium (Boisduval,1833)** (Noctuidae) Synonym(s): *mauritia* Boisduval,1833 (**) (xx) Realm: Hx Hp Px Po Ax Aa Ap
- 2015. Spudaea castanea Osthelder,1933** (Noctuidae) Synonym(s): *#castanea* Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutschko,1968 (*) (x) Realm: Hx Hp
- 2016. Standfussiana defessa (Lederer,1858)** (Noctuidae) Synonym(s): *defessa* Lederer,1858 (**) (xx) Realm: Hx Hp
- 2017. Standfussiana defessa defessa (Lederer,1858)** (Noctuidae) Synonym(s): *defessa* Lederer,1858 (**) (xx)
- 2018. Standfussiana lucerneae (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucernea* Linnaeus,1758 (*) (**) Realm: Hx Hp
- 2019. Standfussiana lucerneae elbursica Boursin,1963** (Noctuidae) Synonym(s): *elbursica* Boursin,1963 (**) (xx)
- 2020. Standfussiana lucerneae illyria (Rebel & Zerny,1931)** (Noctuidae) Synonym(s): *illyria* Rebel & Zerny,1931 (*) (x)
- 2021. Standfussiana lucerneae koruschicola (Boursin,1940)** (Noctuidae) Synonym(s): *koruschicola* Boursin,1940 (*) (x)
- 2022. Standfussiana nictymera (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948. (*) (**) Realm: Hx Hp
- 2023. Standfussiana nictymera osmana (Wagner,1929)** (Noctuidae) Synonym(s): *osmana* Wagner,1929 (*) (**) (**) (xx) Realm: Hx Hp
- 2024. Stenodrina aeschista Boursin,1937** (Noctuidae) Synonym(s): *aeschista* Boursin,1937 (*) (**) Realm: Hx Hp
- 2025. Stenodrina agramma Brandt,1938** (Noctuidae) Synonym(s): *agramma* Brandt,1938 (**) (xx) Realm: Hx Hp
- 2026. Stenoecia dos (Freyer,1838)** (Noctuidae) Synonym(s): *dos* Freyer,1838 (*) (x) Realm: Hx Hp
- 2027. Stilbina hypaenides Staudinger,1892** (Noctuidae) Synonym(s): *hypaenides* Staudinger,1892 (*) (**) Realm: Hx Hp
- 2028. Syngnapha interrogationis (Linnaeus,1758)** (Noctuidae) Synonym(s): *interrogationis* Linnaeus,1758; *aurosignata* Donovan,1808 (*) (x) Realm: Hx Hp
- 2029. Tarachephia hueberi (Erschoff,1874)** (Noctuidae) Synonym(s): *hueberi* Erschoff,1874 (*) (**) Realm: Hx Hp
- 2030. Tathorhynchus exsiccatus (Lederer,1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer,1855; *vincialis* Walker,[1866]; *angustiorata* Grote,1882; *#exsiccata* Wiltshire,1941; *greuteri* Koutsaftikis,1973 (*) (**) Realm: Hx Hn Hp Px Pa Ax Aa Ap
- 2031. Teinoptera oliva (Staudinger,[1895])** (Noctuidae) Synonym(s): *oliva* Staudinger,[1895] (*) (x) Realm: Hx Hp
- 2032. Teinoptera olivina (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer,[1852] (*) (x) Realm: Hx Hp
- 2033. Teinoptera olivina olivina (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer,[1852] (*) (x)
- 2034. Thalpophila matura (Hufnagel,1766)** (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912. (*) (x) Realm: Hx Hp
- 2035. Thalpophila matura matura (Hufnagel,1766)** (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912. (*) (x)
- 2036. Thiacidia postica Walker,1855** (Noctuidae) Synonym(s): *postica* Walker,1855; *cheituna* Brandt,1939 (**) (xx) Realm: Hx Hp Px Po
- 2037. Tholera cespitis (Goeze,1781)** (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller],1775; *cespitis* Goeze,1781; *hordei* Schrank,1801; *autumnalis* Curtis,1827; *confinis* Stephens,1829; *desylessi* Boisduval,1840; *chloris* Milliere,1883; *decolor* Sohn,1896. (*) (x) Realm: Hx Hp

- 2038. *Tholera cespitis armena* Hacker,[1987]** (Noctuidae) Synonym(s): *armena* Hacker,[1987] (*) (x)
- 2039. *Tholera decimalis* (Poda,1761)** (Noctuidae) Synonym(s): *decimalis* Poda,1761; *popularis* Fabricius,1775; *lolii* Esper,[1785]; *typicoides* Donovan,1811; *nervosa* Zerny,1927. (*) (x) Realm: Hx Hp
- 2040. *Tholera hilaris* (Staudinger,1901)** (Noctuidae) Synonym(s): *hilaris* Staudinger,1901; *gracilis* Kostrowicki,1963 (*) (**) Realm: Hx Hp
- 2041. *Thria robusta* Walker,[1858]** (Noctuidae) Synonym(s): *anyssa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988 (*) (**) Realm: Hx Hp Px Pa Po
- 2042. *Thysanoplusia (Daubeiplusia) daubei* (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858] (*) (**) Realm: Hx Hp Px Po
- 2043. *Thysanoplusia (s.str.) orichalcea* (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813]. (*) (x) Realm: Hx Hp Px Pa Po Ax Aa Ap
- 2044. *Trachea atriplicis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *atriplicis* Linnaeus,1758 (*) (**) Realm: Hx Hp
- 2045. *Trichoplusia circumscripta* (Freyer,1831)** (Noctuidae) Synonym(s): *circumscripta* Freyer,1831 (*) (x) Realm: Hx Hp
- 2046. *Trichoplusia exquisatella* (Strand,1916)** (Noctuidae) Synonym(s): *exquisatella* Strand,1916 (**) (xx) Realm: Hx Hp
- 2047. *Trichoplusia ni* (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874. (*) (**) Realm: Hx Hn Hp Px Pn Pa Po
- 2048. *Trigonodes hyppasia* (Cramer,1779)** (Noctuidae) Synonym(s): *hyppasia* Cramer,1779; *deliana* Stoll,1791; *anfractuosa* Boisduval,1834; *acutata* Guenée,1852; *inacuta* Guenée,1852; *compar* Walker,[1858] (**) (xx) Realm: Hx Hp Px Pa Po Ax Aa Ap
- 2049. *Trisateles emortualis* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775 (*) (**) Realm: Hx Hp
- 2050. *Tyta luctuosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 (*) (**) Realm: Hx Hp
- 2051. *Tyroca dispar* (Püngeler,1904)** (Noctuidae) Synonym(s): *dispar* Püngeler,1904 (**) (xx) Realm: Hx Hp Px Pa
- 2052. *Tyroca dispar dispar* (Püngeler,1904)** (Noctuidae) Synonym(s): *dispar* Püngeler,1904 (**) (xx)
- 2053. *Tyroca fasciolata* (W.Warren,1905)** (Noctuidae) Synonym(s): *fasciolata* W.Warren,1905 (**) (xx) Realm: Hx Hp
- 2054. *Ulochlaena hirta* (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813] (*) (**) Realm: Hx Hp
- 2055. *Valeria carducha* (Wiltshire,1957)** (Noctuidae) Synonym(s): *carducha* Wiltshire,1957 (**) (xx) Realm: Hx Hp
- 2056. *Valeria kartalea* Kuhna & Schmitz,1997** (Noctuidae) Synonym(s): *kartalea* Kuhna & Schmitz,1997 (*) (x) Realm: Hx Hp
- 2057. *Valeria oleagina* (Esper,[1786])** (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786]. (*) (x) Realm: Hx Hp
- 2058. *Valeria oleagina syriaca* Osthelder,1933** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933 (*) (x)
- 2059. *Valeria schreieri* Hacker & Ebert,2002** (Noctuidae) Synonym(s): *schreieri* Hacker & Ebert,2002 (**) (xx) Realm: Hx Hp
- 2060. *Valerietta boursini* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *boursini* De Freina & Hacker,1985 (*) (x) Realm: Hx Hp
- 2061. *Valerietta forsteri* Draudt,1938** (Noctuidae) Synonym(s): *forsteri* Draudt,1938 (**) (xx) Realm: Hx Hp
- 2062. *Valerietta niphopasta* (Hampson,1906)** (Noctuidae) Synonym(s): *niphopasta* Hampson,1906 (*) (x) Realm: Hx Hp
- 2063. *Victrix (Rasihia) boursini* (Draudt,1936)** (Noctuidae) Synonym(s): *boursini* Draudt,1936 (*) (**) Realm: Hx Hp
- 2064. *Victrix (Rasihia) commixta* (W.Warren,1909)** (Noctuidae) Synonym(s): *commixta* W.Warren,1909 (*) (x) Realm: Hx Hp
- 2065. *Victrix (Rasihia) conspersa* (Christoph,1893)** (Noctuidae) Synonym(s): *conspersa* Christoph,1893; *forsteri* Brandt,1941. (**) (xx) Realm: Hx Hp
- 2066. *Victrix (Rasihia) duelduelica* (Osthelder,1932)** (Noctuidae) Synonym(s): *duelduelica* Osthelder,1932. (*) (x) Realm: Hx Hp
- 2067. *Victrix (Rasihia) hackeri* Varga & Ronkay,1991** (Noctuidae) Synonym(s):

- hackeri* Varga & Ronkay, 1991 (*) (x) Realm: Hx Hp
2068. **Victrix (Rasihia) macrosema (Boursin, 1957)** (Noctuidae) Synonym(s): *macrosema* Boursin, 1957 (**) (xx) Realm: Hx Hp
2069. **Victrix (Rasihia) sassanica Wiltshire, 1961** (Noctuidae) Synonym(s): *sassanica* Wiltshire, 1961 (**) (xx) Realm: Hx Hp
2070. **Victrix (Rasihia) tabora (Staudinger, 1892)** (Noctuidae) Synonym(s): *tabora* Staudinger, 1892 (*) (**) Realm: Hx Hp
2071. **Victrix (s.str.) artaxias Varga & Ronkay, 1989** (Noctuidae) Synonym(s): *artaxias* Varga & Ronkay, 1989 (*) (x) Realm: Hx Hp
2072. **Victrix (s.str.) gracilis (Wagner, 1931)** (Noctuidae) Synonym(s): *gracilis* Wagner, 1931 (*) (x) Realm: Hx Hp
2073. **Victrix (s.str.) karsiana Staudinger, 1879** (Noctuidae) Synonym(s): *karsiana* Staudinger, 1879 (*) (x) Realm: Hx Hp
2074. **Victrix (s.str.) karsiana karsiana Staudinger, 1879** (Noctuidae) Synonym(s): *karsiana* Staudinger, 1879 (*) (x)
2075. **Victrix (s.str.) karsiana lithoxys Ronkay & Varga, 1989** (Noctuidae) Synonym(s): *lithoxys* Ronkay & Varga, 1989 (*) (x)
2076. **Victrix (s.str.) pinkeri Hacker & Lödl, 1989** (Noctuidae) Synonym(s): *pinker* Hacker & Lödl, 1989 (*) (x) Realm: Hx Hp
2077. **Victrix sp.** (Noctuidae) Synonym(s): (*) (x) Realm: Hx Hp
2078. **Wiltshireola disrupta (Wiltshire, 1952)** (Noctuidae) Synonym(s): *disrupta* Wiltshire, 1952 (**) (xx) Realm: Hx Hp
2079. **Xanthia (Cirrhia) gilvago ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller], 1775. (*) (x) Realm: Hx Hp
2080. **Xanthia (Cirrhia) gilvago gilvago ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller], 1775. (*) (x)
2081. **Xanthia (Cirrhia) ocellaris (Borkhausen, 1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen, 1792; *palleago* Hübner, [1803]. (*) (**) Realm: Hx Hp
2082. **Xanthia (Cirrhia) ocellaris ocellaris (Borkhausen, 1792)** (Noctuidae) Synonym(s): *ocellaris* Borkhausen, 1792; *palleago* Hübner, [1803]. (*) (x)
2083. **Xanthia (Tiliacea) aurago ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *aurago* [Denis & Schiffermüller], 1775 (*) (x) Realm: Hx Hp
2084. **Xanthia (Tiliacea) citrigo (Linnaeus, 1758)** (Noctuidae) Synonym(s): *citrigo* Linnaeus, 1758 (*) (x) Realm: Hx Hp
2085. **Xanthia (Tiliacea) cypreago (Hampson, 1906)** (Noctuidae) Synonym(s): *cypreago* Hampson, 1906 (*) (x) Realm: Hx Hp
2086. **Xanthia icteritia (Hufnagel, 1766)** (Noctuidae) Synonym(s): *icteritia* Hufnagel, 1766; *cerago* [Denis & Schiffermüller], 1775; *flavescens* Esper, [1788]. (*) (**) Realm: Hx Hp
2087. **Xanthia sulphurago ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *sulphurago* [Denis & Schiffermüller], 1775; *ochrago* Fabricius, 1791. (*) (x) Realm: Hx Hp
2088. **Xanthia togata (Esper, 1788)** (Noctuidae) Synonym(s): *lutea* Ström, 1783; *flavago* Fabricius, 1787; *togata* Esper, 1788; *rubago* Donovan, 1801; *silago* Hübner, [1803]. (*) (x) Realm: Hx Hp
2089. **Xanthodes albago (Fabricius, 1794)** (Noctuidae) Synonym(s): *albago* Fabricius, 1794; *malvae* Esper, [1796]; *stramen* Guenée, 1852; *impurata* Walker, 1857; *impellens* Walker, 1858; *inefficiens* Walker, 1858. (*) (**) Realm: Hx Hp Px Pa Po Ax Aa
2090. **Xanthothrix callicore (Staudinger, 1871)** (Noctuidae) Synonym(s): *callicore* Staudinger, 1871 (*) (x) Realm: Hx Hp
2091. **Xenophysa huberi Varga, 1989** (Noctuidae) Synonym(s): *huberi* Varga, 1989 (*) (x) Realm: Hx Hp
2092. **Xenophysa junctimacula (Christoph, 1887)** (Noctuidae) Synonym(s): *junctimacula* Christoph, 1887; *cacumena* Brandt, 1938. (*) (**) Realm: Hx Hp
2093. **Xestia (Megasema) ashworthii (Doubleday, 1855)** (Noctuidae) Synonym(s): *ashworthii* Doubleday, 1855 (*) (x) Realm: Hx Hp
2094. **Xestia (Megasema) ashworthii artvina De Freina & Hacker, 1985** (Noctuidae) Synonym(s): *artvina* De Freina & Hacker, 1985 (*) (x)
2095. **Xestia (Megasema) ashworthii candelarum (Staudinger, 1871)** (Noctuidae) Synonym(s): *candelarum* Staudinger, 1871; *nivescens* Rebel, 1907. (*) (x)
2096. **Xestia (Megasema) c-nigrum (Linnaeus, 1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus, 1758; *nunatrum* Esper, [1786]; *singularis* Esper, [1786]; *degenerata* Staudinger, 1889; *depravata* A. Bang-Haas, 1912; *kurilana* Bryk, 1942; *ignorata* Eitschberger, 1972. (*) (**) Realm: Hx Hn Hp

- 2097. Xestia (Megasema) ditrapezium** ([Denis & Schiffermüller,1775) (Noctuidae)
Synonym(s): *#ditrapezium* [Denis & Schiffermüller,1775 (*) (**) Realm: Hx Hp
- 2098. Xestia (Megasema) triangulum** (Hufnagel,1766) (Noctuidae) Synonym(s): *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790]. (*) (x) Realm: Hx Hp
- 2099. Xestia (Megasema) triangulum ehrmanni** Hacker & Ebert,2002 (Noctuidae)
Synonym(s): *ehrmanni* Hacker & Ebert,2002 (**) (xx)
- 2100. Xestia (s.str.) baja** ([Denis & Schiffermüller,1775) (Noctuidae)
Synonym(s): *baja* [Denis & Schiffermüller,1775 (*) (**) Realm: Hx Hp
- 2101. Xestia (s.str.) cohaesa** (Herrich-Schäffer,[1849]) (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849] (*) (**) Realm: Hx Hp
- 2102. Xestia (s.str.) kecskerago** Gyulai & L.Ronkay,2006 (Noctuidae) Synonym(s): *kecskerago* Gyulai & L.Ronkay,2006 (**) (xx) Realm: Hx Hp
- 2103. Xestia (s.str.) kermesina** (Mabille,1869) (Noctuidae) Synonym(s): *kermesina* Mabille,1869 (*) (x) Realm: Hx Hp
- 2104. Xestia (s.str.) ochreago** (Hübner,[1809]) (Noctuidae) Synonym(s): *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909. (*) (x) Realm: Hx Hp
- 2105. Xestia (s.str.) palaestinensis** (Kalchberg,1898) (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898. (*) (**) Realm: Hx Hp
- 2106. Xestia (s.str.) pallidago** (Staudinger,1900) (Noctuidae) Synonym(s): *pallidago* Staudinger,1900 (*) (**) Realm: Hx Hp
- 2107. Xestia (s.str.) rhomboidea** (Esper,[1790]) (Noctuidae) Synonym(s): *rhomboidea* Esper,[1790]; *stigmatica* Hbn.,[1813]. (*) (x) Realm: Hx Hp
- 2108. Xestia (s.str.) sareptana** (Herrich-Schäffer,[1851]) (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936 (*) (**) Realm: Hx Hp
- 2109. Xestia (s.str.) sareptana sareptana** (Herrich-Schäffer,[1851]) (Noctuidae)
Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936 (*) (**) Realm: Hx Hp
- 2110. Xestia (s.str.) stigmatica** (Hübner,[1813]) (Noctuidae) Synonym(s): *stigmatica* Hübner,[1813] (*) (x) Realm: Hx Hp
- 2111. Xestia (s.str.) trifida** (Fischer v. Waldheim,1820) (Noctuidae) Synonym(s): *trifida* Fischer v. Waldheim,1820. (*) (x) Realm: Hx Hp
- 2112. Xestia (s.str.) xanthographa** ([Denis & Schiffermüller,1775) (Noctuidae)
Synonym(s): *xanthographa* [Denis & Schiffermüller,1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *lepidia* Constantino,1922. (*) (**) Realm: Hx Hp
- 2113. Xylena exsoleta** (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787 (*) (**) Realm: Hx Hp
- 2114. Xylena exsoleta exsoleta** (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exoleta* Fabricius,1787 (*) (x)
- 2115. Xylena lunifera** W.Warren,1910 (Noctuidae) Synonym(s): *lunifera* W.Warren,1910; *#lunigera* W.Warren,1910 (*) (x) Realm: Hx Hp
- 2116. Xylena lunifera lunifera** W.Warren,1910 (Noctuidae) Synonym(s): *lunifera* W.Warren,1910; *#lunigera* W.Warren,1910 (*) (x)
- 2117. Xylena vetusta** (Hübner,[1813]) (Noctuidae)
Synonym(s): *vetusta* Hübner,[1813] (*) (x) Realm: Hx Hp
- 2118. Xylocampa mustapha** (Oberthür,1920) (Noctuidae) Synonym(s): *mustapha* Oberthür,1920 (*) (x) Realm: Hx Hp
- 2119. Xylocampa mustapha hethitica** Kobes & Pinker,1976 (Noctuidae) Synonym(s): *hethitica* Kobes & Pinker,1976 (*) (x)
- 2120. Xylomoia apameaoides** (Hacker,1989) (Noctuidae) Synonym(s): *apameaoides* Hacker,1989 (*) (**) Realm: Hx Hp
- 2121. Zebeeba falsalis** (Herrich-Schäffer,1839) (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,1839 (*) (x) Realm: Hx Hp
- 2122. Zekelita (Ravalita) amseloides** Hacker & Ebert,2002 (Noctuidae) Synonym(s): *amseloides* Hacker & Ebert,2002 (**) (xx) Realm: Hx Hp
- 2123. Zekelita (Ravalita) ravalis** (Herrich-Schäffer,[1852]) (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 *nec* Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941. (*) (**) Realm: Hx Hp
- 2124. Zekelita (Rhynchodontodes) antiqualis** (Hübner,[1809]) (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquilis* Zukowsky,1941 (*) (**) Realm: Hx Hp
- 2125. Zekelita (Rhynchodontodes) mardinalis** (Staudinger,1892) (Noctuidae) Synonym(s):

- cardinalis* Staudinger, 1892 (*) (x) Realm: Hx Hp
- 2126. Zekelita (Rhynchodontodes) orientis (Brandt, 1938)** (Noctuidae) Synonym(s): *orientis* Brandt, 1938 (**) (xx) Realm: Hx Hp
- 2127. Zekelita (Rhynchodontodes) orientis richteri Wiltshire, 1961** (Noctuidae) Synonym(s): *richteri* Wiltshire, 1961 (**) (xx)
- 2128. Zekelita (Rhynchodontodes) ravulalis (Staudinger, 1879)** (Noctuidae) Synonym(s): *ravulalis* Staudinger, 1879 (**) (xx) Realm: Hx Hp
- 2129. Zekelita (Rhynchodontodes) ravulalis ravulalis (Staudinger, 1879)** (Noctuidae) Synonym(s): *ravulalis* Staudinger, 1879 (**) (xx)
- 2130. Zekelita (Rhynchodontodes) revolutalis Zeller, 1852** (Noctuidae) Synonym(s): *revolutalis* Zeller, 1852; *angulalis* Mabille, 1880; *eremialis* Swinhoe, 1889 nec Wlk., [1859]; *syriacalis* Staudinger, 1892; *extorris* W. Warren, 1913; *#pallida* Schawerda, 1929; *transcaspica* Brandt, 1941 (*) (**) Realm: Hx Hp
- 2131. Zethes brandti Janzon, 1977** (Noctuidae) Synonym(s): *nemea* Brandt, 1938 (p.p.); *nemea sensu* Koçak, 1977; *brandti* Janzon, 1977. (*) (**) Realm: Hx Hp
- 2132. Zethes insularis Rambur, 1833** (Noctuidae) Synonym(s): *insularis* Rambur, 1833 (*) (**) Realm: Hx Hp
- 2133. Zethes narghisa Brandt, 1938** (Noctuidae) Synonym(s): *narghisa* Brandt, 1938 (*) (**) Realm: Hx Hp
- 2134. Zethes nemea Brandt, 1938** (Noctuidae) Synonym(s): *nemea* Brandt, 1938 (**) (xx) Realm: Hx Hp

Selected Bibliography of the Irano-Anatolian *Noctuidae*

I- Turkey

355 Noctuid Publications are listed below in chronological order.

- 1758**, Linnaeus, C., *Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis*. ed. decima reformata. Tom. 1, 823 pp. Holmiae.
- 1763**, Scopoli, J. A., *Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner.*
- 1767**, Hufnagel, *Vierte Tabelle von den Nachtvögeln (Noctua) der Gegend um Berlin.* Berl. Mag. 3: 202-215, 279-309, 393-426.
- 1773-1782**, Drury, D., *Illustrations of Natural History*. 3 vols. London.
- 1775**, Denis & Schiffermüller, *Ankündigung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend*. 322 pp. 2 Pls. Wien.
- 1775**, Fabricius, J. C., *Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus*. 832 pp. Flensburgi et Lipsiae.
- 1787**, Fabricius, J. C., *Mantissa Insectorum*. vol. 1 xx+348 pp., vol. 2, 382 pp. Hafniae.
- 1790**, Hübner, J., *Beiträge zur Geschichte der Schmetterlinge* [134 pp.], 16 pls. Augsburg.
- 1800-1836**, Hübner, J., *Sammlung europäischer Schmetterlinge*. vol. 4, Noctuae: 181 Pls., Augsburg.
- 1803-1828**, Haworth, A. H., *Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiuntur...Pt. 1 (1803): 1-136; Pt. 2 ([1809]): 137-376; Pt. 3 ([1811]): 377-512; Pt. 4 (1828): 513-609. London.*
- 1816-1826**, Hübner, J., *Verzeichnis bekannter Schmetterlinge*. 431 pp., Augsburg.
- 1822**, Hübner, J., *Systematisch-alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburscher Gattungen*. 81 pp. Augsburg.
- 1823-1840**, Curtis, J., *British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found*. 16 vols. 770 pls. London.
- 1824-1826**, Duponchel, P. A. J., *Histoire naturelle des Lépidoptères, ou papillons de la France*. Vol. 5 Tineites & Noctuelites. 524 pp., tab. 41-71, Paris.
- 1825**, Treitschke, F., *Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk)*. Tom V (1), 414 pp. Leipzig.
- 1826**, Duponchel, P. A. J., *Histoire naturelle des Lépidoptères, ou papillons de la France*. Vol. 6. Noctuelites. 475 pp., tab. 72-100, Paris.
- 1826**, Treitschke, F., *Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk)*. Tom V (2), 417 pp. Leipzig.
- 1826**, Treitschke, F., *Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk)*. Tom V (3), 419 pp. Leipzig.
- 1827-1835**, Stephens, J. F., *Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata*. 1 (1827-1828): 152pp., pls. 1-12; 2 (1828-1829): 203pp., pls. 13-24; 3 (1829-1831): 337pp., pls. 25-32; 4 (1831-1835): 436pp., pls. 33-41. Baldwin & Cradock, London.
- 1831-1858**, Freyer, C. F., *Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur*. 7 vols. 700 pls. Augsburg.
- 1843-1856**, Herrich-Schäffer, G. A. W., *Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge*. 6 vols. Regensburg.

- [1844], Kollar,V., Lepidoptera. [in] Kollar,V. & L.Redtenbacher, Aufzählung und Beschreibung der von Freiherrn Carl v.Hügel auf seiner Reise durch Kaschmir und das Himalayagebirge gesammelten Insecten. 403-496pp., 22pls., [In] Hügel,C. Freiherrn von 1842-1848, Kaschmir und das Reich der Siek 4: 871 pp., Pls. 1 map, Stuttgart.
- 1844-1846, Duponchel,P.A.J., Catalogue méthodique des Lépidoptères d'Europe. 523 pp. Paris.
- 1847, Zeller,P.C., Verzeichnis der vom Professor Dr. Loew in der Turkey und Asien gesammelten Lepidoptera. Isis, Leipzig 1847: 3-39.
- 1849, Sodoffsky,W., *Heliothis victorina*. Stettin ent. Ztg. 10: 130-131.
- 1855, Lederer,J., Beitrag zur Schmetterlings-Fauna von Cypern, Beirut und einem Theile Klein-Asiens. Verh. zool.- bot. Ver. Wien 5: 177-254, 5 Taf.
- 1857, Desmarest,E., Papillons, Nocturnes. [In] Chenu, J.C., Encyclopédie d'Histoire naturelle. iv+312pp., 40 pls. Paris.
- 1857, Lederer,J., Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasien, Syriens und Labradors. 16+252pp., 4 Pls. Wien.
- 1858, Lederer,J., Noch einige syrische Schmetterlinge. Wien. ent. Monatschr. 2(5): 135-152, 3 Taf.
- 1861, Lederer,J., Ueber Alb. Kindermanns letzte lepidopterologische Ausbeute. Wien. ent. Monatschr. 5: 144-155, 2 Taf.
- 1861, Staudinger,O., Macrolepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. xvi+84S. Dresden.
- 1862, Dietrich,K., Zur Systematik der Schmetterlinge. Stettin ent. Ztg. 23: 466-479.
- 1864-[1875], Felder,C., Felder,R. & A.F.Rogenhofer, Reise der Österreichischen Fregatte Novarra um die Erde. (2) (Atlas) 20pp.+ 140Pls. Wien.
- 1865-[1867], Felder,C. & R.Felder, Reise der Österreichischen Fregatte Novarra um die Erde. vi+549pp., 137 Pls. Wien.
- 1871, Staudinger,O., Macrolepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. xxxviii+200S. Dresden.
- 1873, Rogenhofer,A.F. & J.Mann, Neue Lepidopteren gesammelt von Herrn J. Haberhauer. Verh. zool.-bot. Ges. Wien 23: 569-574.
- 1879, Romanoff,N.M., Quelques observations sur les Lépidoptères de la partie du Haut-Plateau Armenien, comprise entre Alexandropol, Kars et Erzeroum. Horae Soc. ent. ross. 14: 483-495, Taf.iii.
- 1879, Staudinger,O., Ueber die Lepidopteren südöstlichen europäischen Russlands. Stettin ent. Ztg. 40: 315-328.
- 1880, Alpheraky,S.N., *Hypenodes balneorum* sp.n. Horae Soc. ent. ross. 15: 137-138.
- 1881, Christoph,H., Eine Reise im westlichen Caucasus. Stettin ent. Ztg. 42(4/6): 157-166.
- 1884-1887, Romanoff,N.M., Les Lépidoptères de la Transcaucasie. [in] Romanoff, Mém. lépid. 1: 1-92, Pls.; 2: 1-118, Pls.; 3: 1-49, Pls.
- 1891, Riesen,A., Zur systematische Stellung der Gattung *Namangana* Stgr. Stettin ent.Ztg. 52(1/3): 14-15.
- 1893, Alpheraky,S.N., *Metopoplus* gen.n., [in] Christoph,A., Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 92.
- 1893, Christoph,H., Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 86-96.
- 1893, Oberthür,C., Lépidoptères d'Asie. Etüd. Ent. 18: 11-49, Pls.
- 1893, Tutt,J.W., The genus *Xanthia*: with notes on variation, habits and affinities. Entomologist's Rec. J. Var. 4: 25-28, 69-71, 93-96.
- 1894, Hampson,G.F., Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 2: xxii+ 609pp., 287 figs. Taylor & Francis, London.
- 1894, Oberthür,C., Lépidoptères d'Europe, d'Algerie, d'Asie et d'Océanie. Etüd. Ent. 19: 1-38, Pls.
- 1895, Hampson,G.F., Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 3. Taylor & Francis, London.
- 1895, Staudinger,O., Neue Lepidopteren-Arten und Varietäten dem paläarktischen Faunengebiet. Dt. ent. Z., Iris 7: 241-296.
- 1897, Holtz,M., Die Macrolepidopteren-Fauna Ciliciens. Ein Beitrag zur Insektenfauna Kleinasien. Illte Wschr. Ent. 2: 42-47, 60-63, 77-79, 88-93.
- [1897], Kalchberg,A.F., Ueber die Lepidopteren-Fauna von Haifa in Syrien. Dt. ent. Z., Iris 10: 161-190.
- 1900, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiidae (Nolinae, Lithosiinae). 589 pp., Pls. xviii-xxv. Printed by the order of the Trustees British Museum (Natural History), London.
- 1900, Staudinger,O., Zwei neue Palaearktische Heterocera. Dt. ent. Z., Iris 13: 112-114.
- 1900, Staudinger,O., Neue Lepidopteren des palaearktischen Faunengebiets. Dt. ent. Z., Iris 12: 352-403.
- 1901, Staudinger,O. & H.Rebel, I.Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearktischen Faunengebietes. xxxii+411S. Berlin.
- 1902, Grote,A.R., Die Gattungsnamen der europäischen Noctuiden. Allg. Z. Ent. 7: 395-400.
- 1903, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1904, Krulikowsky,L., *Sarothrips revayana* var.asiatica. Rev. russk. Ent. 4:91-92.
- 1905, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Trustees British Museum (Natural History), London.
- 1905, Rebel,H., Lepidopteren, [in] Penther,A. & Zedebauer,E., Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20 (2/3): 189-219.
- 1906, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullianae). Pls.xcv-cvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1908, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1908, Rebel,H., Eine Lepidopterenausbeute welche vom Herrn Karl Ritter v. Blumencron im Hochsommer des verflossenen Jahres im nordöstlichen Kleinasien (Pontus) namentlich in der Umgebung Trapezunts gemacht wurde. Verh. zool.- bot. Ges. Wien 58:(82)- (85).
- 1909, Bohatsch,O., Neue palaearktische Macrolepidopteren. Jber. wien. ent. Ver.19: 163-164.
- 1909, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Trustees British Museum (Natural History), London.
- 1909, Rebel,H., Bericht über eine kleine Lepidopterenausbeute, welche Herr Karl Ritter v. Blumencron im Juni 1908 in Fol. Maden bei Trapezunt gemacht. Verh. zool.- bot. Ges. Wien 59:(235)-(236).
- 1909, Strand,E., Lepidoptera von Eregli und Taurus in Kleinasien, gesammelt von Herrn J.Niedieck. Int. ent. Z. 3: 78-81.
- 1910, Bang-Haas,A., Neue oder wenig bekannte palaearktische Macrolepidopteren. Dt. ent. Z., Iris 24: 27-51, 2 Taf.
- 1910, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvii. Printed by the order of the Trustees British Museum (Natural History), London.
- 1910, John,O., Eine Revision der Gattung *Leucanitis* Gn. Horae Soc. ent. ross. 39: 585-633, Taf. xvi-xxiii, 5 textfigs.
- 1911, Gerwien,E., Deskriptives und biologisches über *Taeniocampa rorida* H.-S. (Friv?). Berl. ent. Z. 55 (1910): 174-178, Taf.iii figs.1-6.
- 1911, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Erastrianae). Pls. cxlviii-clxxiii. Printed by the order of the Trustees British Museum (Natural History), London.

- 1912, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Euteliaenae to Acontianae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Trustees British Museum (Natural History), London.
- 1913, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-cxxxi. Printed by the order of the Trustees British Museum (Natural History), London.
- 1913, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. cxxxi-cxxxix. Printed by the order of the Trustees British Museum (Natural History), London.
- 1913, Rebel, H., Studien über die Lepidopterenfauna der Balkanländer III. Teil. Sammelergebnisse aus Montenegro, Albanien, Mazedonien und Thrazien. Annln naturh. Mus. Wien 28: 281-334.
- 1913, Vicent, J., Description d'une nouvelle Catocala de Syrie. Bull. Soc. ent. Fr. (1913): 431-432.
- 1916, Buxton, D.A.J., Lepidoptera at the Dardanelles. Entomologist's Rec. J. Var. 28 (10): 213-217.
- 1917, Rebel, H., Eine Lepidopterenausbeute aus dem Amanusgebirge (Alman Dag). Sb. Akad. Wiss. Wien Abt. I: 126 (4/5): 243-282.
- 1919, Oberthür, C., Xylocampa lithorhiza mustapha. Etud. lépid. comp. 16: 164, pl. xdv, fig. 4124. Rennes.
- 1921, Rothschild, N.C., Moths of Mesopotamia and N. W. Persia Part I. Noctuidae, Lemoniidae and Pyralidae. J. Bomb. nat. Hist. Soc. 28: 170-183.
- 1923, Miller, E., Lépidoptères, rapports des environs de Kagysman dans le district de Cars. Bull. Soc. ent. Moscou 2: 81-118.
- 1924, Handlirsch, A., Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs. 747-840.
- 1925, Püngeler, R., Neue palaearktische Makrolepidopteren. Dt. ent. Z., Iris 39: 231-233, Taf. III.
- 1925, Reh, L., Handbuch der Pflanzenkrankheiten. Viertes Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
- 1925, Turner, H.J., A new form of Sarrothrips revayana race columbana nova. Entomologist's Rec. J. Var. 37: 77-78.
- 1926, Graves, P.P., Heterocera from Macedonia, Gallipoli and Central Greece. Entomologist's Rec. J. Var. 38: 152-158, 165-170.
- 1926, Graves, P.P., Additions to the Lepidoptera of the Constantinople district. Entomologist 59: 249-253.
- 1926, Sheljuzhko, L., Neue palaearktische Heteroceren. Dt. ent. Z., Iris 40: 1-10, 4 Abb.
- 1926, Tams, W.H.T., A New species of Lycophotia (Noctuidae, Agrotinae) from Cyprus. Entomologist's Rec. J. Var. 38: 129-130, 1 Pl.
- 1926-1927, Pfeiffer, E., Ein Beitrag zur Insektenfauna von Kleinasien (Anatolien). Mitt. münch. ent. Ges. 16: 99-110; 17: 35-55, 76-91.
- 1927, Bang-Haas, O., Horae Macrolepidopterologicae regionis palaearcticae Vol. 1. Neubeschreibungen und Berichtigungen der Palaearktischen Lepidopterenfauna. xxviii+ 128S. 11 Taf. Dresden-Blasewitz.
- 1927, Lefébvre, M.A., Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl. 5.
- 1928, Kozhantschikov, I.V., Beitrag zur Kenntnis der Agrotiden. Übersicht der Gattung Triphaena Hb. Encycl. ent. (B3) 3: 67-87, 7 figs.
- 1929, Wnukowsky, W., Einige Nomenklatur-Notizen über die palaarktischen Lepidopteren. Zool. Anz. 83: 221-224.
- 1930, Wagner, F., Zweiter (III.) Beitrag zur Lepidopterenfauna Inner-Anatoliens. Int. ent. Z. 23: 545-555, Taf.
- 1931, Wagner, F., Dritter (IV.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 24(45): 467-474; (46): 475-485; (47): 487-492, Taf.
- 1931, Wagner, F., Neue Heteroceren aus Kleinasien. Int. ent. Z. 25: 367-371.
- 1932, Boursin, C., Zwei neue Athetis aus dem Libanon. Int. ent. Z. 26: 245-248, Pl.
- 1932, Osthelder, L., Noctuidae Acronyctinae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22 (2): 83-87.
- 1932, Wagner, F., Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26: 178-183, 185-187, figs. Taf.
- 1933, Boursin, C., Neue Cucullia und Athetis von Marasch in türkisch Nordsyrien, von der Expedition L. Osthelder und E. Pfeiffer. Mitt. münch. ent. Ges. 23(1): 8-26, 6 pls.
- 1933, Draudt, M., Neue Heteroceren des palaarktischen Faunengebietes. Ent. Rdsch. 50(12): 157-160, 167-169, 186-188, 2 Taf.
- 1933, Hering, M., Lepidoptera Sureyana. Weitere Noctuiden und Geometriden von Ankara. Int. ent. Z. 26: 411-415.
- 1933, Osthelder, L., Noctuidae (Fortsetzung und Schluß). [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 23 (2): 45-102.
- 1933, Rebel, H., Lepidopteren aus der Umgebung Ankaras. 1. Teil. Annln naturh. Mus. Wien 46: 1-13, 1 pl., 2 figs.
- 1933, Rebel, H., Neue Lepidopteren aus Ankara. Z. öst. EntVer. 18: 23-24.
- 1933, Wagner, F., Die ersten Stände zweier kleinasiatischer Lepidopteren und Beschreibung einer neuen Form. Z. öst. EntVer. 18: 88-90.
- 1934, Lindler, E., Anatolienfahrt. Ent. Rdsch. 51: 221-225, 231-237.
- 1935, Draudt, M., Beiträge zur Biologie einiger kleinasiatischer Heteroceren. Ent. Rdsch. 52 (17): 225-230, 1 fig.
- 1936, Draudt, M., Neue Arten und Formen von Noctuiden. Ent. Rdsch. 53: 457-462, 465-471, 491-493, 1 Taf.
- 1936, Kotzsch, H., Ein Sommer unter den Kurden. Ent. Rdsch. 53: 313-317, 352-359, 372-376, 393-396, 414-418, 9 figs.
- 1936, Rebel, H., Lepidopteren aus der Umgebung Ankaras. 2. Teil. Annln naturh. Mus. Wien 47: 43-58.
- 1937, Bytinski-Salz, H. & W. Brandt, New Lepidoptera from Iran. Entomologist's Rec. J. Var. 49: 1-15.
- 1937, Zukowsky, B., Reisebericht über entomologische Aufsammlungen im nordöstlichen Anatolien (westliches Armenien) 1934 (Lep.). Ent. Rdsch. 55: 1-6, 13-14, 27-30, 37-40.
- 1938, Albers, T. & F. Diehl, Beitrag zur Verbreitung von Chloridea dipsacea L. und maritima Grasl. Ent. Rdsch. 55: 461-465.
- 1938, Draudt, M., Einiges über Chloridea maritima Grasl. und dipsacea L. Ent. Rdsch. 55: 306-309, Abb.
- 1938, Draudt, M., Zusätzliche Berichtigung zum Aufsatz über Chloridea maritima und dipsacea. Ent. Rdsch. 55: 371-372.
- 1938, Heydemann, F., Zu Chloridea maritima Grasl. Ent. Rdsch. 55: 368-371, Abb.
- 1938, Wiltshire, E.P., Notes on the winter flight; in mild climates, of vernal and autumnal moths. Entomologist's Rec. J. Var. 50: 144-146.
- 1938, Zukowsky, B., Herbstreise nach Kleinasien, Nordost-Anatolien und zilizischer Taurus (Lep.). Ent. Rdsch. 55: 529-531, 623-627, 648-651, 657-659, 708.
- 1938-1939, Schwingenschuss, L., Sechster Beitrag zur Lepidopterenfauna Inner- Anatoliens. Ent. Rdsch. 55: 141-147, 157-164, 173-177, 181-184, 199-202, 223-226, 299-300, 337-340, 411-412, 454-457, 532, 700; 56: 133-135, 250-252.
- 1939, Schwingenschuss, L., Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). Ent. Rdsch. 56 (29): 325-328, (32): 358-360, (34): 383-384.
- 1939, Schwingenschuss, L., Kleiner Beitrag zur Fauna der Umgebung Erzerums in Kleinasien. Z. öst. EntVer. 24 (7): 97-100.
- 1940, Boursin, C., Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. Mitt. münch. ent. Ges. 30: 474-543, Taf. viii-xii.
- 1940, Kotzsch, H., Eine neue Noctuide aus Iran. Eustrotia Hb. (Erastria O.) iranica sp. nov. Ent. Z., Frankf. a. M. 54: 73-74, figs.
- 1940, Osthelder, L., Nachtrag Noctuidae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 30(1): 107-111.
- 1940, Szent-Ivany, J., Zoologische Ergebnisse der Forschungsreise N. Vasvari's in Kleinasien, III. Lepidoptera. Sitzung III. Klasse Ungar. Akad. Wiss. 1940: 356-359.
- 1941, Wiltshire, E.P., The summer flight; in cold climates of vernal and autumnal Lepidoptera. Entomologist's Rec. J. Var. 53: 4-7.
- 1941, Zukowsky, B., Siwas und Akschehir 1937 (Lep.). Ent. Z., Frankf. a. M. 54: 266-272.
- 1944, Lattin, G. de, Einige bemerkenswerte Lepidopterenfunde aus der Türkei. Z. wien. ent. Ges. 29: 74-78.

- 1945, Boursin,C., Un nouveau Chersotis d'Arménie: Chersotis elegantula n.sp. (Lepidoptera, Agrotinae). Revue fr. lépid. 10: 64-69, pl.
- 1946, Boursin,C., Trois nouveaux genres paléarctiques de la sous-famille des Agrotinae. Revue fr. lépid. 10: 186-192.
- 1947, Boursin,C., Über zwei Autophila-Arten aus den Brandtschen Ausbeuten in Süd- und Ost-Iran. Z. wien. ent. Ges. 32: 142-148, pls.8-10.
- 1949, Burr,M., Catocala fraxini commits suicide. Entomologist's Rec. J. Var. 61: 119.
- 1950, Berio,E., Terzo Contributo alla conoscenza del gen. Ozarba Wlk. (Lep., Noctuidae) sulla sistematica di alcune specie ascritte a questo genere. Annali Mus. civ. Stor. nat. Giacomo Doria 64: 131-157, 98 figs.
- 1951, Boursin,C., Eine neue Agrochola Hb.(Orthosia auct.) aus Kleinasien. Z. wien. ent. Ges. 36: 158-161.
- 1951, Lattin,G.de, Türkische Lepidopteren -II. Ist. Üniv. Fen Fak. Mec. (Ser B) 16 (1): 45-73, Taf.III.
- 1952, Boursin,C., Beiträge zur Kenntnis der Agrotidae-Trifinae, XLIX. Synonymie Notizen nebst verschiedenen Bemerkungen,III. Z. f. Lepidopt. 2 (1): 49-68.
- 1953, Boursin,C., Über die Gattung "Allophytes" Tams nebst Beschreibung einer neuen Art aus Klein-Asien Lep. Phalaenidae (Noctuidae) (Beiträge zur Kenntnis der "Agrotidae-Trifinae", LIX). Mitt. münch. ent. Ges. 43: 239-247, Taf. ii-v.
- 1953, Daniel,F., Neue Heterocera-Arten und -Formen. Mitt. münch. ent. Ges. 43: 252-261, Taf.vii.
- 1953, Tams,W.H.T. & J.Bowden, A revision of the African species of Sesamia Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls.
- 1954, Boursin,C., Zwei neue Cryphia Hb. (Bryophila)-Arten aus dem vorderasiatisch-mediterranen Faunenkreis (Beiträge zur Kenntnis der "Agrotidae-Trifinae" LXVI (66)). Z. wien. ent. Ges. 39: 85-89, 2 Taf.
- 1954, Boursin,C., Zwei neue Cryphia Hb. (Bryophila)-Arten aus Französisch-Nordafrika. Z. wien. ent. Ges. 39: 123-126, 7 Abb.
- 1954, Reisser,H., G. de Lattin: Türkiye Kelebekleri Hakkında I.(Türkische Lepidopteren I.), Ist.Üniv.Fen Fak. Mecmuası (Rev. de la faculté des sciences de l'Univ. d'Istanbul 1950, p.301-331, 2 Taf. 9 Abb.(Sep.) und dto.,II.,ibid.,Tome xvi,Fasc.I,1951, p.45-73, 1 Taf.,8 Ab Z. wien. ent. Ges. 39: 44-45.
- 1955, Berio,E., Sulla distribuzione geografica della Noctua algira L. e sulle specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 85(9/10): 140-148, 24 figs.
- 1955, Kansu,İ.A., Orta Anadolu Meyva Ağaçlarına Zarar Veren Bazı Makrolepidoptera Türlerinin Evsafi ve Kısa Biyolojileri Üzerine Araştırmalar. Ziraat Vekaleti Neşriyatı ve Haberleşme Müdürlüğü, yayın no.704, Ankara.
- 1957, Boursin,C., Description de huit nouvelles Caradrina O. d'Afghanistan, de l'expédition Klapperich, et de deux Oedibrya Hps. (Perse et Afghanistan) (Lep., Phalaenidae) (Diagnoses préliminaires) (Contribution a l'étude des Agrotidae-Trifinae xc/90). Bull. mens. Soc. linn. Lyon 26(6): 158-163.
- 1957, Boursin,C., Eine neue Allophytes Tams aus Mittelchina (Aus Dr.Höne's China-Ausbeuten) (Beiträge zur Kenntnis der Agrotidae-Trifinae xciii(93)). Z. wien. ent. Ges. 42: 103-106, 1 Taf.
- 1957, Wiltshire,E.P., The Lepidoptera of Iraq. Nicholas Kaye Ltd. London.
- 1958, Dufay,C., Révision des Nycteola Hübner (Sarrothripus Curtis) Paléarctiques (Lepidoptera, Noctuidae, Nycteolinae). Annls Soc. ent. Fr. 27: 107-132, Pl.ii,iii,A,B.
- 1958, Dufay,C., Mise au point de la synonymie des Nycteola Hb. (Sarrothripus Curt.) européennes. Bull. mens. Soc. linn. Lyon 27: 108-120.
- 1959, Boursin,C., Über zwei für Europa neue Hadenä-Arten (=Dianthoecia B.) Hadenä clara Stgr. (1901), bona sp.! und Hadenä urumovi Dren. (1931), bona sp.! Z. wien. ent. Ges. 44: 113-131, pls.5-11.
- 1961, Dufay,C., Les Nycteola Hübner (Sarrothripus Curtis) de la Staudinger description d'une espèce nouvelle d'Asie centrale et antérieure. Dt. ent. Z. (N.F.) 8 (5): 431-440, 4 figs.
- 1962, Boursin,C., Eine neue Cosmia Hb. (Calymnia auct.) aus dem Balkan und Kleinasien. Z. wien. ent. Ges. 47: 65-69, pls.
- 1962, Boursin,C., Eine neue Aegle Hb. aus Anatolien. Z. wien. ent. Ges. 47: 183-186, pl.
- 1962, Boursin,C., Lithophane semibrunnea Haw. Eine vorderasiatisch-mediterrane Art mit Beschreibung einer neuen Subspecies. Z. wien. ent. Ges. 47: 92-94, Taf.11.
- 1963, Dufay,C., Descriptions de trois nouvelles espèces d'Euchalcia Hb. d'Asie Antérieure (Lepidoptera, Noctuidae, Plusiinae). Bull. mens. Soc. linn. Lyon 32(3): 68-72.
- 1964, Boursin,C., Eine neue Anamecia Brsn. aus Westpakistan. Z. wien. ent. Ges. 49: 34-35, Taf.3.
- 1965, Alberti,B., Zur Kenntnis der Plusia modesta Hb.-Gruppe (Lepidoptera, Noctuidae). Dt. ent. Z. (N.F.) 12(4/5): 365-369, figs.
- 1966, Boursin,C., Eine neue Conisania Hps. aus Sining nebst Synonymie-Notizen. Z. wien. ent. Ges. 51: 154-159, Tab.13-17, 17 figs.
- 1967, Boursin,C., Eine neue Mythimna O. aus Ostanatolien. Z. wien. ent. Ges. 52: 90-91, pl.
- 1969, Capuse,I. & D.Dogof, Contribution a l'étude de Janthinea frivaldszkyi (Dup) de Bulgarie (Lepidoptera, Noctuidae). Bull. Soc. ent. Mulhouse 1969: 81-84, 3 figs.
- 1969, Schmidt-Koehl,W., Geographisch-faunistische u. systematisch-nomenklatorische Studien zur Macrolepidopteren-Fauna des Libanon sowie einzelner Gebiete der nordwestlichen und mittleren Türkei unter Berücksichtigung einer vergl. Betrachtung der Frühjahrsfauna von Ostsizilien. Abh. ArbGem. tier.-pflanz. geogr. Heimatf. Saarland 1: 32-88, 9 Abb.
- 1970, Boursin,C., Description de 40 espèces nouvelles de Noctuidae Trifinae paléarctiques et de deux genres nouveaux des sous-familles Noctuinae et Amphipyriinae 2e série. Contributions a l'étude des Noctuidae Trifinae, 166. Entomops 18: 45-79, figs.52-122.
- 1970, Klotz,A.B., Lepidoptera. [In] Tuxen,S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2).
- 1970, Wiltshire,E.P., A review of the genus Pericyma Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs.
- 1973, Alberti,B., Zweite Mitteilung ueber einige neue oder bemerkenswerte Lepidopteren-Formen aus dem Grossen Kaukasus und Transkaukasien (Lepidoptera). Atalanta 4(6): 380-393, 2 pls.
- 1974, Razowski,J., Phylogeny and classification of Lepidoptera. Acta zool. cracov. 19(1): 1-18, 1 fig.
- 1975, Dufay,C., Dryobotodes carbonis Wgn., bona species, espèce nouvelle en Europe, et en France (Lepidoptera, Noctuidae, Cuculliinae). Bull. Soc. linn. Lyon 44: 24-27.
- 1975, Nye,I.W.B., The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London.
- 1975, Varga,Z., Eine Noctuiden-Ausbeute aus Ost-Anatolien (Lep.). Ent. Z., Frankf. a. M. 85: 172-174.
- 1976, Freina,J.J.de, Callistege mi elzei n.subsp., eine neue Noctuidenrasse von der Schwarzmeerküste (Lepidoptera, Noctuidae). Atalanta 7(2): 99-101, 12 figs.
- 1976, Wiltshire,E.P., Middle East Lepidoptera, xxxiii. Some new Lasiocampidae, Noctuidae, Geometridae and Limacodidae. Z. ArbGem. öst. Ent. 27(3/4): 73-84, 7 figs. 2 Pls.
- 1977, Heppner,J.B., The status of the Glyptopterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134.
- 1977, Koçak,A.Ö., New Lepidoptera from Turkey V. Atalanta 7 (2): 126-146, 47 Abb, 1 map.

- 1978, Dufay,C., *Cryphia vandalusia* (Duponchel) espece française meconnue (Lep., Noctuidae, Acronictinae). Entomops 45: 149-158, 18 figs.
- 1978, Ebert,G., Neue Taxa palaearktischer Noctuidae aus dem wissenschaftlichen Nachlass von Charles Boursin (Lepidoptera, Noctuidae, Trifinae). Beitr. Naturk. Forsch. SüdWdtl. 37: 193-207, figs.
- 1979, Varga,Z., Neue Noctuiden aus der Sammlung Vartian (Wien), II. Z. ArbGem. öst. Ent. 31 (1/2): 1-12, 7 Abb. 1 Taf.
- 1980, Hayes,A.H., A revision of the Pantropical genus *Tathorhynchus* Hampson (Lep., Noctuidae, Ophiderinae). Proc. Br. ent. nat. Hist. Soc. 1980: 25-30, 5 Pls.
- 1980, Koçak,A.Ö., Some notes on the nomenclature of Lepidoptera. Commun. Fac. Sci. Univ. Ankara, (Ser C3, Zool.) 24: 7-25.
- 1980, Koçak,A.Ö., On the nomenclature of some genus- and species-group names of Lepidoptera. Nota lepid. 2 (4): 139-146.
- 1980, Leraut,P.J.A., Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse. 334pp. Paris.
- 1980, Koçak,A.Ö., Notes on the nomenclature of some genera of Lepidoptera. Cent. ent. Stud., Priamus 1(1): 18-23; 1(3): 97-109, 112-122.
- 1981, Mikkola,K., Notes on some Geometrid and Noctuid species described by J. F. Fabricius (Lepidoptera). Ent. scand. 12: 433-436.
- 1982, Berio,E., *Egira servadeii* n.sp. del Pamir (Lepidoptera, Noctuidae, Hadeninae). Memorie Soc. ent. ital. 60: 61-62, 3 figs.
- 1982, Doğanlar,M., Özbek,H., Ecevit,O. & H.Yüksel, Doğu Anadolu Bölgesinin Bazı Lepidopterleri. Bitki Koruma Bül. 21 (3): 155-172.
- 1982, Dufay,C., Decouverte en Grèce de *Lophoterges hoerhammeri* (F.Wagner), bona sp., espece nouvelle pour l'Europe (Noctuidae, Cuculliinae). Nota lepid. 5 (2/3): 77-80, 6 figs.
- 1982, Heppner,J.B., A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89(4): 220-294.
- 1982, Kornoşor,S., Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste ?? Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): ??-94.
- 1982, Kornoşor,S., Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste II. Quadrifinae grubu. Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): 95-102.
- 1982-1987, Koçak,A.Ö., On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
- 1983, Behounek,G., Kleiner Beitrag zur Noctuidae-Fauna Kleinasien. Entomofauna 4 (25): 401-404.
- 1983, Dufay,C., *Ochropleura gracilis* (F.Wagner), bona sp., espece nouvelle pour l'Europe: description de sa sous- espece hellenique (Noctuidae, Noctuinae). Nota lepid. 6 (1): 41-48, 10 figs.
- 1983, Freina,J.J.de, Revision der *Hadena luteago* ([Denis & Schiffermüller], 1775) - *andalusica* (Staudinger, 1859)- Gruppe nebst Beschreibung einer neuen Art der Gattung *Hadena* Schrank, 1802 aus Sardinien. Spixiana 6: 45-59, figs.
- 1983, Hacker,H., Faunistische und taxonomische Beiträge zur Noctuidenfauna des Mittelmeergebietes (Lepidoptera). Neue ent. Nachr. 6: 43-57, 18 figs.
- 1984, Behounek,G., Ergebnisse einer Sammelreise durch Nordgriechenland und Anatolien (Lepidoptera, Noctuidae). Nachr. ent. Ver. Apollo (N.F.) 4(3): 71-80.
- 1984, Dufay,C., Révision du statut taxonomique de quelques Noctuidae européens (1re note préliminaire). Nota lepid. 7 (2): 113-116.
- 1984, Fazekas,I., *Oligia latruncula erewani* ssp. nova (Noctuidae, Amphipyridae). Nota lepid. 7 (2): 117-120, 2 Abb.
- 1984, Freina,J.J.de & T.J.Witt, *Antennola* gen.n.; *Antennola impura* (Mann, 1862) comb.n. neu für Europa (Lep., Nolidae). Entomofauna 5(23): 267-272, figs.
- 1984, Ganey,J. & H.Hacker, *Agrochola osthelderi* Boursin, 1951 eine neue Art für Europa (Lepidoptera, Noctuidae, Cuculliinae). Articulata 2(5): 104-105, fig.
- 1984, Ronkay,L., Notes on the genus *Agrochola* Hübner, 1821 (Lepidoptera, Noctuidae). Part II. Acta zool. hung. 30 (1/2): 179-187, 9 figs.
- 1984, Sattler,K. & W.G.Tremewan, The Lepidoptera names of Denis & Schiffermüller- a case for stability. Nota lepid. 7 (3): 282-285.
- 1985, Freina,J.J.de & H.Hacker, Neue Arten und Unterarten der Familie Noctuidae aus Anatolien und Türkisch-Kurdistan (Lepidoptera, Noctuidae). Entomofauna 6: 241-261, 27 figs.
- 1985, Hacker,H., Dritter Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Hacker und Wolf aus dem Jahr 1984 (Lepidoptera). Neue Ent. Nachr. 15: 1-65, Taf.
- 1985, Mikkola,K., The Geometroidea and Noctuoidea described by Carl Clerck (Lepidoptera). Ent. scand. 16: 121-129.
- 1985, Ronkay,L. & Z.Varga, Neue Noctuiden aus Armenien bzw. aus dem Kaukasus-Raum (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 36 (3/4): 86-94, 1 Taf., 5 Abb.
- 1985, Ronkay,L. & Z.Varga, *Luperina divers* (Staudinger, 1891) bona species, mit der Beschreibung zwei neuer subspecies (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 77: 207-216, 27 Abb., 1 Pl.
- 1986, Ahola,M., Larvae of European *Polia* Ochsenheimer (Lepidoptera, Noctuidae), with proposals on a subgeneric division and phylogeny. Ent. scand. 17: 55-74, figs.
- 1986, Behounek,G. & H.Hacker, *Lygephila schachtii* n.sp., eine neue Noctuidenart aus der Ost-Türkei, nebst faunistischen Angaben für neunundzwanzig weitere Noctuiden Arten aus der Ost-Türkei (Lepidoptera, Noctuidae). Entomofauna 7 (3): 41-53, 8 Abb.
- 1986, Behounek,G., Beitrag zur Noctuiden-Fauna der Türkei und des Irans. Neue Erkenntnisse zur Verbreitung von *heliophobus reticulata* (Goeze, 1780) (Lep., Noctuidae). NachrBl. bayer. Ent. 36: 115-122, 3 figs.
- 1986, Dufay,C., Révision de la nomenclature de deux Chersotis Boisduval distingués récemment (Noctuidae, Noctuinae). Nota lepid. 9(1/2): 51-54.
- 1986, Freina,J.J.de & T.J.Witt, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München.
- 1986, Hacker,H. & P.Kuhna, Drei neue Noctuidae-Arten aus der Türkei (Lepidoptera). Nota lepid. 9(3/4): 179-188, Taf.1, 3 Abb.
- 1986, Koçak,A.Ö., On the foodplants of Turkish Lepidoptera-I. Cent. ent. Stud., Priamus 4 (1/2): 13-18.
- 1986, Koçak,A.Ö., *Pseudozarba bipartita* H.-Sch. Türkiye'den yeni bir Noctuidae Türü (Lepidoptera). Cent. ent. Stud., Priamus 4 (1/2): 19-20.
- 1986, Minet,J., Ebauche d'une classification moderne de l'ordre des Lépidopteres. Alexanor 14: 291-313.
- 1986, Ronkay,L., Taxonomic Studies on the genus *Autophila* Hübner, 1823. I. Acta zool. hung. 32(1/2): 141-159, 38 figs.
- 1987, Hacker,H. & R.Pinker, *Cucullia mixta ronkayi* n.ssp. aus der Osttürkei (Lep., Noctuidae). Z. ArbGem. öst. Ent. 38 (3/4): 107-109, 1 Abb.
- 1987, Koçak,A.Ö., Diurnal Lepidoptera of Çal Dağı (Central Anatolia) I. Remarks on the Ecology of the species. Cent. ent. Stud., Priamus 4 (3): 87-114.
- 1987, Lödl,M., *Noctua warreni* sp.n., a new sibling species of *Noctua comes* Hbn., 1813 from Cyprus (Lepidoptera, Noctuidae). Nota lepid. 10(2): 163-174, 12 figs.

- 1987, Mikkola,K., Lafontaine,J.D. & P.Grotenfelt, A revision of the Holarctic *Chersotis andereggi* complex (Lepidoptera, Noctuidae). *Nota lepid.* 10 (3): 140-157, 6 figs.
- 1987, Mitter,C. & E.Silverfine, On the systematic position of *Catocala Schrank* (Noctuidae). *Syst. Ent.* 13: 67-84, figs.
- [1987], Hacker,H., Erster Beitrag zur systematischen Erfassung der Noctuidae der Türkei (Lepidoptera). *Atalanta* 17 (1/4) (1986): 1-26, 2 Taf.
- [1987], Hacker,H., Fünfter Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus der Aufsammlungen von Wolf und Hacker aus dem Jahr 1985 sowie Ergänzungen zu früheren Arbeiten (Lepidoptera). *Atalanta* 17 (1/4) (1986): 27-83, 13 Taf.
- 1988, Hacker,H. & A.Moberg, Zwei neue *Dasytopolia* Guenée, 1852 Arten aus der östlichen Türkei (Lepidoptera, Noctuidae, Cuculliinae). *Mitt. münch. ent. Ges.* 78: 179-185, figs.
- 1988, Hacker,H. & L.Ronkay, *Cucullia behouneki* sp.nov., *Cucullia armena* Ronkay & Ronkay, 1986 und *Cucullia prenanthis* Boisduval, 1840, in der Türkei (Lepidoptera, Cuculliinae). *Nota lepid.* 11 (1): 39-44, figs.
- 1988, Lödl,M. & R.Imb, Die Noctuiden-Sammlung von Dipl. Ing. Rudolf Pinker im Naturhistorischen Museum Wien. *Z. ArbGem. öst. Ent.* 40(1/2): 53-59.
- 1989, Ayvalı,C., Metamorfoz sırasında *Agrotis ipsilon* (Hufn.) (Lepidoptera, Noctuidae) hemositleri üzerine araştırmalar Ankara Univ. Ziraat Fak. Yay. no.1149, 20 s., 21 şek.
- 1989, Beck,H., Verantwortungsvolles Taxieren, Appell an den "Internationalen Trust for Zoological Nomenclature". Beschreibung einer neuen Unterart von *Cucullia blattariae* (Esper, 1790): *Cucullia blattariae eugeniae* subsp.n. Synonymien im Genus *Cucullia* (Lep., Noctuidae). *Atalanta* 19: 189-217, figs.
- 1989, Hacker,H. & A.Moberg, Zwei neue *Agrochola* Hübner, [1821]-Arten (Lepidoptera, Noctuidae, Cuculliinae) aus der Türkei und aus Griechenland. *Nota lepid.* 12(2): 121-132, 4 figs.
- 1989, Hacker,H., Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. *Herbipoliana* 2: 1-590, Taf.
- 1989, Hacker,H., Beiträge zur systematischen Erfassung der Noctuidae des vorder- und zentralasiatischen Raumes. Neue taxonomische und faunistische Erkenntnisse zur Fauna Vorderasiens und Aegyptens (Lepidoptera, Noctuidae). *Atalanta* 19: 157-187, figs.
- 1989, Kornoşor,S., Three new *Euxoa* Hübner, 1821 (Lepidoptera, Noctuidae) species from Turkey. *Türk ent. derg.* 13 (4): 205-216.
- 1989, Poole,R.W., Noctuidae (Parts 1-3) [in] Heppner,J.B., *Lepidopterorum Catalogus* (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln.
- 1989, Ronkay,L. & Z.Varga, Studies on the Palaearctic Noctuidae. Sect. Amphipyriinae, I. The genus *Pseudohadena* Alpheraky, 1889. The *laciniosa* group. *Acta zool. hung.* 35(3/4): 339-353, 19 figs. Pl.
- 1989, Ronkay,L., Taxonomic Studies on the genus *Autophila* Hübner, 1823 (Lepidoptera, Noctuidae), II. *Acta zool. hung.* 35(1/2): 111-141, 74 figs.
- 1989, Varga,Z. & L.Ronkay, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae) I. The description of a new subgenus two new species and a new subspecies. *Nota lepid.* 12 (1):
- 1990, Derra,G. & H.P.Schreier, Beitrag zur Noctuidae-Fauna der Türkei (Lepidoptera). *Esperiana* 1: 393-403, 19 figs.
- 1990, Fibiger,M., Noctuidae Europaeae vol.1 Noctuinae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro.
- 1990, Hacker,H., Die Noctuidae Vorderasiens (Lepidoptera). *Neue ent. Nachr.* 27: 1-707, 16 Taf.
- 1990, Hacker,H., Das Noctuidae - Typenmaterial der Sammlung Peks (Lepidoptera). *Esperiana* 1: 421-426.
- 1990, Kornoşor,S. & M.Lödl, New records of Noctuidae (Lepidoptera) from Turkey. *Z. ArbGem. Öst. Ent.* 42 (1/2): 58-60, 10 figs.
- 1990, Koçak,A.Ö., Additional faunistic and ecological notes to the Lepidoptera of Ayaş district (Central Turkey). *Cent. ent. Stud., Misc. Pap.* 4: 3-7.
- 1990, Koçak,A.Ö., Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. *Cent. ent. Stud., Misc. Pap.* 5: 4.
- 1990, Koçak,A.Ö., Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -IV. *Cent. ent. Stud., Misc. Pap.* 8: 4-5.
- 1990, Koçak,A.Ö., An annotated list of the Lepidoptera of Karadere and Bolu district (Prov. Bolu, N.Turkey). *Cent. ent. Stud., Misc. Pap.* 6: 1-11.
- 1990, Koçak,A.Ö., Ecological notes on the Turkish Lepidoptera. *Cent. ent. Stud., Misc. Pap.* 4: 1.
- 1990, Koçak,A.Ö., Additional notes to the Lepidoptera fauna of Işık Dağı (N.Turkey). *Cent. ent. Stud., Misc. Pap.* 5: 4-8.
- 1990, Ronkay,L., New Noctuidae taxa from Asia Minor and the Caucasus (Lepidoptera, Noctuidae). *Annls hist.-nat. Mus. natn. hung.* 82: 155-162, 17 figs.
- 1990, Ronkay,L., Taxonomic and zoogeographical studies on the subfamily Cuculliinae (Lepidoptera, Noctuidae). Part II. *Esperiana* 1: 471-497, 69 figs., pls.
- 1990, Ronkay,L., New taxa of the genus *Metalopha* Staudinger, 1892 (Lepidoptera, Noctuidae). *Esperiana* 1: 199-212, 26 figs., pl.8.
- 1990, Ronkay,L., Fabian,G., Herczig,B. & C.Szaboky, Contributions to the Noctuidae fauna of Turkey (Lepidoptera). *Annls hist.-nat. Mus. natn. hung.* (1989) 81: 115-123, figs.
- 1991, Beck,H., Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae). *Atalanta* 22 (2/4): 175-232.
- 1991, Bros,E.de, Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei. *Mitt. ent. Ges. Basel* 41(4): 112-135, 6 Abb.
- 1991, Koçak,A.Ö. & S.Seven, Faunistische Notizen über Türkisch-Thrazien Lepidopteren. *Cent. ent. Stud., Misc. Pap.* 10: 4-12, 4 Abb.
- 1991, Koçak,A.Ö., Notes on the taxonomy and nomenclature of the palaearctic Noctuidae (Lepidoptera)-V. *Cent. ent. Stud., Misc. Pap.* 10: 1-3.
- 1991, Koçak,A.Ö., Über Lepidopterenfauna von Kızılcahamam mit taxonomischen Notizen (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 9: 1-10, 3 figs.
- 1991, Matthews,M., Classification of the Heliethinae. *Nat. Res. Inst. Bull.* 44: 198 pp.
- 1991, Minet,J., Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). *Ent. scand.* 22: 69-95.
- 1991, Retzlaff,H., Zur Verbreitung von *Cerocala sana* Staudinger, 1901, in der Türkei (Lep., Noctuidae). *Mitt. Arb. Gem. Ostwestf. - Lipp. Ent.* 7 (2): 75-76.
- 1991, Varga,Z. & L.Ronkay, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I. New taxa from Asia. *Acta zool. hung.* 37(3/4): 263-312, 113 figs. Pls.1-3.
- 1991, Varga,Z. & L.Ronkay, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae), II. The subgenus *Rasihia* Kocak. *Nota lepid.* 14 (2): 144-170, figs.
- 1992, Koçak,A.Ö., Further notes on the Lepidoptera of Bilecik Province (NW.Turkey). *Cent. ent. Stud., Misc. Pap.* 13: 4-8.
- 1992, Beck,H., New view of higher classification of the Noctuidae (Lepidoptera). *Nota lepid.* 15(1): 3-28, 7 figs.
- 1992, Behounek,G., Die holarktischen Arten der Gattung *Lacanobia* Billberg, 1820 (Lepidoptera, Noctuidae, Hadeninae). *Esperiana* 3: 33-65, Abb.

- 1992, Carter,D., Butterflies and Moths. 304pp., figs. Dorling Kindersley, London
- 1992, Fibiger,M. & H.Hacker, Systematic List of the Noctuidae of Europe Corrigenda and Addenda I. [Title in english, text in german!] Esperiana 3: 507-511, 2 Abb.
- 1992, Fibiger,M. & L.Ronkay, New Autophila taxa from Sicily and Turkey (Lepidoptera, Noctuidae). Ann. Hist. Nat. Mus. nat. Hung. 83: 135-137, figs.
- 1992, Fibiger,M., Contribution to the knowledge of the Lepidoptera fauna of Turkey I. Description of a new species in the subfamily Noctuinae: Yigoga hackeri Fibiger, sp.n. Esperiana 3: 447-449, figs
- 1992, Gyulai,P., Hreblay,M. & L.Ronkay, New taxa and synonyms in the Oncocnemis exacta Christoph,1887 Group (Lepidoptera, Noctuidae). Acta zool. Hung. 38: 33-46, figs.
- 1992, Hacker,H. & L.Ronkay, Taxonomic news in the genus Eualcia Hübner,1821 (Lepidoptera, Noctuidae, Plusiinae) Part 1. Esperiana 3: 457-471, figs.
- 1992, Hacker,H. & L.Ronkay, Das Genus Polymixis Hübner,[1820] mit Beschreibung neuer Taxa und Festlegung neuer Stati (Lepidoptera, Noctuidae). Esperiana 3: 473-496, figs.
- 1992, Hacker,H., Revision der Gattung Hadenia Schrank,1802 (Lepidoptera) Teil 1. Esperiana 3: 243-361, 65 Abb.
- 1992, Hacker,H., Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei (Lepidoptera). Esperiana 3: 409-446, Abb.
- 1992, Hreblay,M., Revision der Gattung Valerietta Draudt,1938. Esperiana 3: 235-241, 14 Abb.
- 1992, Hreblay,M., Paläarktische Taxa der Mythimna (Aetia) pallens L.- impura Hb.- Artengruppe (Lepidoptera, Noctuidae). Esperiana 3: 513-529, Taf., figs.
- 1992, Hreblay,M., Neue Taxa und Synonyme der Gattung Conistra Hübner,[1821] (Lepidoptera, Noctuidae). Esperiana 3: 531-544, figs.
- 1993, Beck,H., III. Corrigenda and Addenda zu Beck (1991): "Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae)". Beschreibung der Raupe von Perplexhadena syriaca (Osthelder,1933) comb.nov. Atalanta 23 (3/4): 605-611, pls.
- 1993, Beck,H., Kobes,L. & M.Ahola, Die generische Aufgliederung von Noctua Linnaeus,1758 (Lepidoptera, Noctuidae, Noctuinae). Atalanta 24 (1/2): 207-264, 16 Pls.
- 1993, Eitschberger,U., Phlogophora lamii Schadewald, 1992- Zur Verbreitung dieser Art (Lepidoptera, Noctuidae). Atalanta (1992) 23(3/4): 593-597, pls.
- 1993, Eitschberger,U., Autographa messmeri Schadewald,1992 und Autographa voelkeri Schadewald,1992- Anmerkungen zur Verbreitung beider Arten (Lepidoptera, Noctuidae). Atalanta (1992) 23(3/4): 581-857, pls.
- 1993, Fibiger,M., Noctuidae Europaeae vol.2 Noctuinae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro.
- 1993, Koçak,A.Ö. & S.Seven, Über die Tagfalterfauna des Gebirges Hodulca bei Kızılcahamam (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 97-113.
- 1993, Koçak,A.Ö., Trakyanın İlkbahar Lepidopterleri Hakkında Faunistik Notlar. Cent. ent. Stud., Misc. Pap. 17: 1-8.
- 1993, Koçak,A.Ö., Über die Schmetterlinge von Beypazarı (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 113-131.
- 1993, Seven,S., Trakya Lepidoptera'sı Üzerine faunistik notlar. Cent. ent. Stud., Misc. Pap. 18: 4-8.
- 1993, Varga,Z., Beiträge zur Kenntnis der Gattung Dichagyris Lederer,1857 (Lepidoptera, Noctuidae) I. Acta zool. hung. 39(1/4): 289-300, figs.
- 1993, Wiltshire,E.P., Middle East Lepidoptera 50: Notes on some hitherto misunderstood forms near Polymixis bischoffii (Herrich-Schäffer,1850) (Noctuidae). Nota lepid. 15 (3/4): 257-267, 13 figs.
- 1994, Baraniak,E., Bakowski,M. & J.Nowacki, A Contribution to the Knowledge of the Lepidoptera of European Turkey Part I.Macrolepidoptera. Cent. ent. Stud., Misc. Pap. 9: 1-5.
- 1994, Bros,E.de, Corrigenda zum "Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei" (Mitt. ent. Ges. Basel 41(4), 112-135,1991). Mitt. ent. Ges. Basel 44(2): 74-75.
- 1994, Freina,J.J.de, 9.Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasien. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung von Cossidae, Psychidae, Cochlididae, Syntomidae, Brahmaeidae, Drepanidae, Axiidae, Hepialidae Atalanta 25 (1/2): 317-349, Taf. xiv,xv.
- 1994, Lödl,M., Revision der Gattung Hypena Schrank,1802 s.l., der äthiopischen und madagassischen Region, Teil 1 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 96B: 373-590, 400 Abb.
- 1994, Lödl,M., Remarks on the classification of the genera Hypena Schrank,1802, Dichromia Guenée,1854, und Harita Moore,1882 (Lepidoptera, Noctuidae). Nota lepid. 16(3/4): 241-250, figs.
- 1994, Seven,S., Kızılcahamam Kocaay vadisi'nin diurnal Lepidopterlerinin ekolojisi ve faunası. Cent. ent. Stud., Priamus 7 (1/2): 3-62.
- 1995, Fibiger,M., Anumeta arax sp.n. from Turkish Armenia (Lepidoptera, Noctuidae, Catocalinae). Nota lepid. 17(3/4): 107-112, 4 figs.
- 1995, Gyulai,P. & L.Ronkay, New Noctuidae (Lepidoptera) species from West and Central Asia. Folia ent. hung. 56: 27-35, figs.
- 1995, Hagen,W.ten, Tagfalterbeobachtungen in Syrien und Jordanien im Frühling (Lepidoptera, Papilionoidea, Hesperioidea). Nachr. ent. Ver. Apollo (N.F.) 16 (2/3): 195-212.
- 1995, Lödl,M., Revision der Gattung Hypena Schrank,1802 s.l., der äthiopischen und madagassischen Region, Teil 2 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 97B: 255-393, 533 Abb.
- 1995, Seven,S., Trakya Lepidoptera faunasına katkılar. Cent. ent. Stud., Misc. Pap. 23/24: 1-13, 3 figs.
- 1995, Varga,Z., Geographical patterns of the biological diversity in the Palaearctic Region and the Carpathian Basin. Acta zool. hung. 41 (2): 71-92, 3 figs., 2 Tab.
- 1996, Beck,H., Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). Neue ent. Nachr. 36: 1-122.
- 1996, Beshkov,S., Yigoga flavina flavina (Herrich-Schäffer,1852) =Yigoga flavina pretiosa (Caradja,1931) syn.n.,stat.rev. (Lepidoptera, Noctuidae, Noctuinae). Phegea 24(2): 69-80, 13 figs., 2 Pls.
- 1996, Hacker,H., Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera). Esperiana 4: 273-330, Abb.
- 1996, Hacker,H., Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera) Nachtrag zu S.273-330. Esperiana 4: 453-458, Abb.
- 1996, Hreblay,M., Neue paläarktische Taxa aus der Gattung Perigrapha Lederer,1857 (Lepidoptera, Noctuidae). Esperiana 4: 65-94, 90 Abb., Taf.
- 1996, Karsholt,O. & J.Razowski (eds), The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stentrup.
- 1996, Koçak,A.Ö. & S.Seven, Anadolunun Diurnal Lepidoptera Birlikleri ve Ekolojisi. Cent. ent. Stud., Priamus 8 (3/4): 53-167.
- 1996, Löbel,H. & T.Drechsel, Zur Lebensweise der Raupe von Eualcia emichi (Rogenhofer,1873) in Zentralanatolien (Türkei) (Lepidoptera, Noctuidae, Plusiinae). Nota lepid. 18(2): 179-180.
- 1996, Löbel,H. & T.Drechsel, Zur Lebensweise der Raupe von Eualcia emichi (Rogenhofer,1873) in Zentralanatolien (Türkei) (Lepidoptera, Noctuidae, Plusiinae). Nota lepid. 18 (2): 179-180.
- 1996, Lödl,M., Kerbaci,R. & S.Gaal, Die Sammlung Variatan am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta: Lepidoptera). Ent. Nachrbl. 3 (2-3)(N.F.): 1-5.

- 1996, Seven,S. & M.Bakowski, Soğuksu Milli Parkı (Ankara) Lepidoptera faunasına katkılar. Cent. ent. Stud., Priamus 7 (4): 156-170.
- 1996, Simonyi,S, A new species of the genus *Rusina* Stephens,1829 from Turkey (Lepidoptera, Noctuidae). Folia ent. hung. 57: 271-275, 12 figs.
- 1996, Varga,Z. & L.Ronkay, New and revised taxa of the genera *Chersotis* Boisduval,1840 and *Dichagyris* Lederer,1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). Esperiana 4: 103-132, 83 figs., 2 Pls.
- 1996, Varga,Z., Biogeography and evolution of orear Lepidoptera in the Palaearctic. Acta zool. hung. 42 (4): 289-330, 12 figs.
- 1996, Varga,Z., New species and subspecies of *Dichagyris*, *Chersotis* and *Rhyacia* (Lepidoptera, Noctuidae) from Central Asia. Acta zool. hung. 42 (3): 195-230, figs.
- 1997, Koçak,A.Ö. & S.Seven, Palaearktik Noctuid'lerin taksonomisi ve nomenklaturü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklaturü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8.
- 1997, Leraut,P.J.A., Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse (deuxième édition). 526pp. Paris.
- 1997, Rakosy,L., Die Noctuiden Rumäniens (Lepidoptera, Noctuidae). 648 pp., 821 Abb., 651 Karte, 30 Taf.
- 1997, Rezbanyai-Reser,L., Vier neue *Oligia*-Arten, pseudodubia (NW-Kaukasus) und turcia (Türkei), sowie *suleiman* und *vandarban* (Nord-Iran) (Lepidoptera, Noctuidae). Ent. Ber., Luzern 37: 149-169, Abb.
- 1998, Baisch,G., Beshkov,S.V., Gelbrecht,J., Hacker,H., Huber,K., Kallies,A. et al., Bausteine zur Fauna der Noctuoidea der Türkei mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). Esperiana 6: 213-373.
- 1998, Fibiger,M. & H.Hacker, Systematic List of the Noctuidae of Europe Corrigenda et Addenda II. Esperiana 6: 9-40.
- 1998, Hacker,H., Revision der Gattungen *Hadula* Stgr.,1889 (=Discestra Hmps.,1905;Aglosssestra Hmps.,1905;Cardiestra Brsn.,1963), *Anartomorpha* Alph.,1892, *Trichanarta* Hmps.,1895, *Anarta* Ochs.,1816 und *Cardepi* Hmps.,1905 mit Beschreibung einer neuen Gattung *Hadumorphia* g.n. Esperiana 6: 577-843, Taf., figs.
- 1998, Hacker,H., Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). Esperiana 6: 185-212, figs.
- 1998, Koçak,A.Ö. & M.Vural, Türkiye'deki bazı Lepidopter'lerin biyonomisi hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 51: 6-7.
- 1998, Lehmann,L., Eine neue Subspezies von *Archanara dissoluta* (Treitschke,1825) aus der Türkei (Lepidoptera, Noctuidae). Esperiana 6: 374-375, fig.
- 1998, Mikkola,K., Revision of the genus *Xylomoia* Staudinger (Lepidoptera, Noctuidae) with descriptions of two new species. Syst. Ent. 23: 173-186, 2 Tab., 28 figs.
- 1998, Weisert,F., *Catocala catei* sp.nov., eine neue Noctuide aus der Türkei (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 50 (3/4): 125-126, figs.
- 1999, Kitching,I.J. & J.E.Rawlins, The Noctuoidea, [in] N.P.Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M.Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York.
- 2000, Seven,S. & M.Kemal, Additions to the local faunas of the diurnal Lepidoptera in the Province of Ankara (North Turkey). Cent. ent. Stud., Misc. Pap. 62: 1-7.
- 2000, Seven,S. & M.Kemal, Additions to the diurnal lepidoptera fauna of the districts Çubuk and Kalecik (Ankara Prov., North Turkey). Cent. ent. Stud., Misc. Pap. 63: 1-5.
- 2000, Seven,S., Kırıkkale Lepidoptera faunası ekolojisi ve taksonomisi üzerine araştırmalar. Cent. ent. Stud., Priamus 10 (1/2): 1-101, 1 harita.
- 2001, Koçak,A.Ö. & M.Kemal, Noctuidae familyası içinde yeni bir isim teklifi (Lepidoptera). Cent. ent. Stud., Misc. Pap. 78/79: 11.
- 2002, Ebert,G. & H.H.Hacker, Beitrag zur Fauna der Noctuidae des Iran: Verzeichnis der Bestände im Staatlichen Museum für Naturkunde Karlsruhe, taxonomische Bemerkungen und Beschreibung neuer Taxa (Noctuidae, Lepidoptera). Esperiana 9: 237-409, figs.
- 2002, Fibiger,M., A new species in the genus *Dichagyris* Lederer,1857 hitherto regarded as the Turkish form of *D. eremicola* (Standfuss,1888); *Dichagyris wilsoni* sp.n. (Lepidoptera, Noctuidae). Esperiana 9: 511-515, pl.9.
- 2002, Koçak,A.Ö. & M.Kemal, Türkiye'de bir Karakuşaklı Güzel *Colobochyla platyzona* (Lederer,1870) (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 86: 2-5, figs.
- 2002, Koçak,A.Ö. & M.Kemal, *Aethria* Hübner,[1821] cins isminin geçerliliği hakkında (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 80/81: 15-16.
- 2002, Speidel,W. & L.Aarvik, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22.
- 2003, Akbulut,S., Yüksel,B. & A.Keten, The Lepidoptera (Insecta) Fauna of Düzce Province, Turkey. Türk J. Zool. 27: 257-268 [with some nomenclatural errors!].
- 2003, Karatepe,Y., Gelibolu Yarımadası Tarihi Milli Parkının Lepidoptera türleri. Süleyman Demirel Univ. Orman Fak. Derg. (A) 1: 167-180.
- 2003, Kobes,L.W.R. & M.Fibiger, A new species of the genus *Griposia* Tams,1939 from the Ponto-Mediterranean area (Lepidoptera, Noctuidae, Hadeninae). Nachr. ent. Ver. Apollo (N.F.) 24 (4): 211-214, figs.
- 2003, Ünlü,L. & S.Kornoşor, Şanlıurfa ilinde saptanan Noctuidae (Lepidoptera) familyası türleri ve morfolojik özellikleri. J. Agric. Fac. HR U. 7 (3/4): 19-28.
- 2004, Hacker,H., Revision of the genus *Caradrina* Ochsenheimer,1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls.
- 2004, Kühne,L. & W.Speidel, The system of the Catocaline - a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184.
- 2005, Fibiger,M. & J.D.Lafontaine, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. Esperiana 11: 7-92.
- 2005, Robinson,G.S., Ackery,P.R., Kitching,I.J., Beccaloni,G.W. & L.M.Hernandez, Hosts - a database of hostplants of the World's Lepidoptera (<http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsm>)> Natural History Museum, London.
- 2005, Ronkay,L., Revision of the genus *Lophoterges* Hampson,1906 (s.l.) (Lepidoptera, Noctuidae, Cucullinae) Part II. The Genus *Lophoterges* s.str. Acta zool. hung. 51 (1): 1-57, figs.
- 2006, Beshkov,S., *Nola ronkayorum* sp.n., a new species from Bulgaria and Turkey (Lepidoptera, Nolidae). Phegea 34 (1): 17-32, figs.
- 2006, Gyulai,P. & L.Ronkay, New Noctuidae taxa from Iran and Turkey (Lepidoptera). Esperiana 12: 253-264, figs.
- 2006, Kemal,M. & A.Ö.Koçak, Diurnal Lepidoptera in the Nemrut Crater (East Turkey). Cent. ent. Stud., Misc. Pap. 101: 1-8, 10 figs.
- 2006, Kemal,M., Bir Dünya Mirası - A World Inheritance. A Documentary film on DVD format. Narrated in Turkish by Muhabbet Kemal, subtitle in English. 28 minutes, 10 seconds. A Cesa Production.
- 2006, Koçak,A.Ö. & M.Kemal, Checklist of Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 1: 1-196.
- 2007, Kemal,M. & A.Ö.Koçak, South African Noctuidae species in the fauna of Turkey (Lepidoptera). http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view
- 2007, Koçak,A.Ö. & M.Kemal, Synonymical and distributional list of the species of Bursa Province (North West Turkey) (Lepidoptera). Priamus 11 (5): 81-111.

2007, Koçak,A.Ö. & M.Kemal, Revised and annotated checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 8: 1-150, 2 Tables.

II- Iran

216 Noctuid Publications are listed below in chronological order³.

- 1758, Linnaeus,C., Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae.
- 1763, Scopoli,J.A., Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner.
- 1767, Hufnagel, Vierte Tabelle von den Nachtvögeln (Noctua) der Gegend um Berlin. Berl. Mag. 3: 202-215, 279-309, 393-426.
- 1773-1782], Drury,D., Illustrations of Natural History. 3 vols. London.
- 1775, Fabricius,J.C., Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. 832 pp. Flensburgi et Lipsiae.
- 1787, Fabricius,J.C., Mantissa Insectorum. vol. 1 xx+348 pp., vol.2, 382pp. Hafniae.
- 1790, Hübner,J., Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg.
- 1800-1836], Hübner,J., Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg.
- 1803-1828, Haworth,A.H., Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiunter...Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London.
- 1816-1826], Hübner,J., Verzeichniss bekannter Schmetterlinge. 431 pp., Augsburg.
- 1822, Hübner,J., Systematisch-alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburscher Gattungen. 81 pp. Augsburg.
- 1823-1840, Curtis,J., British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. 16 vols. 770 pls. London.
- 1824-1826, Duponchel,P.A.J., Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.5 Tineites & Noctuelites. 524 pp., tab. 41-71, Paris.
- 1825, Treitschke,F., Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (1), 414 pp. Leipzig.
- 1826, Duponchel,P.A.J., Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.6. Noctuelites. 475 pp., tab. 72-100, Paris.
- 1826, Treitschke,F., Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (2), 417 pp. Leipzig.
- 1826, Treitschke,F., Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (3), 419 pp. Leipzig.
- 1827-1835, Stephens,J.F., Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata. 1 (1827-1828): 152pp., pls.1-12; 2 (1828-1829): 203pp., pls.13-24; 3 (1829-1831): 337pp., pls.25-32; 4 (1831-1835): 436pp., pls. 33-41. Baldwin & Cradock, London.
- 1831-1858, Freyer,C.F., Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. 7 vols. 700 pls. Augsburg.
- 1843-1856], Herrich-Schäffer,G.A.W., Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg.
- 1844-1846, Duponchel,P.A.J., Catalogue méthodique des Lépidoptères d'Europe. 523 pp. Paris.
- 1857, Desmarest,E., Papillons, Nocturnes. [In] Chenu, J.C., Encyclopédie d'Histoire naturelle. iv+312pp., 40 pls. Paris.
- 1857, Lederer,J., Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasien, Syriens und Labradors. 16+252pp., 4 Pls. Wien.
- 1859, Ménétries,E., Sur les Lépidoptères de Lenkoran et de Talyche. Bull. phys. Acad. Sci St.-Petersb. 17: 313-316.
- 1862, Dietrich,K., Zur Systematik der Schmetterlinge. Stettin ent. Ztg. 23: 466-479.
- 1864-1875], Felder,C., Felder,R. & A.F.Rogenhofer, Reise der Österreichischen Fregatte Novarra um die Erde. (2) (Atlas) 20pp.+ 140Pls. Wien.
- 1865-1867], Felder,C. & R.Felder, Reise der Österreichischen Fregatte Novarra um die Erde. vi+549pp., 137 Pls. Wien.
- 1870, Lederer,J., Verzeichniss der von Herrn Jos. Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 6: 73-93, figs.
- 1872, Lederer,J., Nachtrag zum Verzeichnisse der von Herrn Jos. Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 8: 3-28, figs.
- 1874, Christoph,H., Weiterer Beitrag zur Verzeichnisse der in Nord-Persien einheimischen Schmetterlinge. Horae Soc. ent. ross. 10: 3-55, figs.
- 1877, Christoph,H., Sammelerggebnisse aus Nordpersien, Krasnowodsk in Turkmenien und dem Daghestan. Horae Soc. ent. ross. 12: 181-299, figs.
- 1879, Staudinger,O., Ueber die Lepidopteren südöstlichen europäischen Russlands. Stettin ent. Ztg. 40: 315-328.
- 1885, Christoph,H., Schmetterlinge aus Nordpersien. [in] Romanoff, Mém. lépid. 2: 201-207, figs.
- 1891, Riesen,A., Zur systematische Stellung der Gattung Namangana Stgr. Stettin ent.Ztg. 52(1/3): 14-15.
- 1893, Alpheraky,S.N., Metopoplus gen.n., [in] Christoph,A., Lepidoptera nova faunae palaearticae. Dt. ent. Z., Iris 6: 92.
- 1893, Christoph,H., Lepidoptera nova faunae palaearticae. Dt. ent. Z., Iris 6: 86-96.
- 1894, Hampson,G.F., Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 2: xxii+ 609pp., 287 figs. Taylor & Francis, London.
- 1895, Hampson,G.F., Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 3. Taylor & Francis, London.
- 1900, Hampson,G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiadae (Nolinae, Lithosiinae). 589 pp., Pls. xviii-xxxv. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1900, Hampson,G.F., Insecta (Lepidoptera, Phalaenae), [in] Günther,R.T., Contributions to the Natural History of Lake Urmi, N.W. Persia, and its neighbourhood. J. linn. Soc., Zool. 27: 411-414.
- 1900, Staudinger,O., Neue Lepidopteren des palaeartischen Faunengebiets. Dt. ent. Z., Iris 12: 352-403.

³ Hacker (1990: 553-556) listed 70 Noctuid publications for Iran and Irak together.

- 1901, Staudinger, O. & H. Rebel, I. Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H. Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxxii+411 S. Berlin.
- 1902, Rebel, H., Euxoa (Agrotis) canariensis, eine neue Noctuide von den Canarischen Inseln. Annln naturh. Mus. Wien. 17: 58-60.
- 1903, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1905, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1906, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullianae). Pls. xcvi-cvii. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1908, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1909, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1910, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvii. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1911, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Eratrionae). Pls. cxlviii-clxxiii. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1911, Rangnow, H., Lebensweise und Zucht einer neuen palaarktischen Noctuide. Polia philippsi Püng. Int. ent. Z. 4 (43): 231-233.
- 1911, Stichel, H., Lepidopterologische Ergebnisse einer Sammelreise der Gebrüder Rangnow nach Persien. Mit Beschreibungen von R. Püngeler, E. Strand und dem Autor. Z. wiss. Insektenbiol. 7: 5-8, 37-40, 73-77, 112-117, 160-167, figs.
- 1912, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Euteliaenae to Acontianae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1913, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-cxxxi. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1913, Hampson, G.F., Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. cxxxii-cxxxix. Printed by the order of the Thrustees British Museum (Natural History), London.
- 1921, John, O., New species of Leucanitis Gn. (Lepidoptera, Noctuidae). Revue russk. Ent. 17: 40-52.
- 1921, Rothschild, N.C., Moths of Mesopotamia and N. W. Persia Part I. Noctuidae, Lemoniidae and Pyralidae. J. Bomb. nat. Hist. Soc. 28: 170-183.
- 1924, Handlirsch, A., Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs. 747-840.
- 1925, Reh, L., Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin.
- 1927, Bang-Haas, O., Horae Macrolepidopterologicae regionis palaearcticae Vol. 1. Neubeschreibungen und Berichtigungen der Palaarktischen Lepidopterenfauna. xxviii+ 128S. 11 Taf. Dresden-Blasewitz.
- 1927, Lefebvre, M.A., Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl. 5.
- 1933, Draudt, M., Neue Heteroceren des palaarktischen Faunengebietes. Ent. Rdsch. 50(12): 157-160, 167-169, 186-188, 2 Taf.
- 1936, Wagner, F., Zwei neue Noctuiden aus Nordpersien. Z. öst. EntVer. 21: 73-75.
- 1937, Bytinski-Salz, H. & W. Brandt, New Lepidoptera from Iran. Entomologist's Rec. J. Var. 49: 1-15.
- 1937, Schwingenschuss, L., Weitere Neuheiten aus Nord-Persien. Z. Öster. Ent. Ver. 22: 57-60.
- 1937, Wagner, F., Einige weitere persische Neuheiten (Lep.) Z. öst. EntVer. 22: 61-63, 5 figs.
- 1938, Albers, T. & F. Diehl, Beitrag zur Verbreitung von Chloridea dipsacea L. und maritima Grasl. Ent. Rdsch. 55: 461-465.
- 1938, Brandt, W., Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidoptera). Ent. Rdsch. 55: 497-505, 516-523, 548-554, 558-561, 567-574, 584-588, 597-602, 616-621, 632-634, 671-675, 698-699, 701-702, Abb. Taf.
- 1938, Draudt, M., Einiges über Chloridea maritima Grasl. und dipsacea L. Ent. Rdsch. 55: 306-309, Abb.
- 1938, Draudt, M., Zusätzliche Berichtigung zum Aufsatz über Chloridea maritima und dipsacea. Ent. Rdsch. 55: 371-372.
- 1938, Draudt, M., Neue Noctuidenrassen und Arten aus dem Elbursgebirge. Mitt. münch. ent. Ges. 28 (1): 29-31.
- 1938, Heydemann, F., Zu Chloridea maritima Grasl. Ent. Rdsch. 55: 368-371, Abb.
- 1938, Schwingenschuss, L., Beitrag zur Lepidopterenfauna von Iran (Persien) insbesondere des Elbursgebirges im Nordiran. Ent. Z., Stuttg. 53: 13-14, 36-38, 62-64, 86-88, 95-96, 125-128, 135-136, 149-152, 166-168.
- 1938, Schwingenschuss, L., Beitrag zur Lepidopterenfauna von Iran (Persien) insbesondere des Elbursgebirges im Nordiran [Fortz.]. Ent. Rdsch. 55: 200-210.
- 1939, Boursin, C., Beiträge zur Kenntnis der Agrotidae-Trifinae XXII. Elaphria Arten aus der 1937 Expedition von Herrn F.H. Brandt in Farsistan. Ent. Rdsch. 56: 289-293, 321-325, pls.
- 1939, Brandt, W., Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidoptera). Ent. Rdsch. 56: 11-15, 23-24, 32-34, 59-61, 86-88, 109-111, 139-142, 161-163, Abb.
- 1939, Brandt, W., Beitrag zur Lepidopteren-Fauna von Iran. Einige neue Agrotiden aus Laristan und Baloutchistan. Ent. Rdsch. 56(23): 241-245; (25): 268-273; (27): 294-300, 3 Taf.
- 1939, Wiltshire, E.P., A third contribution to the knowledge of the early stages of Oriental Lepidoptera. Mitt. münch. ent. Ges. 29: 4-12, 1 pl.
- 1940, Boursin, C., Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. Mitt. münch. ent. Ges. 30: 474-543, Taf. viii-xii.
- 1940, Kotzsch, H., Eine neue Noctuide aus Iran. Eustrotia Hb. (Eratrion O.) iranica sp. nov. Ent. Z., Frankf. a. M. 54: 73-74, figs.
- 1940, Wiltshire, E.P., Some notes on migrant Lepidoptera in Syria, Iraq and Iran. Entomologist 73: 231-234.
- 1940, Wiltshire, E.P., Early stages of oriental palaearctic Lepidoptera, IV. Entomologist's Rec. J. Var. 52: 69-74, pl. iv.
- 1941, Brandt, W., Beitrag zur Lepidopterenfauna von Iran (3). Agrotiden. Mitt. münch. ent. Ges. 31: 835-863, figs.
- 1941, Wiltshire, E.P., The summer flight; in cold climates of vernal and autumnal Lepidoptera. Entomologist's Rec. J. Var. 53: 4-7.
- 1941, Wiltshire, E.P., New Lepidoptera from S.W. Iran. J. Bomb. nat. Hist. Soc. 42 (2): 472-477, 1 pl.
- 1941, Wiltshire, E.P., Mesopotamian Desert Lepidoptera. J. Bomb. Nat. Hist. Soc. 42 (4): 826-842.
- 1942, Boursin, C., Die Elaphria-Arten der 1937/38- Sammelreisen von Herrn Fred H. Brandt in Süd- und Nordost-Iran (Laristan, Iranisch-Belutichistan und Khorassan), nebst Beschreibung von 4 neuen Arten und mehreren Formen. Z. wien. EntVer. 27: 89-101, Taf. 6-7.
- 1943, Boursin, C., Eine neue Gattung der Unterfamilie Zenobiinae aus Iran. Z. wien. ent. Ges. 28: 314-316, Taf.
- 1943, Wiltshire, E.P., Some more new Lepidoptera from S.W. Iran, with their life histories. J. Bomb. nat. Hist. Soc. 44 (2): 247-251, 1 Pl.
- 1943, Wiltshire, E.P., Early stages of Oriental Palaearctic Lepidoptera V. J. Bomb. nat. Hist. Soc. 43 (4): 621-634, 2pls.
- 1946, Boursin, C., Trois nouveaux genres palaearctiques de la sous-famille des Agrotinae. Revue fr. lépid. 10: 186-192.
- 1946, Wiltshire, E.P., Middle East Lepidoptera: New forms and species, vii. Entomologist's Rec. J. Var. 58: 25-31, Pls.
- 1946, Wiltshire, E.P., Middle East Lepidoptera, V. A new genus, a new species, and two new races from Iran, with taxonomic notes on other Persian Heterocera. Proc. R. ent. Soc. Lond. (B) 15 (9/10): 118-128, pl. I

- 1947, Boursin,C., Über zwei Autophila-Arten aus den Brandtschen Ausbeuten in Süd- und Ost-Iran. Z. wien. ent. Ges. 32: 142-148, pls.8-10.
- 1948, Boursin,C., Neue palaearktische Agrotis-Arten aus dem naturhistorischen Museum in Wien, nebst Synonymie-Notizen. Beiträge zur Kenntnis der Agrotidae-Trifinae xlv. Z. wien. ent. Ges. 33: 97-136, 14 Taf.
- 1949, Wiltshire,E.P., Middle East Lepidoptera,IX [X]. New species and forms from Arabia and Persia, with a description of the genus Tamsola from Iraq. Bull. Soc. Fouad I Ent. 33: 353-372, Pls., figs.
- 1949, Wiltshire,E.P., Some more new records of Lepidoptera from Cyprus, Iraq and Iran. Entomologist's Rec. J. Var. 61: 73-76.
- 1952, Boursin,C., Beiträge zur Kenntnis der Agrotidae-Trifinae, XLIX. Synonymie Notizen nebst verschiedenen Bemerkungen,III. Z. f. Lepidopt. 2 (1): 49-68.
- 1952, Wiltshire,E.P., Early stages of Palaearctic Lepidoptera, X. Bull. Soc. Fouad Ier Ent. 36: 175-186, Pl.
- 1953, Daniel,F., Neue Heterocera-Arten und -Formen. Mitt. münch. ent. Ges. 43: 252-261, Taf.vii.
- 1953, Tams,W.H.T. & J.Bowden, A revision of the African species of Sesamia Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls.
- 1953, Wiltshire,E.P., Middle East Lepidoptera, XII. Two new species from South-West Persia (Iran). Proc. R. ent. Soc. Lond. (B) 22(11/12): 217-219, 2 figs.
- 1954, Boursin,C., Zwei neue Cryphia Hb. (Bryophila)-Arten aus dem vorderasiatisch-mediterranen Faunenkreis (Beiträge zur Kenntnis der "Agrotidae-Trifinae" LXVI (66)). Z. wien. ent. Ges. 39: 85-89, 2 Taf.
- 1955, Berio,E., Sulla distribuzione geografica della Noctua algira L. e sulle specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 85(9/10): 140-148, 24 figs.
- 1957, Boursin,C., Description de huit nouvelles Caradrina O. d'Afghanistan, de l'expédition Klapperich, et de deux Oedibrya Hps. (Perse et Afghanistan) (Lep., Phalaenidae) (Diagnoses préliminaires) (Contribution a l'étude des Agrotidae-Trifinae xc/90). Bull. mens. Soc. linn. Lyon 26(6): 158-163.
- 1957, Boursin,C., Nouvelles "Trifinae" d'Afghanistan de l'expédition Klapperich (Lep., Noct.). Bull. mens. Soc. linn. Lyon 26 (9): 242-250.
- 1957, Wiltshire,E.P., The Lepidoptera of Iraq. Nicholas Kaye Ltd. London.
- 1958, Dufay,C., Révision des Nycteola Hübner (Sarrothripus Curtis) Paléarctiques (Lepidoptera, Noctuidae, Nycteolinae). Annls Soc. ent. Fr. 27: 107-132, Pl.ii,iii,A,B.
- 1958, Reisser,H., Ergebnisse der Österreichischen Iran-Expedition 1949/50 Lepidoptera I. (Macrolepidoptera). Sber. Akad. Wiss. Wien, Abt.1 167: 519-551, 9 Taf., 1 Karte.
- 1959, Boursin,C., Über zwei für Europa neue Hadenä-Arten (=Dianthoecia B.) Hadenä clara Stgr. (1901), bona sp.! und Hadenä urumovi Dren. (1931), bona sp.! Z. wien. ent. Ges. 44: 113-131, pls.5-11.
- 1960, Boursin,C., Eine neue Apamea O. aus Iranisch-Belutschistan. Stuttg. Beitr. Naturk. 43: 1-3, pls.
- 1961, Daniel,F., Die Bombyces und Sphinges einer Lepidopteren-Ausbeute aus dem Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr.38). Stuttg. Beitr. Naturk. 53: 1-5.
- 1961, Wiltshire,E.P., A New Genus, eight New Species, seven New Forms, and Notes on the Lepidoptera of Saudi Arabia, Bahrain, and Iran. J. Bomb. nat. Hist. Soc. 58(3): 608-631, 3 figs., 4 Pls.
- 1963, Boursin,C., Nouvelles races de Noctuidae Palaearctiques (Lep., Noctuidae). Bull. mens Soc. linn. Lyon 32: 254-262.
- 1963, Dufay,C., Descriptions de trois nouvelles especes d'Euchalcia Hb. d'Asie Anterieure (Lepidoptera, Noctuidae, Plusiinae). Bull. mens. Soc. linn. Lyon 32(3): 68-72.
- 1963, Sutton,S.L., South Caspian Insect Fauna 1961. Ann. Mag. nat. Hist. (13) 6: 353-374, 8 figs., pl.xiv.
- 1964, Boursin,C., Eine neue Anamecia Brsn. aus Westpakistan. Z. wien. ent. Ges. 49: 34-35, Taf.3.
- 1965, Daniel,F., Österreichische Entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna, Teil 4. Z. wien. ent. Ges. 50(9/10): 121-145, Taf. 8 figs.
- 1966, Boursin,C., Eine neue Conisania Hps. aus Sining nebst Synonymie-Notizen. Z. wien. ent. Ges. 51: 154-159, Tab.13-17, 17 figs.
- 1967, Wiltshire,E.P., Middle East Lepidoptera XX. A third contribution to the fauna of Afghanistan. Beitr. naturk. Forsch. SWDtl. 26(3): 137-169, 16 pls.
- 1969, Dufay,C., Description d'Euchalcia stilpna n.sp., de l'Iran (Lep., Noctuidae, Plusiinae). Opusc. zool. 110: 1-4, 2 figs.
- 1970, Boursin,C., Description de 40 especes nouvelles de Noctuidae Trifinae paléarctiques et de deux genres nouveaux des sous-familles Noctuinae et Amphipyriinae 2e série. Contributions a l'étude des Noctuidae Trifinae, 166. Entomops 18: 45-79, figs.52-122.
- 1970, Klots,A.B., Lepidoptera. [In] Tuxen,S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2).
- 1970, Wiltshire,E.P., A review of the genus Pericyma Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs.
- 1970, Wiltshire,E.P., Some new Jaspidiinae and Catocalinae mainly from the Sudan (Noctuidae). Veröff. zool. St. Samml. München 14: 112-119, figs.
- 1971, Wiltshire,E.P., Österreichische Expedition nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 15. Noctuidae-Quadriinae (Middle East Lepidoptera,XXVII). Annln naturh. Mus. Wien 75: 627-649, 2 pls.
- 1974, Razowski,J., Phylogeny and classification of Lepidoptera. Acta zool. cracov. 19(1): 1-18, 1 fig.
- 1975, Nye,I.W.B., The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London.
- 1976, Kalali,G.-H., A List of Lepidoptera from Province of Khorasan (Iran). J. ent. Soc. Iran 3(1/2): 131-135.
- 1976, Wiltshire,E.P., Early stages of Palaearctic Lepidoptera, XIV. Cucullia minogenica Rebel (Noctuidae), and some closely relatives; with a provisional key to the known larvae of the C.verbasco L. group. Proc. Br. ent. Nat. Hist. Soc. 1976: 26-32, 2 pls.
- 1976, Wiltshire,E.P., Middle East Lepidoptera, xxxiii. Some new Lasiocampidae, Noctuidae, Geometridae and Limacodidae. Z. ArbGem. öst. Ent. 27(3/4): 73-84, 7 figs. 2 Pls.
- 1977, Heppner,J.B., The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134.
- 1977, Janzon,L.-A., Beiträge zur Kenntnis der Noctuiden Irans I.Beitrag: Zethes brandti n.sp. from Iran (Lepidoptera, Noctuidae). Ent. scand. 8: 173-176, 3 figs.
- 1977, Wiltshire,E.P., Middle East Lepidoptera, XXXVII. Notes on the Spodoptera litura (F.)- Group (Noctuidae-Trifinae). Proc. Br. ent. Nat. Hist. Soc. 1977: 92-96, 7 figs.
- 1978, Ebert,G., Neue Taxa palaearktischer Noctuidae aus dem wissenschaftlichen Nachlass von Charles Boursin (Lepidoptera, Noctuidae, Trifinae). Beitr. Naturk. Forsch. SüdWDtl. 37: 193-207, figs.
- 1979, Varga,Z., Neue Noctuiden aus der Sammlung Vartian (Wien), II. Z. ArbGem. öst. Ent. 31 (1/2): 1-12, 7 Abb. 1 Taf.
- 1980, Hayes,A.H., A revision of the Pantropical genus Tathorhynchus Hampson (Lep., Noctuidae, Ophiderinae). Proc. Br. ent. nat. Hist. Soc. 1980: 25-30, 5 Pls.

- 1980, Koçak, A.Ö., On the nomenclature of some genus- and species-group names of Lepidoptera. *Nota lepid.* 2 (4): 139-146.
- 1980, Leraut, P.J.A., Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse. 334pp. Paris.
- 1981, Koçak, A.Ö., On the nomenclature of some genera of Lepidoptera. *Cent. ent. Stud., Priamus* 1(1): 18-23; 1(3): 97-109, 112-122.
- 1982, Heppner, J.B., A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). *N.Y. ent. Soc.* 89(4): 220-294.
- 1982-1987, Koçak, A.Ö., On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". *Cent. ent. Stud., Priamus* 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86.
- 1983, Freina, J.J.de, Revision der *Hadena luteago* ([Denis & Schiffermüller], 1775) - *andalusica* (Staudinger, 1859)- Gruppe nebst Beschreibung einer neuen Art der Gattung *Hadena* Schrank, 1802 aus Sardinien. *Spixiana* 6: 45-59, figs.
- 1984, Sattler, K. & W.G. Tremewan, The Lepidoptera names of Denis & Schiffermüller - a case for stability. *Nota lepid.* 7 (3): 282-285.
- 1985, Ronkay, L. & Z. Varga, Neue Noctuiden aus Armenien bzw. aus dem Kaukasus-Raum (Lepidoptera, Noctuidae). *Z. ArbGem. öst. Ent.* 36 (3/4): 86-94, 1 Taf., 5 Abb.
- 1986, Ahola, M., Larvae of European *Polia* Ochsenheimer (Lepidoptera, Noctuidae), with proposals on a subgeneric division and phylogeny. *Ent. scand.* 17: 55-74, figs.
- 1986, Behounek, G., Beitrag zur Noctuiden-Fauna der Türkei und des Irans. Neue Erkenntnisse zur Verbreitung von *heliophobus reticulata* (Goeze, 1780) (Lep., Noctuidae). *NachrBl. bayer. Ent.* 36: 115-122, 3 figs.
- 1986, Freina, J.J.de & T.J. Witt, Die Bombyces und Sphinges der Westpalaearkt (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München.
- 1986, Minet, J., Ebauche d'une classification moderne de l'ordre des Lépidoptères. *Alexanor* 14: 291-313.
- 1986, Ronkay, L., Taxonomic Studies on the genus *Autophila* Hübner, 1823. I. *Acta zool. hung.* 32(1/2): 141-159, 38 figs.
- 1987, Farid, A., Some bio-ecological features of *Heliothis armigera* Hb. on tomatoes in Djirift. *Ent. phyt. Appl.* 54(1/2): 5-6, 15-24, 2 figs. (persian pages).
- 1987, Mitter, C. & E. Silverfine, On the systematic position of *Catocala* Schrank (Noctuidae). *Syst. Ent.* 13: 67-84, figs.
- 1989, Hacker, H., Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. *Herbipoliana* 2: 1-590, Taf.
- 1989, Hacker, H., Beiträge zur systematischen Erfassung der Noctuidae des vorder- und zentralasiatischen Raumes. Neue taxonomische und faunistische Erkenntnisse zur Fauna Vorderasiens und Aegyptens (Lepidoptera, Noctuidae). *Atalanta* 19: 157-187, figs.
- 1989, Poole, R.W., Noctuidae (Parts 1-3) [in] Heppner, J.B., *Lepidopterorum Catalogus* (New Series). Fascicle 118. xii + 1314 pp. E.J. Brill / Flora & Fauna Publications, Leiden. New York. København. Köln.
- 1989, Ronkay, L., Taxonomic Studies on the genus *Autophila* Hübner, 1823 (Lepidoptera, Noctuidae), II. *Acta zool. hung.* 35(1/2): 111-141, 74 figs.
- 1989, Varga, Z. & L. Ronkay, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae) I. The description of a new subgenus two new species and a new subspecies. *Nota lepid.* 12 (1):
- 1990, Fibiger, M., Noctuidae Europaeae vol.1 Noctuinae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro.
- 1990, Hacker, H., Die Noctuidae Vorderasiens (Lepidoptera). *Neue ent. Nachr.* 27: 1-707, 16 Taf.
- 1990, Hacker, H., Das Noctuidae - Typenmaterial der Sammlung Peks (Lepidoptera). *Esperiana* 1: 421-426.
- 1990, Koçak, A.Ö., Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. *Cent. ent. Stud., Misc. Pap.* 5: 4.
- 1990, Koçak, A.Ö., Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -IV. *Cent. ent. Stud., Misc. Pap.* 8: 4-5.
- 1990, Ronkay, L., New taxa of the genus *Metalopha* Staudinger, 1892 (Lepidoptera, Noctuidae). *Esperiana* 1: 199-212, 26 figs., pl. 8.
- 1991, Matthews, M., Classification of the Heliothinae. *Nat. Res. Inst. Bull.* 44: 198 pp.
- 1991, Minet, J., Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). *Ent. scand.* 22: 69-95.
- 1991, Varga, Z. & L. Ronkay, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I. New taxa from Asia. *Acta zool. hung.* 37(3/4): 263-312, 113 figs. Pls. 1-3.
- 1991, Varga, Z. & L. Ronkay, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae), II. The subgenus *Rasihia* Kocak. *Nota lepid.* 14 (2): 144-170, figs.
- 1992, Beck, H., New view of higher classification of the Noctuidae (Lepidoptera). *Nota lepid.* 15(1): 3-28, 7 figs.
- 1992, Behounek, G., Die holarktischen Arten der Gattung *Lacanobia* Billberg, 1820 (Lepidoptera, Noctuidae, Hadeninae). *Esperiana* 3: 33-65, Abb.
- 1992, Carter, D., Butterflies and Moths. 304pp., figs. Dorling Kindersley, London
- 1992, Fibiger, M. & L. Ronkay, New *Autophila* taxa from Sicily and Turkey (Lepidoptera, Noctuidae). *Ann. Hist. Nat. Mus. nat. Hung.* 83: 135-137, figs.
- 1992, Hacker, H., Revision der Gattung *Hadena* Schrank, 1802 (Lepidoptera) Teil 1. *Esperiana* 3: 243-361, 65 Abb.
- 1992, Hreblay, M., Revision der Gattung *Valerietta* Draudt, 1938. *Esperiana* 3: 235-241, 14 Abb.
- 1993, Fibiger, M., Noctuidae Europaeae vol.2 Noctuinae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro.
- 1993, Ronkay, L. & Z. Varga, Taxonomic studies on the genera *Pseudohadena* Alpheraky, 1889 and *Auchmis* Hübner, [1821] (Lepidoptera, Noctuidae) Part IV. *Acta zool. hung.* 39(1/4): 211-248, figs.
- 1993, Varga, Z., Beiträge zur Kenntnis der Gattung *Dichagyris* Lederer, 1857 (Lepidoptera, Noctuidae) I. *Acta zool. hung.* 39(1/4): 289-300, figs.
- 1993, Wiltshire, E.P., Middle East Lepidoptera 50: Notes on some hitherto misunderstood forms near *Polymixis bischoffii* (Herrich-Schäffer, 1850) (Noctuidae). *Nota lepid.* 15 (3/4): 257-267, 13 figs.
- 1994, Lödl, M., Remarks on the classification of the genera *Hypena* Schrank, 1802, *Dichromia* Guenée, 1854, und *Harita* Moore, 1882 (Lepidoptera, Noctuidae). *Nota lepid.* 16(3/4): 241-250, figs.
- 1995, Dufay, C. & Z. Varga, A new noctuid species from Iran: *Chersotis eberti* sp.n. (Lepidoptera, Noctuidae). *Acta zool. hung.* 41: 35-45, figs.
- 1996, Beck, H., Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). *Neue ent. Nachr.* 36: 1-122.
- 1996, Hosseinpour, Y., Iran (Azarbayegan) Lepidoptera faunası üzerine araştırmalar. *Cent. ent. Stud., Priamus* 7(3): 65-93, 1 fig.
- 1996, Hreblay, M., Neue paläarktische Taxa aus der Gattung *Perigrapha* Lederer, 1857 (Lepidoptera, Noctuidae). *Esperiana* 4: 65-94, 90 Abb., Taf.
- 1996, Karsholt, O. & J. Razowski (eds), The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stentrup.
- 1996, Lödl, M., Kerbaci, R. & S. Gaal, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta: Lepidoptera). *Ent. Nachrbl.* 3 (2-3)(N.F.): 1-5.
- 1996, Varga, Z. & L. Ronkay, New and revised taxa of the genera *Chersotis* Boisduval, 1840 and *Dichagyris* Lederer, 1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). *Esperiana* 4: 103-132, 83 figs., 2 Pls.
- 1996, Varga, Z., Biogeography and evolution of orear Lepidoptera in the Palaearctic. *Acta zool. hung.* 42 (4): 289-330, 12 figs.

- 1997, Koçak,A.Ö. & S.Seven, Palaearktık Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8.
- 1997, Leraut,P.J.A., Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse (deuxième édition). 526pp. Paris.
- 1997, Rezbanyai-Reser,L., Vier neue Oligia-Arten, pseudodubia (NW-Kaukasus) und turcia (Türkei), sowie suleiman und vandarban (Nord-Iran) (Lepidoptera, Noctuidae). Ent. Ber., Luzern 37: 149-169, Abb.
- 1998, Hacker,H., Revision der Gattungen Hadula Stgr.,1889 (=Discestra Hmps.,1905;Aglossestra Hmps.,1905;Cardiestra Brsn.,1963), Anartomorpha Alph.,1892, Trichanarta Hmps.,1895, Anarta Ochs.,1816 und Cardepiia Hmps.,1905 mit Beschreibung einer neuen Gattung Hadumorphia g.n. Esperiana 6: 577-843, Taf., figs.
- 1998, Hacker,H., Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). Esperiana 6: 185-212, figs.
- 1999, Kitching,I.J. & J.E.Rawlins, The Noctuoidea, [in] N.P.Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M.Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York.
- 2001, Benedek,B. & L.Ronkay, Two new Noctuidae species from Iran (Lepidoptera). Folia ent. hung. 62: 191-198, figs.
- 2001, Fibiger,M., A new species of the genus Lophoterges Hampson,1906 from Iran: L. mariannae sp.n. (Lepidoptera, Noctuidae, Cuculliinae). Acta zool. hung. 46 (4): 333-336, figs.
- 2001, Hacker,H. & J.-U.Meineke, Beitrag zur Fauna der Noctuidae des Iran: Ergebnisse von Forschungen der Jahre 1998 bis 2000 (Lepidoptera). Esperiana 8: 791-810.
- 2002, Benedek,B. & L.Ronkay, Two new species of the Polymixis-Mniotype complex (Lepidoptera, Noctuidae) from Asia. Esperiana 9: 411-419, pl.22.
- 2002, Ebert,G. & H.H.Hacker, Beitrag zur Fauna der Noctuidae des Iran: Verzeichnis der Bestände im Staatlichen Museum für Naturkunde Karlsruhe, taxonomische Bemerkungen und Beschreibung neuer Taxa (Noctuidae, Lepidoptera). Esperiana 9: 237-409, figs.
- 2002, Fibiger,M. & H.Hacker, The Eublemma Hübner,[1821] species of Yemen with description of ten new species (Lepidoptera, Noctuidae, Eublemminae) (Part 1). Esperiana 9: 481-510, Pls.24,25.
- 2002, Gyulai,P., Four new Hadula Staudinger,1889 taxa from Asia (Lepidoptera, Noctuidae). Esperiana 9: 231-236, Pls.18,20.
- 2002, Koçak,A.Ö. & M.Kemal, Türkiye'de bir Karakuşaklı Güzel Colobochyla platyzona (Lederer,1870) (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 86: 2-5, figs.
- 2002, Speidel,W. & L.Aarvik, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22.
- 2002, Varga,Z. & P.Gyulai, New taxa of Noctuidae, Hadeninae from West and Central Asia. Esperiana 9: 229-230, 517, Pl.20.
- 2002, Varga,Z., Gyulai,P. & J.Miatleuski, New species of Noctuidae, Noctuinae from Iran and Central Asia. Esperiana 9: 207-225, 516, pls.19,20.
- 2004, Hacker,H., Revision of the genus Caradrina Ochsenheimer,1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls.
- 2004, Kühne,L. & W.Speidel, The system of the Catocalinae - a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184.
- 2005, Fibiger,M. & J.D.Lafontaine, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. Esperiana 11: 7-92.
- 2005, Robinson,G.S., Ackery,P.R., Kitching,I.J., Beccaloni,G.W. & L.M.Hernandez, Hosts - a database of hostplants of the World's Lepidoptera (<http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsml>) Natural History Museum, London.
- 2005, Ronkay,L., Revision of the genus Lophoterges Hampson,1906 (s.l.) (Lepidoptera, Noctuidae, Cuculliinae) Part II. The Genus Lophoterges s.str. Acta zool. hung. 51 (1): 1-57, figs.
- 2006, Gyulai,P. & L.Ronkay, New Noctuidae taxa from Iran and Turkey (Lepidoptera). Esperiana 12: 253-264, figs.
- 2006, Gyulai,P. & Z.Varga, New taxa of Noctuidae, Noctuinae from Iran and Central Asia (Lepidoptera). Esperiana 12: 269-280, figs.
- 2006, Ronkay,L. & P.Gyulai, New Noctuidae (Lepidoptera) species from Iran and Tibet. Esperiana 12: 209-240, figs.
- 2006, Ronkay,L. & P.Gyulai, Two new Noctuidae (Lepidoptera) species from Iran. Esperiana 12: 241-246, figs.
- 2006, Zahiri,R. & M.Fibiger, A new species of Amphipoea Billberg,1820 from northwestern Iran (Lepidoptera, Noctuidae). Zootaxa 1244: 33-39, figs.
- 2007, Fibiger,M. & R.Zahiri, A new species of Gortyna Ochsenheimer,1816 from Golestan forests of Iran (Noctuidae). Nota lepid. 29 (3/4): 215-220, figs.
- 2007, Fibiger,M.,Zahiri,R. & V.S.Kononenko, Description of a new species of the Central palaeartic genus Margelana Staudinger (Lepidoptera, Noctuidae) from the northeastern Iran. Zootaxa 1503: 13-19, figs.

Priamus & Priamus Supplement

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara (CESA), established in 1981. It appears in volumes at irregular intervals. It includes shorter original articles of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Priamus Supplement is the first international, electronical publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals as PDF format and announced in the internet site of the CESA. It includes larger original articles and theses of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)⁴, Miscellaneous Papers (ISSN 1015-8235)⁵, Memoirs (ISSN-8227)⁶ DVD Films⁷, Iconographia Insectorum⁸ Cesa Publications on African Lepidoptera (series)⁹

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor
Assistent: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrečki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

The published copies of this article are found in the following major Libraries: *British Museum, Natural History, London, England - California Academy of Sciences, San Francisco, U.S.A. - Library of Transvaal Museum, Pretoria, South Africa - Bibliothek, Entomologischen Museum Dr. Ulf Eitschberger, Germany - Deutsche Entomologische Institut, Eberswalde, Germany.*



⁴ <http://www.cesa-tr.org/Pri.htm> - pdf available after corresponding

⁵ <http://www.cesa-tr.org/Miscell.htm> - pdf available after corresponding

⁶ <http://www.cesa-tr.org/Memoirs.htm> -

⁷ <http://www.cesa-tr.org/CDF.htm>

⁸ <http://www.cesa-tr.org/Icon.htm>

⁹ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available